

NOTICE OF PESTICIDE:  REGISTRATION  
 REREGISTRATION  
(Under the Federal Insecticide, Fungicide,  
and Rodenticide Act, as amended)

TERM OF ISSUANCE

NAME OF PESTICIDE PRODUCT

Roane Spray With Repellent

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Chemisco, Inc.  
8494 Chamin Industrial Dr.  
St. Louis, MO 63114

161  
18  
156319  
1

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

\* This product is conditionally registered in accordance with FIFRA sec. 2(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 2(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product for shipment:
  - a. Add the phrase, "EPA Registration No. 9688-65."
  - b. Add the prohibition "Not for use on horses intended for human consumption."
  - c. Declare rosmethrin as: "Eosmethrin-(5-(phenylmethyl)-3-furanyl)methyl 2,2-dimethyl-2-(2-methyl-1-propenyl) cyclopropanecarboxylate" on the front panel of the label.
3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

**BEST AVAILABLE COPY**


ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

  
William H. Miller  
Product Manager (16)  
Insecticide-Rodenticide Branch  
Registration Division (TS-767)

Enclosure

RD/IRB:JOB-87119:Miller:RD-58:Kendrick:898-1270:7/26/85:Del.8/6/85:EK

Reg # 9688 CA 7/4/11 7385

EQUINE SPRAY WITH REPELLENT

ALSO FOR CATS AND DOGS

KILLS FLEAS, TICKS AND LICE - STOPS SCRATCHING

REPELLENT TO GNATS, MOSQUITOES AND FLIES

Active Ingredients:

Pyrethrins	0.06%
Piperonyl butoxide, technical	0.48%
2,3:4,5-bis (2-butylene) tetrahydro-2 furaldehyde	0.24%
0,0-dimethyl dithiophosphate of diethyl mercaptosuccinate.	0.50%
Petroleum Distillate	0.97%

Inert Ingredients:

97.75%  
100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See rear panel for additional precautions.

Net contents: 1 lb. (16 oz.)

EPA Reg No 9688-

EPA Est No 9688-MO-1

ACCEPTED  
with COMMENTS  
in EPA Letter Dated

AUG 7 1985

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

9688-65

Chemsico, Inc.  
8494 Chapin Industrial Drive  
St. Louis, Mo  
63114

July 4 9:00 AM 1956

DIRECTIONS

HORSES:

Kills and repels horse flies, stable flies, face flies, house flies, gnats and mosquitos.

Before application, brush animal to remove loose dirt, dust and debris.

Spray animal from a distance of 12 inches with special attention to shanks, legs, shoulders, neck and facial area. Avoid spraying eyes and nostrils. Two to four ounces is sufficient to treat an adult horse, one to two ounces for ponies. Avoid wetting of animal hide. Apply once a day, preferably in the morning.

DOGS AND CATS:

Hold container upright. Depress button and adjust spray nozzle for stream or mist as desired. Apply from a distance of 10 to 12 inches protecting animal's eyes from spray. Direct spray over the animal beginning from the tail to the back of the neck. The entire coat should be slightly dampened. Ticks that are attached should be sprayed directly. An application of 30 to 45 seconds is adequate. Repeat application if necessary.

NOTE: Do not treat or cause exposure of kittens or puppies less than four weeks old.

In kennels or other sleeping quarters, to control these insects and to deodorize the quarters, spray the animal regularly as above and spray bedding, walls, cracks, crevices and flooring as often as necessary.

NOTICE: Buyer assumes all risks of use, storage and handling of this material not in strict accordance with directions given herewith.

.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

Reg # 9038 (S) PM 10 p. 5 of 5

**PRACAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

Caution: Harmful if swallowed or inhaled. May cause eye irritation. Avoid breathing of spray mist. Avoid contact with skin; wash thoroughly after use. Avoid contamination of feed and foodstuffs. Do not treat or cause exposure of kittens or puppies less than four weeks old.

**PHYSICAL AND CHEMICAL HAZARDS:** Flammable. Keep away from heat and open flame.

**DIRECTIONS FOR USE:**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**STORAGE AND DISPOSAL**

Store in a cool, dry area away from heat or open flame. Do not reuse empty container. Wrap container and put in trash collection.

**STATEMENT OF PRACTICAL TREATMENT**

If swallowed: call a physician or Poison Control Center. Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

If on skin: in case of contact, remove contaminated clothing and immediately wash skin with plenty of water.

If in eyes: flush eyes with plenty of water. Get medical attention if irritation persists.

If inhaled: Remove victim to fresh air. Apply artificial respiration if indicated.

**BEST AVAILABLE COPY**