

Chemsico

Lawn Insect Control Granules

[Kills on contact • Up to 4 week control • Protects your home from invading ants • Also stops [kills] spiders, roaches, ants, fleas, brown dog ticks and more • Grub Control • Kills: Grubs, Fleas, Ants, Crickets, Brown Dog Ticks, Fire Ants, Chinch Bugs, Armyworms, Billbugs, Cutworms, Earwigs, Sod Webworms and other listed insects • Ready to use • Controls Fire Ants • Treats [Covers] 1,000 Sq. Ft • *Guaranteed Results or Your Money Back • Ace Promise Satisfaction Guaranteed]

Active Ingredient:
Permethrin..... 0.25%
Other Ingredients: 99.75%

KEEP OUT OF REACH OF CHILDREN
CAUTION See additional precautionary statements on back of bag.

Net Weight: 10 Lbs (4.53 Kilograms)

[Bracketed Text] = Optional Language

OPTIONAL MARKETING LANGUAGE

[Chemsico Lawn Insect Control contains Permethrin, a long lasting insecticide which provides contact and residual control for up to 4 weeks of outdoor insect pests.] [For use on lawns and as a barrier band treatment around house foundation.] [Barrier Treatment around House Foundation]

[OPTIONAL PRODUCT FACT BOX]

PRODUCT FACTS

What it does:

Protects your home from Invading Ants. Also Kills Spiders, Roaches, Fleas, Brown Dog Ticks and other Listed Insects. [Kills Fleas, Ants, Crickets, Brown Dog Ticks, Fire Ants, Chinch Bugs, Armyworms, Billbugs, Cutworms, Earwigs, Grubs, Sod webworms and Other Listed Insects]

Where to Use: (icon outdoors)

Outdoors, as a Barrier Band Treatment [Outdoors, on Lawns and as a Barrier Band Treatment around House Foundation]

Questions & Comments: (icon phone) (icon computer)

Call 1-800-332-5553 or Visit our Website at www.spectracide.com

6/18/2002

STOP. READ ENTIRE LABEL BEFORE USE.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. *For outdoor use around the home only.*

Three Easy Steps to Use this Product

- Step #1: Determine size of the job, measure the area to be treated.
- Step #2: Use spreader setting chart to determine appropriate setting for your spreader.
- Step #3: Treat as directed in rate chart. Thorough coverage is important. Water in granules where indicated.

ACCEPTED
JUN 18 2002
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 9688-83

1/5

Directions for Applying Chemsico Lawn Insect Control Granules

Treatment Areas	Target [Pests]	Remarks [How To Use]	Use Rate
<i>Band Treatment</i> Around House Foundation	Ants, Fleas, Brown dog ticks, Millipedes, Clover mites, Roaches, Spiders, Silverfish, Sowbugs (Pillbugs), Crickets, Earwigs	These pests are commonly found around or near foundations of houses as well as in lawns. Certain of these pests may enter houses. Apply a 5-foot band of granules next to the house foundation. Distribute granules uniformly. Water lightly after application.	3.2 oz. for each 100 sq. ft. area (5' by 20')
<i>Overall Lawn Application for</i> Grass and Dichondra Lawns	Ants, Armyworms, Brown dog ticks, Chinch bugs, Clover mites, Crickets, Cutworms, Earwigs, Fleas, Lawn moths (sod webworms), Leafhoppers, Millipedes, Sowbugs	Apply with a fertilizer spreader. See spreader setting chart on the side of bag. Apply when grass is dry. Water lawn lightly after application.	For application with other types of equipment, apply at the rate of 2 lbs. per 1000 sq. ft. (an area 20' by 50') or 3.2 oz. per 100 sq. ft. (an area 10' by 10'). For heavy lawns such as St. Augustine grass, the rate should be increased to 3 lbs. per 1000 sq. ft. (or 4.8 oz. per 100 sq. ft.)
	Billbugs, Grubs, Japanese beetle grubs, <i>Ataenius spretulus</i> (dung beetles)	Water grass thoroughly after application. <i>For billbug control</i> , apply when activity is first observed or when chewed or brown grass indicates damage from these insects. <i>For grub control</i> , except dung beetle, treat any time between late July and early October. <i>For dung beetle grub control</i> , apply in spring or early summer when damage is first noticed. Water grass thoroughly with ¼ to ½ inch of water after application. Treat again in late summer or early fall if a second generation occurs.	Apply 2.5 lbs. per 1000 sq. ft. of lawn.
<i>Spot Treatment</i>	Ants	Water lightly after application.	Apply 1 ½ teaspoons over and around each ant hill.
	Fire Ants	Immediately after application, water in thoroughly. A minimum of 1 gallon of water should be applied to each mound area. Apply gently to avoid disturbing ants. Use of high pressure watering equipment may disturb the ants and cause migration, reducing product effectiveness. <i>NOTE:</i> For best results, apply in cool weather, 65 - 80 ° F, or in early morning or late evening hours. Treat new mounds as they appear. [Fast acting, works within 24 hours.] [No waiting for weeks]	Apply 1 cup over and 2 ft. around each fire ant mound.

SPREADER SETTING NO. (per 1000 sq. ft.)			
Spreader Make and Model	Grass or Dichondra Lawns 2 pounds	St. Augustine Lawn 3 pounds	White grubs, Billbugs 2 pounds
Central Imperial Make No. 1662-G	6 1/2	7 1/4	7
Central Suburbia Lawn Spreader No. 1622-O	6 1/2	7 1/2	7
Cyclone Model B1 Rotary	4 1/2	5	4 3/4
Greenfield Model 105	6 1/2	7 1/4	6 3/4
Ortho Drop Spreader Model 3000	4 1/2	5 1/2	5
Ortho Broadcast Spreader Model 4000	4 1/2	7	6
J. C. Penny Model 6005	7 1/4	8	7 1/2
J. C. Penny Rotary Spreader	5	7	6
Scott Model 35	4	5	4 1/2
Sears Craftsman Model 671.19198	6	7	6 1/2

Note: The spreader settings listed above are approximate. Accurately weigh a few pounds into your spreader and apply to a measured area. Then adjust spreader setting if necessary, in order to assure correct rate of application.

[OPTIONAL SPREADER SETTINGS] (revised 8-31-00)

SPREADER SETTINGS (per 1000 sq. ft.)			
Spreader Make and Model	Grass or Dichondra Lawns 2 pounds	St. Augustine Lawns 3 pounds	White Grubs, Billbugs 2 1/2 pounds
CYCLONE			
Rotary	3 1/2 - 4	5 1/2	4 1/2
K-GRO			
Rotary	1	2	1 1/2
Drop	5	6	5 1/2
REPUBLIC			
EZ Drop #530	8	11	10
EZ Drop #540	2 1/2	4	3
SCOTTS			
SpeedyGreen 2000	4 1/2	5 1/2	5
SpeedyGreen 3000	4 1/2	5 1/2	5
AccuGreen 1000	4 1/2	5 1/2	5
AccuGreen 2000	4 1/2	5 1/2	5
AccuGreen 3000	4 1/2	5 1/2	5
Drop	5 1/2	6 1/2	6
SEARS			
Rotary	1 1/2	2	1 1/2 - 2
Drop	5	7	6
EARTHWAY			
Rotary	1 1/2	2	1 1/2 - 2
PRECISION			
Rotary (#S850)	3 1/2	4 1/2	4
RED DEVIL			
Rotary	3 1/2	4 1/2	4
TRUE TEMPER			
Rotary	3 1/2	4 1/2	4
VIGORO			
Rotary	3	4	3 1/2

Note: The spreader settings listed above are approximate. Accurately weigh a few pounds into your spreader and apply to a measured area. Then adjust spreader setting if necessary, in order to assure correct rate of application.

3/5

OPTIONAL SPREADER SETTINGS] (2-26-98)

SPREADER SETTINGS (per 1000 sq. ft.)			
Spreader Make & Model	Grass or Dichondra Lawns 2 lbs.	White grubs, Billbugs / 2 lbs.	St. Augustine Lawns / 3 lbs.
CYCLONE			
Broadcast	3 1/2 - 4	4 1/2	5 1/2
GREENVIEW			
Drop Spred III	3 - 3 1/2	4	5
Jet Spred III	4 - 4 1/2	5	6
REPUBLIC			
Drop EZ530	8 - 9	10	11
Broadcast EZ540	2 - 2 1/2	3	4
SCOTTS			
AG3	3 - 3 1/2	4	5
EG3	26 1/2 - 27	27 1/2	28
PF4	4 3/4 - 5 1/2	6	6 1/4
SG3	4 - 4 1/2	5	6
SEARS			
Drop 1935	5 - 5 1/2	6	7
Broadcast 192	11 - 11 1/2	12	13

Note: The spreader settings listed above are approximate. Accurately weigh a few pounds into your spreader and apply to a measured area. Then adjust spreader setting if necessary, in order to assure correct rate of application.

OPTIONAL DIRECTIONS**OPTION A****BAND TREATMENT AROUND HOUSE****General Directions**

The following pests are commonly found around or near foundations of houses as well as in lawns. Some of these pests may enter the home. Apply a 3 to 5 foot band of granules next to the house's foundation.

INSECTS:

Ants, Fleas, Brown dog ticks, Clover mites, Crickets, Earwigs, Millipedes, Sowbugs (Pillbugs)

RATE:

3.2 oz. for each 100 sq. ft. area (5 ft. by 20 ft.).

HOW TO USE:

Distribute granules evenly. Water lightly after application.

SPOT TREATMENT FOR ANTS**RATE:**

Apply 1 1/2 teaspoons over and around each ant hill.

HOW TO USE:

Water lightly after application.

OPTION B**BAND TREATMENT AROUND HOUSE**

1. Chemsico Lawn Insect Control kills ants, as well as fleas, Brown dog ticks, clover mites, crickets, earwigs, millipedes, roaches, sowbugs (pillbugs), spiders, silverfish and other pests.
2. Break the seal and open the pop-top cap.
3. Evenly sprinkle granules in a 3 to 5 foot wide band along the foundation of your home. Granules should be spaced like the ones pictured below (show picture). Use rate = 3.2 oz. for each 100 sq. ft. area (5' x 20').
4. Gently water treated areas.

USE TIPS

1. Try to get even coverage throughout your "barrier band".
2. Reapply after hard rains to areas where down spouts empty.

SPOT TREATMENT FOR ANTS

1. Evenly sprinkle granules over and around each ant hill.
2. Use 1/2 oz. (1 1/2 teaspoons) per ant hill. (NOTE: This package will effectively treat 64 ant hills.) (The note is for a 2 pound package.)
3. Gently water treated areas.

STORAGE AND DISPOSAL

Storage: Store product in original container in a locked storage area. **Disposal:** If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS**Hazards to Humans and Domestic Animals**

Caution: Harmful if absorbed through skin. Causes moderate eye irritation. Avoid inhalation of dust. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Avoid contamination of food and feed. Utensils such as teaspoons and measuring cups should not be used for food purposes after use with insecticides.

FIRST AID

If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice. **If In Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice. **If Inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a Poison Control Center or doctor for treatment advice.

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment.

Environmental Hazards

This product is extremely toxic to fish. Do not apply directly to water. Drifts and runoff from treated areas may be hazardous to aquatic organisms in treated areas. Do not contaminate water when disposing of equipment washwaters.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

*If you are not satisfied with this product for any reason send your written request for a refund to the address below, together with the original dated store receipt showing the price you paid. Please allow 6-8 weeks for processing.

The ACE Promise: If this Ace product when used for its intended purpose, fails to give you complete satisfaction, return the item to the Ace Hardware store where purchased for the replacement of the same or similar item.

[Questions or comments? Call 1-800-332-5553]

Manufactured in the USA for Chemsico
Division of United Industries Corporation
P.O. Box 142642
St. Louis, MO 63114-0642

EPA Reg. No. 9688-83

EPA Est. No. 9688-MO-1

©2002