

UNITED STATES ENVIRONMENT AF PROTECTION AGENCY WASHINGTON (D \pm = 20466

OTETOT PREATSTROY, PENDERROY AND DUST SUBSTANCES

 $|_{s}$

November 17, 2006

Jennifer D. Morton Chemsico Division of United Industries Corporation P. O. Box 142642 St. Louis, MO 63114-0642

SUBJECT: Application for Pesticide Notification Chemsico Lawn Insect Control Granules EPA Reg. No. 9688-83 Application Dated January 9, 2006 EPA Received Dated November 3, 2006

Dear Ms. Morton:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above product. The Registration Division (RD) has conducted a preliminary screen of this request for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please me directly at 703-305-6249 or Terri Stowe of my staff at 703-305-6117.

Sincerely,

Linda Arrington Notifications & Minor Formulations Team Leader Registration Division (7505P) Office of Pesticide Programs

Please read instructions on reverse before completing form.		OMB No. 2070-0060. Approval expires 11-30-93
United States Environmental Protect	- · ·	OPP Identifier Number
Office of Pesticide Programs (H	7505C)	Registration
SEPA Washington, DC 20460	Al-Lala .	Amendment
Application for Pes	ticide:	Other
Section	on I	
1. Company/Product Number	2.Product Manager	3. Proposed Classification
9688-83	G, LaRocca	
4. Company/Product (Name)	PM#	None Restricted
Chemsico Lawn Insect Control Granules	13	
5. Name and Address of Applicant (include ZIP Code) Chemsico,		ecordance with FIFRA Section 3(c)(3) lentical in composition and labelling
Division of United Industries Corporation	to:	_
PO Box 142642		
St. Louis, Missouri 63114-0642	EPA Reg. No.	
Check if this is a new address	Product Name	
Section		
		NOTIFICATION
Amendment - Explain below	Final printed label in respo	onse to Agency letter dated
Resubmission in response to Agency letter dated	"ME TOO" Application.	NOV 1 7 20025
X Notification - Explain below.	Other - explain below	
Explanation: Use additional page(s) If neces	sary. (For section 1 and Section II)	
Notification per PR Notice 98-10 to add the optional m	erkefing claim #10 Pounds 1	Freats [Covers] up to 5,000 Sa Et * Ma
are also taking this opportunity to clarify the existing o		
	ptional coverage claim by sp	ectiviting, 2 Founds Treats [Covers]
1,000 Sq Ft."		
Sectio	n lii	
1. Material in Which This Product Will Be Packaged:		······································
Child-Resistant Packaging Unit Packaging	Water-Soluble Packaging	2. Type of Container
Yes• Yes	Yes	Metal
		Glass
If "YES," No. per	If "YES," No. per	Paper
* Certification must be Unit package wgt container	Package wgt Container	Other (Specify)
submitted. 3. Location of Net Contents Information 4. Size	(s) of Retail Container	5. Location of Label Directions
	(3) of relative container	On Label
Label Container		On Labeling accompanying product
6. Manner in Which Label Is Affixed To Product	raphed	
	•	
Stenci	=	
L Stence	עטו	•
Sectio	n IV	
1. Contact Point (Complete items directly below for identification or		cessary, to process this application)
Name Title		Telephone No. (include Area Code)
		Feebuone No. (monde kida or de)
Jennifer D. Morton Regula	tory Affairs Specialist	1-800-242-1166 Ext 2737
Certification I certify that the statements I have made on this form and all a	Hachments thereto are tous, accurat	e, and complete 6 Data Application Received
I acknowledge that any knowingly false or misleading stateme	nt may be punishable by fine or impo	risonment or (Stamped)
both under applicable law.		
2. Signature	3. Title	
	1	· ·
- Ann MANN. At	Regulatory Affairs Specia	list
Sounder Hust V	1	4
4. Typed Name	5. Date	··
		ſ
Jennifer D. Morton	January 9, 2006	, I .
a contraction of the second seco		·

• •

•

United Industries Corp.

January 9, 2006

Document Processing Desk (NOTIF) Office of Pesticide Programs United States Environmental Protection Agency Room 266A Crystal Mall 2 1801 South Bell Street Arlington, VA 22202

NOTIFICATION NOV 1 7 2005 3/0

 Product Manager 13

 Subject:
 Notification per PR Notice 98-10

 Chemsico Lawn Insect Control Granules

Mr. George LaRocca

EPA Reg. No. 9688-83

Dear Mr. LaRocca:

Attention:

Enclosed please find notification per PR Notice 98-10 to add the optional marketing claim, "10 Pounds Treats [Covers] up to 5,000 Sq Ft," as requested by the state of New York. We are also taking this opportunity to clarify the existing optional marketing claim, "Treats [Covers] 1,000 Sq Ft," by qualifying it with "2 Pounds", resulting in the final optional marketing claim: "2 Pounds Treats [Covers] 1,000 Sq Ft."

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

The following documents are enclosed in support of this submission:

- 1. Application for Pesticide (EPA Form 8570-1)
- 2. One copy of the proposed label with changes highlighted
- 3. Five copies of the proposed label
- 4. One copy of the EPA stamped approved label

Please call me at 1-800-242-1166, Ext. 2737 you have questions or need further information. Thank you very much for your attention to our application.

Sincerely.

Jennifer D. Morton Regulatory Affairs Specialist

2150 SCHUETZ ROAD, ST. LOUIS, MO 63146 • 314-427-0780

1/9/06

Chemsico

NOTIFICATION NOV 1 7 2006

Lawn Insect Control Granules

[Kills on contact • Up to 4 week control • Protects your home from invading ants • Also stops [kills] spiders, roaches, ants, fleas, brown dog ticks and more • Grub Control • Kills: Grubs, Fleas, Ants, Crickets, Brown Dog Ticks, Fire Ants, Chinch Bugs, Armyworms, Billbugs, Cutworms, Earwigs, Sod Webworms and other listed insects • Ready to use • Controls Fire Ants • 2 Pounds Treats [Covers] 1,000 Sq Ft • 10 Pounds Treats [Covers] up to 5,000 Sq Ft • †Guaranteed Results [or Your Money Back] • Ace Promise Satisfaction Guaranteed • Kills and repels ants in your yard]

KEEP OUT OF REACH OF CHILDREN

CAUTION See additional precautionary statements on back of bag.

Net Wt 10 lb (4.53 kg)

[Bracketed Text] = Optional Language

OPTIONAL MARKETING LANGUAGE

[Chemsico Lawn Insect Control contains Permethrin, a long lasting insecticide which provides contact and residual control for up to 4 weeks of outdoor insect pests.] [For use on fawns and as a barrier band treatment around house foundation.] [Barrier Treatment around House Foundation]

[OPTIONAL PRODUCT FACT BOX]

PRODUCT FACTS

What it does:

Protects your home from Invading Ants*. Also Kills Spiders, Roaches, Fleas, Brown Dog Ticks and other Listed Insects. [Kills Fleas, Ants, Crickets, Brown Dog Ticks, Fire Ants, Chinch Bugs, Armyworms, Billbugs, Cutworms, Earwigs, Grubs, Sod webworms and Other Listed Insects]

Where to Use: (icon outdoors)

Outdoors, as a Barrier Band Treatment [Outdoors, on Lawns and as a Barrier Band Treatment around House Foundation]

Questions & Comments: (icon phone) (icon computer) Call 1-800-332-5553 or visit our website at <u>www.spectracide.com</u>

*Argentine, Southern, Field, Allegheny Mound, Florida Carpenter, Black Carpenter, Cornfield, Honey, Pavement, Nuisance

STOP. READ ENTIRE LABEL BEFORE USE.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For outdoor use around the home only.

Three Easy Steps to Use this Product

Step #1: Determine size of the job, measure the area to be treated.

- Step #2: Use spreader setting chart to determine appropriate setting for your spreader.
- Step #3: Treat as directed in rate chart. Thorough coverage is important. Water in granules where indicated.

.

Treatment Areas	Target [Pests]	Remarks [How To Use]	Use Rate
Band Treatment Around House Foundation	Ants* Fleas, Brown dog ticks, Millipedes, Clover mites, Roaches, Spiders, Silverfish, Sowbugs (Pillbugs), Crickets, Earwigs	These pests are commonly found around or near foundations of houses as well as in lawns. Certain of these pests may enter houses. Apply a 5-foot band of granules next to the house foundation. Distribute granules uniformly. Water lightly after application.	3.2 oz for each 100 sq ft area (5' x 20')
Overall Lawn Application for Grass and Dichondra Lawns	Ants [*] , Armyworms, Brown dog ticks, Chinch bugs, Clover mites, Crickets, Cutworms, Earwigs, Fleas, Lawn moths (sod webworms), Leafhoppers, Millipedes, Sowbugs	Apply with a fertilizer spreader. See spreader setting chart on the side of bag. Apply when grass is dry. Water lawn lightly after application.	For application with other types of equipment, apply at the rate of 2 lb per 1000 sq ft (an area 20' \times 50') or 3.2 oz per 100 sq ft (an area 10' \times 10'). For heavy lawns, such as St. Augustine grass, the rate should be increased to 3 lb per 1000 sq ft (or 4.8 oz per 100 sq ft)
	Billbugs, Grubs, Japanese beetle grubs, Ataenius spretulus (dung beetles)	Water grass thoroughly after application. For billbug control, apply when activity is first observed or when chewed or brown grass indicates damage from these insects. For grub control, except dung beetle, treat any time between late July and early October. For dung beetle grub control, apply in spring or early summer when damage is first noticed. Water grass thoroughly with ¼ to ½ inch of water after application. Treat again in late summer or early fall if a second generation occurs.	Apply 2.5 lb per 1000 sq ft of lawn.
Spot Treatment	Ants*	Water lightly after application.	Apply 1½ teaspoons over and around each ant hill.
	Fire Ants	Immediately after application, water in thoroughly. A minimum of 1 gallon of water should be applied to each mound area. Apply gently to avoid disturbing ants. Use of high pressure watering equipment may disturb the ants and cause migration, reducing product effectiveness. <i>NOTE</i> : For best results, apply in cool weather, 65-80°F, or in early morning or late evening hours. Treat new mounds as they appear. [Fast acting, works within 24 hours.] [No waiting for weeks]	Apply 1 cup over and 2 ft around each fire ant mound.

*Argentine, Southern, Field, Allegheny Mound, Florida Carpenter, Black Carpenter, Cornfield, Honey, Pavement, Nuisance

SPREADER SETTING NO. (per	1000 sq ft)		
Spreader Make and Model	Grass or Dichondra Lawns 2 pounds	St. Augustine Lawn 3 pounds	White grubs, Billbugs 2 pounds
Central Imperial Make No. 1662-G	6 1/2	7 1/4	7
Central Suburbia Lawn Spreader No. 1622-O	6 1/2	7 1/2	7
Cyclone Model B1 Rotary	4 1/2	5	4 3/4
Greenfield Model 105	6 1/2	7 1/4	6 3/4
Ortho Drop Spreader Model 3000	4 1/2	5 1/2	5
Ortho Broadcast Spreader Model 4000	4 1/2	7	6
J. C. Penny Model 6005	7 1/4	8	7 1/2
J. C. Penny Rotary Spreader	5	7	6
Scott Model 35	4	5	4 1/2
Sears Craftsman Model 671.19198	6	7	6 1/2

Note: The spreader settings listed above are approximate. Accurately weigh a few pounds into your spreader and apply to a measured area. Then adjust spreader setting if necessary, in order to assure correct rate of application.

		SOBEVUED	SETTINGSI	(revised 8-31-	00)
1	OFTIONAL	SENERUER	OCT HINGOJ	(levised o-o i-	001

SPREADER SETTINGS			
Spreader Make and Model	Grass or Dichondra Lawns 2 pounds	St. Augustine Lawns 3 pounds	White Grubs, Billbugs 2 ½ pounds
CYCLONE			
Rotary	3 1/2 - 4	5 1/2	4 1/2
K-GRO			
Rotary	1	2	1 1/2
Drop	5	6	5 1/2
REPUBLIC			
EZ Drop #530	8	11	10
EZ Drop #540	21/2	4	3
SCOTTS			
SpeedyGreen 2000	4 1/2	5 1/2	5
SpeedyGreen 3000	4 1/2	5 1/2	5
AccuGreen 1000	4 1/2	5 1/2	5
AccuGreen 2000	4 1/2	5 1/2	5
AccuGreen 3000	4 1/2	5 1/2	5
Drop	5 1/2	6 1/2	6
SEARS			
Rotary	1 1/2	2	1 1/2 - 2
Drop	5	7	6
EARTHWAY			
Rotary	1 1/2	2	1 1/2 - 2
PRECISION			
Rotary (#S850)	3 1/2	4 1/2	4
RED DEVIL			
Rotary	31/2	4 1/2	4
TRUE TEMPER	}		
Rotary	3 1/2	4 1/2	4
VIGORO			
Rotary	3	4	3 1/2
	······	· · · · · · · · · · · · · · · · · · ·	

Note: The spreader settings listed above are approximate. Accurately weigh a few pounds into your spreader and apply to a measured area. Then adjust spreader setting if necessary, in order to assure correct rate of application.

[OPTIONAL SPREADER SETTINGS] (2-26-98)

Spreader Make & Model	Grass or Dichondra Lawns 2 lb	White grubs, Billbugs / 2 lb	St. Augustine Lawns / 3 lb
Broadcast	3 1/2 - 4	4 1/2	5 1/2
GREENVIEW	. .		
Drop Spred ill	3 - 3 1/2	4	5
Jet Spred III	4 - 4 1/2	5	6
REPUBLIC			
Drop EZ530	8 - 9	10	11
Broadcast EZ540	2 - 2 1/2	3	4
SCOTTS	·····		
AG3	3 - 3 1/2	4	5
EG3	26 1/2 - 27	27 1/2	28
PF4	4 3/4 - 5 1/2	6	6 1/4
SG3	4 - 4 1/2	5	6
SEARS	·		
Drop 1935	5 5 1/2	6	7
Broadcast 1922	11 - 11 1/2	12	13

Note: The spreader settings listed above are approximate. Accurately weigh a few pounds into your spreader and apply to a measured area. Then adjust spreader setting if necessary, in order to oscure correct rate of application.

OPTIONAL DIRECTIONS

OPTION A

BAND TREATMENT AROUND HOUSE

General Directions

The following pests are commonly found around or near foundations of houses as well as in lawns. Some of these pests may enter the home. Apply a 3- to 5-foot band of granules next to the house's foundation.

INSECTS:

Ants*, Fleas, Brown dog ticks, Clover mites, Crickets, Earwigs, Millipedes, Sowbugs (Pillbugs)

RATE:

3.2 oz for each 100 sq ft area (5' x 20').

HOW TO USE:

Distribute granules evenly. Water lightly after application.

SPOT TREATMENT FOR ANTS*

RATE:

Apply 1 1/2 teaspoons over and around each ant hill.

HOW TO USE: Water lightly after application.

*Argentine, Southern, Field, Allegheny Mound, Florida Carpenter, Black Carpenter, Comfield, Honey, Pavement, Nuisance

OPTION B

BAND TREATMENT AROUND HOUSE

- Chemsico Lawn Insect Control kills ants*, as well as fleas, Brown dog ticks, clover mites, crickets, earwigs, millipedes, roaches, sowbugs (pillbugs), spiders, silverfish and other pests.
- 2. Break the seal and open the pop-top cap. [To open canister, push in plastic area noted on lid. Then twist lid as appropriate to open and close.]
- Evenly sprinkle granules in a 3- to 5-foot wide band along the foundation of your home. Granules should be spaced liked the ones pictured below (show picture). Use rate = 3.2 oz for each 100 sq ft area (5' x 20').
- 4. Gently water treated areas.

Chemsico Lawn Insect Control Granules

1/9/06

USE TIPS

- 1. Try to get even coverage throughout your "barrier band".
- 2. Reapply after hard rains to areas where down spouts empty.

SPOT TREATMENT FOR ANTS*

- 1. Evenly sprinkle granules over and around each anthill.
- 2. Use 1/2 oz (1 1/2 teaspoons) per ant hill. (NOTE: This package will effectively treat 64 ant hills.) (The note is for a 2 lb package.)
- 3. Gently water treated areas.

*Argentine, Southern, Field, Allegheny Mound, Florida Carpenter, Black Carpenter, Cornfield, Honey, Pavement, Nuisance

SPOT TREATMENT FOR FIRE ANTS

Apply 1 cup over and 2 ft around each fire ant mound. Immediately after application, water in thoroughly. A minimum of 1 gallon of water should be applied to each mound area. Apply gently to avoid disturbing ants. Use of high pressure watering equipment may disturb the ants and cause migration, reducing product effectiveness.

NOTE: For best results, apply in cool weather, 65-80°F, or in early morning or late evening hours. Treat new mounds as they appear. [Fast acting, works within 24 hours.] [No waiting for weeks]

STORAGE AND DISPOSAL

Storage: Store product in original container in a locked storage area. **Disposal:** If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION. Harmful if absorbed through skin. Causes moderate eye irritation. Avoid inhalation of dust. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Avoid contamination of food and feed. Utensils such as teaspoons and measuring cups should not be used for food purposes after use with insecticides.

First Aid

If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice. If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Perfore contact lenses if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice. If inhaled: Move person to tresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a Poison Control Center or doctor for treatment advice.

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment.

Environmental Hazards

This product is extremely toxic to fish. Do not apply directly to water. Drifts and runoff from treated areas may be hazardous to aquatic organisms in treated areas. Do not contaminate water when disposing of equipment washwaters.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

†If you are not satisfied with this product for any reason send your written request for a refund to the address below, together with the original dated store receipt showing the price you paid. Please allow 6-8 weeks for processing.

The ACE Promise: If this Ace product when used for its intended purpose, fails to give you complete satisfaction, return the item to the Ace Hardware store where purchased for the replacement of the same or similar item.

[Questions or comments? Call 1-800-332-5553.]

Manufactured in the USA for Chemsico Division of United Industries Corporation P.O. Box 142642 St. Louis, MO 63114-0642

EPA Reg. No. 9688-83

EPA Est. No. 9688-MO-1

©2005