

9688-107

11/1/2004

Page 184



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

NOV - 1 2004

Kathy Tryson
Chemsico, A Division of United Industries Corp
P.O Box 142642
St. Louis, MO 63114

Dear Ms. Tryson:

Subject: Chemsico Insect Spray
EPA Reg. No. 9688-107
Submission dated 10/1/04

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below. One copy of the finished labeling must be submitted prior to releasing the product for shipment.

Delete from the front panel the claims for fleas and ticks, as the label limits flea and tick claims to vegetables, herbs, fruits, and nuts. Alternately, you may list them as long as the kills flea and ticks claim is limited to vegetables, herbs, fruits and nuts.

If you have questions, please call Ann Sibold at 703 305-6502.

Sincerely,

for Ann Sibold
Richard Gebken
Acting Product Manager 10
Insecticide Branch
Registration Division (7505C)

1

Chemsico Insect Spray

**ACCEPTED
with COMMENTS
In EPA Letter Dated:**

NOV - 1 2004

**Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.
9688-107**

Use on fruits, vegetables, ornamentals, lawns, roses and flowers • Ready Spray [Garden Hose] Nozzle • Spray up to Harvest • Multi-Purpose Fruit & Vegetable Insect Control • Apply Anytime During the Growing Season • Spray right up to harvest • Ideal for all fruit and vegetable gardens • Same day spray, harvest and eat • Apply anytime during the growing season, right up to harvest • Made with pyrethrins, a botanical insecticide • Treats 5000 sq. ft. of lawn • Contact-kill insecticide • Kills bugs fast • Kills bugs on contact • For use on edibles up to day of harvest • Contains Pyrethrins, a Botanical insecticide • Made with Pyrethrins from chrysanthemum flowers • Treats up to 5000 sq ft • For use on lawns, gardens, ornamentals, fruits, roses & flowers • Kills ants, aphids, caterpillars, fleas, Japanese beetles, mites, scale, ticks, whiteflies and other listed pests • Kills over 100 insects • Kills over 100 insects on contact • Kills insects and mites

Active Ingredients:	
Pyrethrins	0.3%
Piperonyl Butoxide	3.0%
Other Ingredients:	96.7%

KEEP OUT OF REACH OF CHILDREN

CAUTION See back for additional precautionary statements.

NET CONTENTS 32 Fl. oz. (946 mL)(1 QT.)

[Bracketed Text] = Optional language

[Chemsico Insect Spray kills insects that invade your valuable garden, lawn, ornamentals, and fruit trees. It can be sprayed on most crops up to and including the day you harvest. Use Chemsico Insect Spray throughout the growing season as part of a complete garden care program. One quart of this formula will treat at least 5,000 square feet of growing crops or lawns and ornamentals. Actual, treated area/quart will vary depending upon height and thickness of treated plants.]

Peel Here
Press to Reseal

STOP. READ ENTIRE LABEL BEFORE USE.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. *For home use only.*



Keep people and pets off treated areas until spray has dried.

HOW TO APPLY

Determine the size of the spraying job. For lawns, measure the area to be sprayed. For trees, shrubs, flowers, vegetables or herbs, apply as a thorough cover spray. Begin treating when insects first appear. Reapply when insects reappear to maintain control. Remember, thorough coverage is important.

USING THE READY SPRAY NOZZLE (Optional subheading)

1. **Shake container well before using.**
2. **Connect a garden hose to the Ready Spray nozzle. Make sure the dial on the nozzle is in the "OFF" position with the [green] safety tab in the valve notch.**
3. **Turn on water at faucet. Extend hose to the farthest area to be treated and work back toward the faucet so you don't come in contact with the treated area.**
4. **To BEGIN spraying, point nozzle toward treatment site and a.) bend the [green] safety tab back (located at the right of the [yellow] dial) with your thumb, b.) using your other hand QUICKLY turn the dial clockwise until it stops. Water will automatically mix with the product.**
5. **Spray until wet to control insects. Walk at a steady pace while spraying using an even sweeping motion, slightly overlapping treated areas.**
6. **To STOP spraying, QUICKLY turn the dial in the opposite direction of "ON" until it stops and the safety tab engages the notch on the valve. Turn water off at faucet. To relieve pressure before removing nozzle from hose, bend the safety tab back and turn dial "ON" until water stops spraying.**

282

7. To **STORE** unused product, make sure the dial is in the "OFF" position with [green] safety tab in the valve notch. Place in cool area away from heat, sunlight or open flame.

LAWNS

SURFACE INSECTS including ants*, armyworms, billbugs, chinchbugs, crickets, cutworms, earwigs, Hyperodes weevils (adults), Japanese beetles (adults), lawn moths (sod webworms), millipedes, mites, mole crickets, mosquitoes, sowbugs, spittlebugs. Use 1 quart of Chemsico Insect Spray to treat [cover] 5,000 sq. ft. of lawn.

Delay watering or mowing for 24 hours after application for optimum control of surface insects.

ORNAMENTAL TREES, SHRUBS AND FLOWERS

[For use on ornamental trees, shrubs and flowers such as but not limited to: Ageratum, Aster, Arborvitae, Arizona Cypress, Azaleas, Begonia, Birch, Boxwood, Box Elder, Camellias, Carnations, Cherry (ornamental), Chrysanthemums, Carnations, Coleus, Common Ninebark, Conifers, Douglas Fir, Elm, English Ivy, Euonymus, Exacum, Weeping Fig, Fir, Gladioli, Gold Bells, Hawthorn, Holly, Honeysuckle, Hypoestes, Ivy, Juniper, Lilac, Locust, Maple, Marigold, Mimosa, Mock Orange, Nannyberry, Oak, Orchid, Palm, Pansy, Pea Shrub, Petunia, Philodendron, Pine, Ornamental Plum, Poinsettia, Poplar, Tulip Poplar, Rhododendron, Roses, Snapdragon, Snowberry, Spruce, Taxus, Weeping Fig, Willow, Zinnia.]

To control [kill] ants*, armyworms, azalea caterpillar, aphids, bagworms, black vine weevil (adult), boxelder bugs, budworms, California oakworm, cankerworms, cockroaches, crickets, cutworms, Eastern tent caterpillar, elm leaf beetles, European sawfly, fall webworm, flea beetles, forest tent caterpillar, gypsy moth larvae, Japanese beetles (adults), June beetles (adults), lace bugs, leaf-feeding caterpillars, leafhoppers, leafminers (adults), leafrollers, leaf skeletonizers, midges, oleander moth larvae, pillbug, pine sawfly, pine shoot beetles, pinetip moths, plant bugs, root weevil, sawfly, scale insects (crawlers), spiders, spittlebugs, striped beetles, striped oakworm, thrips, tip moth, tussock moth larvae, broadmites, brown softscale, California redscale (crawler), clover mites, mealybugs, pineneedle scale (crawler), spider mites and whiteflies.

*Argentine, Southern, Field, Allegheny mound, Florida carpenter, Cornfield, Honey, Pavement, Nuisance.

Apply as a thorough foliar spray. Wet leaves and branches to the dripping point. Try to spray underside of leaves and penetrate dense foliage.

USE TIPS

- For best results, apply early before insect populations are high.
- For scale control, treat entire plant, including stem, trunks and twigs.
- For bagworm control, apply when bagworm larvae begin to hatch.
- For best results, apply to both sides of plant leaves and all plant surfaces where insects are found.

VEGETABLES, HERBS, FRUITS, NUTS

Chemsico Insect Spray is ideal for use on most vegetables, herbs, fruits and nuts, including but not limited to: Almond, Apple, Apricot, Arrugula, Basil, Bean, Beet, Blackberry, Blackeyed Peas, Blueberry, Broccoli, Brussels Sprouts, Cabbage, Chamomile, Cantaloupe, Carrot, Casaba, Cashew, Cauliflower, Celery, Cherry, Chicory, Chives, Corn, Cranberry, Currant, Curry Leaf, Eggplant, Elderberry, Endive, Garden Peas, Garlic, Grape, Grapefruit, Honeydew, Horseradish, Kumquat, Lemon, Lentils, Lime, Lettuce, Loganberry, Loquat, Macadamia Nut, Mango Melon, Melon, Mint, Nectarine, Onion, Orange, Paprika, Parsley, Peach, Pear (Bitter Melon), Pepper (including Bell, Chili), Pimentos, Plum, Potato, Pumpkin, Radish, Raspberry, Sage, Snap Bean, Spinach, Strawberry, Summer Squash, Sweet Bay (Bayleaf), Sweet Potato, Swiss Chard, Tangelo, Tangerine, Tomato, Walnut, Watermelon, Yam, Zucchini

Chemsico Insect Spray kills most harmful garden insects including, but not limited to: Ants, Aphids, Armyworms, Bagworms, Beetles, Biting flies, Cankerworms, Caterpillars (including tent), Centipedes, Chiggers, Chinch bugs, Cicadas, Clover mites, Corn borers, Corn earworms, Crane flies, Crickets, Cutworms, Digger wasps, Earwigs, Fire ants, Firebrats, Fleas, Fruit flies, Gnats, Grasshoppers, Green bugs, Green fruitworms, Green June beetles, Hornets, Horse flies, House flies, Japanese beetles, Katydid, Lace bugs, Leafhoppers, Leafminers, Leafrollers, Lice, Maggots, Mealybugs, Millipedes, Mosquitoes, Mites, Moths, Pillbugs, Rootworms, Silverfish, Sowbugs, Spittlebugs, Stink bugs, Thrips, Ticks, Tomato hornworms, Webworms (including garden, sod), Weevils

USE TIPS:

1. Spray the undersides of leaves when possible as insects tend to cluster there.
2. To minimize effects on Honey Bees, spray early in the morning or at dusk.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry area away from heat or open flame. **Disposal: If empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

3
8
4

PRECAUTIONARY STATEMENTS**Hazards to Humans and Domestic Animals**

CAUTION: May be harmful if swallowed, inhaled, or absorbed through skin. Avoid breathing spray mist. Do not get in eyes. Avoid contact with skin or clothing.

FIRST AID

If Swallowed: Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person. **If Inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a Poison Control Center or doctor for treatment advice. **If in Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice. **If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment.

Environmental Hazards

This product is toxic to fish. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Questions or comments? Call toll free 1-800-332-5553.

Made in the USA by Chemsico
Division of United Industries Corp.
P.O. Box 142642
St. Louis, MO 63114-0642

EPA Reg. No. 9688-107

EPA Est. No. 9688-MO-1

©2004

[Bracketed Text] = Optional language

4
8
4