



9688-107

01/04/2005

1/5

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 11-30-93

		United States Environmental Protection Agency Office of Pesticide Programs (H7505C) Washington, DC 20460		<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other		OPP Identifier Number	
Section I							
1. Company/Product Number 9688-107		2. Product Manager Ann Sibold		3. Proposed Classification			
4. Company/Product (Name) Chemsico Insect Spray		PM# 10		<input type="checkbox"/> None <input type="checkbox"/> Restricted			
5. Name and Address of Applicant (include ZIP Code) Chemsico, Division of United Industries Corporation PO Box 142642 St. Louis, Missouri 63114-0642 <input type="checkbox"/> Check if this is a new address		6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labelling to: EPA Reg. No. _____ Product Name _____		NOTIFICATION APR 4 2005			
Section II							
<input type="checkbox"/> Amendment - Explain below <input type="checkbox"/> Resubmission in response to Agency letter dated _____ <input checked="" type="checkbox"/> Notification - Explain below.		<input type="checkbox"/> Final printed label in response to Agency letter dated _____ <input type="checkbox"/> "ME TOO" Application. <input type="checkbox"/> Other - explain below					
Explanation: Use additional page(s) if necessary. (For section I and Section II) Notification per PR Notice 98-10 to add the following optional marketing language as requested by the state of New York: <u>"Protect your lawn from 180+ pests with our Spectracide Triazicide Brand Soil & Turf Insect Killer Concentrate!"</u>							
Section III							
1. Material in Which This Product Will Be Packaged:							
Child-Resistant Packaging <input type="checkbox"/> Yes * <input type="checkbox"/> No		Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No If "YES," Unit package wgt No. per container		Water-Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No If "YES," Package wgt No. per container		2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____	
* Certification must be submitted.							
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) of Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product			
6. Manner in Which Label Is Affixed To Product		<input type="checkbox"/> Lithographed <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled					
Section IV							
1. Contact Point (Complete items directly below for identification of the individual to be contacted, if necessary, to process this application)							
Name Jennifer D. Morton		Title Regulatory Affairs Specialist		Telephone No. (include Area Code) 1-800-242-1166 Ext 2737			
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate, and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.						6. Date Application Received (Stamped)	
2. Signature 		3. Title Regulatory Affairs Specialist					
4. Typed Name Jennifer D. Morton		5. Date March 22, 2005					

Chemsico Insect Spray

Use on fruits, vegetables, ornamentals, lawns, roses and flowers • Ready Spray [Garden Hose] Nozzle • Spray up to Harvest • Multi-Purpose Fruit & Vegetable Insect Control • Apply Anytime During the Growing Season • Spray right up to harvest • Ideal for all fruit and vegetable gardens • Same day spray, harvest and eat • Apply anytime during the growing season, right up to harvest • Made with pyrethrins, a botanical insecticide • Treats 5000 sq. ft. of lawn • Contact-kill insecticide • Kills bugs fast • Kills bugs on contact • For use on edibles up to day of harvest • Contains Pyrethrins, a Botanical insecticide • Made with Pyrethrins from chrysanthemum flowers • Treats up to 5000 sq ft • For use on lawns, gardens, ornamentals, fruits, roses & flowers • Kills ants, aphids, caterpillars, Japanese beetles, mites, scale, whiteflies and other listed pests • Kills over 100 insects • Kills over 100 insects on contact • Kills insects and mites

Active Ingredients:
 Pyrethrins 0.3%
 Piperonyl Butoxide 3.0%
 Other Ingredients: 96.7%

KEEP OUT OF REACH OF CHILDREN

CAUTION See back for additional precautionary statements

NET CONTENTS 32 Fl. oz. (946 mL)(1 QT.)

[Chemsico Insect Spray kills insects that invade your valuable garden, lawn, ornamentals, and fruit trees. It can be sprayed on most crops up to and including the day you harvest. Use Chemsico Insect Spray throughout the growing season as part of a complete garden care program. One quart of this formula will treat at least 5,000 square feet of growing crops or lawns and ornamentals. Actual, treated area/quart will vary depending upon height and thickness of treated plants.]

Peel Here
Press to Reseal

[OPTIONAL MARKETING LANGUAGE:

Protect your lawn from 180+ pests with our Spectracide Triazicide Brand Soil & Turf Insect Killer Concentrate!]

STOP. READ ENTIRE LABEL BEFORE USE.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. *For home use only.*



Keep people and pets off treated areas until spray has dried.

HOW TO APPLY

Determine the size of the spraying job. For lawns, measure the area to be sprayed. For trees, shrubs, flowers, vegetables or herbs, apply as a thorough cover spray. Begin treating when insects first appear. Reapply when insects reappear to maintain control. Remember, thorough coverage is important.

USING THE READY SPRAY NOZZLE (Optional subheading)

1. **Shake container well before using.**
2. **Connect a garden hose to the Ready Spray nozzle. Make sure the dial on the nozzle is in the "OFF" position with the [green] safety tab in the valve notch.**
3. **Turn on water at faucet. Extend hose to the farthest area to be treated and work back toward the faucet so you don't come in contact with the treated area.**
4. **To BEGIN spraying, point nozzle toward treatment site and a.) bend the [green] safety tab back (located at the right of the [yellow] dial) with your thumb, b.) using your other hand QUICKLY turn the dial clockwise until it stops. Water will automatically mix with the product.**
5. **Spray until wet to control insects. Walk at a steady pace while spraying using an even sweeping motion, slightly overlapping treated areas.**

[Bracketed Text] = Optional language

2/5

6. To **STOP** spraying, **QUICKLY** turn the dial in the opposite direction of "ON" until it stops and the safety tab engages the notch on the valve. Turn water off at faucet. To relieve pressure before removing nozzle from hose, bend the safety tab back and turn dial "ON" until water stops spraying.
7. To **STORE** unused product, make sure the dial is in the "OFF" position with [green] safety tab in the valve notch. Place in cool area away from heat, sunlight or open flame.

LAWNS

SURFACE INSECTS including ants*, armyworms, billbugs, chinchbugs, crickets, cutworms, earwigs, Hyperodes weevils (adults), Japanese beetles (adults), lawn moths (sod webworms), millipedes, mites, mole crickets, mosquitoes, sowbugs, spittlebugs. Use 1 quart of Chemsico Insect Spray to treat [cover] 5,000 sq. ft. of lawn.

Delay watering or mowing for 24 hours after application for optimum control of surface insects.

ORNAMENTAL TREES, SHRUBS AND FLOWERS

[For use on ornamental trees, shrubs and flowers such as but not limited to: Ageratum, Aster, Arborvitae, Arizona Cypress, Azaleas, Begonia, Birch, Boxwood, Box Elder, Camellias, Carnations, Cherry (ornamental), Chrysanthemums, Camomions, Coleus, Common Ninebark, Conifers, Douglas Fir, Elm, English Ivy, Euonymus, Exacum, Weeping Fig, Fir, Gladioli, Gold Bells, Hawthorn, Holly, Honeysuckle, Hypoestes, Ivy, Juniper, Lilac, Locust, Maple, Marigold, Mimosa, Mock Orange, Nannyberry, Oak, Orchid, Palm, Pansy, Pea Shrub, Petunia, Philodendron, Pine, Ornamental Plum, Poinsettia, Poplar, Tulip Poplar, Rhododendron, Roses, Snapdragon, Snowberry, Spruce, Taxus, Weeping Fig, Willow, Zinnia.]

To control [kill] ants*, armyworms, azalea caterpillar, aphids, bagworms, black vine weevil (adult), boxelder bugs, budworms, California oakworm, cankerworms, cockroaches, crickets, cutworms, Eastern tent caterpillar, elm leaf beetles, European sawfly, fall webworm, flea beetles, forest tent caterpillar, gypsy moth larvae, Japanese beetles (adults), June beetles (adults), lace bugs, leaf-feeding caterpillars, leafhoppers, leafminers (adults), leafrollers, leaf skeletonizers, midges, oleander moth larvae, pillbug, pine sawfly, pine shoot beetles, pinetip moths, plant bugs, root weevil, sawfly, scale insects (crawlers), spiders, spittlebugs, striped beetles, striped oakworm, thrips, tip moth, tussock moth larvae, broadmites, brown softscale, California redscale (crawler), clover mites, mealybugs, pineneedle scale (crawler), spider mites and whiteflies.

*Argentine, Southern, Field, Allegheny mound, Florida carpenter, Cornfield, Honey, Pavement, Nuisance.
Apply as a thorough foliar spray. Wet leaves and branches to the dripping point. Try to spray underside of leaves and penetrate dense foliage.



USE TIPS

- For best results, apply early before insect populations are high.
- For scale control, treat entire plant, including stem, trunks and twigs.
- For bagworm control, apply when bagworm larvae begin to hatch.
- For best results, apply to both sides of plant leaves and all plant surfaces where insects are found.

VEGETABLES, HERBS, FRUITS, NUTS

Chemsico Insect Spray is ideal for use on most vegetables, herbs, fruits and nuts, including but not limited to: Almond, Apple, Apricot, Arrugula, Basil, Bean, Beet, Blackberry, Blackeyed Peas, Blueberry, Broccoli, Brussels Sprouts, Cabbage, Chamomile, Cantaloupe, Carrot, Casaba, Cashew, Cauliflower, Celery, Cherry, Chicory, Chives, Corn, Cranberry, Currant, Curry Leaf, Eggplant, Elderberry, Endive, Garden Peas, Garlic, Grape, Grapefruit, Honeydew, Horseradish, Kumquat, Lemon, Lentils, Lime, Lettuce, Loganberry, Loquat, Macadamia Nut, Mango Melon, Melon, Mint, Nectarine, Onion, Orange, Paprika, Parsley, Peach, Pear (Bitter Melon), Pepper (including Bell, Chili), Pimentos, Plum, Potato, Pumpkin, Radish, Raspberry, Sage, Snap Bean, Spinach, Strawberry, Summer Squash, Sweet Bay (Bayleaf), Sweet Potato, Swiss Chard, Tangelo, Tangerine, Tomato, Walnut, Watermelon, Yam, Zucchini

Chemsico Insect Spray kills most harmful garden insects including, but not limited to: Ants, Aphids, Armyworms, Bagworms, Beetles, Biting flies, Cankerworms, Caterpillars (including tent), Centipedes, Chiggers, Chinch bugs, Cicadas, Clover mites, Corn borers, Corn earworms, Crane flies, Crickets, Cutworms, Digger wasps, Earwigs, Fire ants, Firebrats, Fleas, Fruit flies, Gnats, Grasshoppers, Green bugs, Green fruitworms, Green June beetles, Hornets, Horse flies, House flies, Japanese beetles, Katydid, Lace bugs, Leafhoppers, Leafminers, Leafrollers, Lice, Maggots, Mealybugs, Millipedes, Mosquitoes, Mites, Moths, Pillbugs, Rootworms, Silverfish, Sowbugs, Spittlebugs, Stink bugs, Thrips, Ticks, Tomato hornworms, Webworms (including garden, sod), Weevils

USE TIPS:

1. Spray the undersides of leaves when possible as insects tend to cluster there.
2. To minimize effects on Honey Bees, spray early in the morning or at dusk.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry area away from heat or open flame. **Disposal: If empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS**Hazards to Humans and Domestic Animals**

CAUTION: May be harmful if swallowed, inhaled, or absorbed through skin. Avoid breathing spray mist. Do not get in eyes. Avoid contact with skin or clothing.

FIRST AID

If Swallowed: Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person. **If Inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a Poison Control Center or doctor for treatment advice. **If in Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice. **If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment.

Environmental Hazards

This product is toxic to fish. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Questions or comments? Call toll free 1-800-332-5553.

Made in the USA by Chemsico
Division of United Industries Corp.
P.O. Box 142642
St. Louis, MO 63114-0642

EPA Reg. No. 9688-107

EPA Est. No. 9688-MO-1

©2005

4/5

5/5

United Industries Corp.

March 22, 2005

Document Processing Desk (NOTIF)
Office of Pesticide Programs
United States Environmental Protection Agency
Room 266A Crystal Mall 2
1921 Jefferson Davis Highway
Arlington, VA 22202

Attention: Ms. Ann Sibold
Product Manager 10

Subject: Notification per PR Notice 98-10
Chemsico Insect Spray
EPA Reg. No. 9688-107

NOTIFICATION

APR 4 2005

Dear Ms. Sibold:

Please find enclosed notification per PR Notice 98-10 to add the following optional marketing language, as requested by the state of New York:

"Protect your lawn from 180+ pests with our Spectracide Triazicide Brand Soil & Turf Insect Killer Concentrate!"

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

The following documents are enclosed in support of this submission:

1. Application for Pesticide (EPA Form 8570-1)
2. One copy of the proposed label *with changes highlighted*
3. Five copies of the proposed label
4. One copy of the EPA stamped approved label

Please call me at 1-800-242-1166, Ext. 2737 you have questions or need further information. Thank you very much for your attention to our application.

Sincerely,



Jennifer D. Morton
Regulatory Specialist

