Reg # 9688-109

Approval expires 05

Form Approved. OMB No. 2070-0060. **OPP Identifier Number** Registration EDUCTION ACT NOTICE assist being CTIONS **Environmental Protection Agency** Amendment ுற்று நட்டிய Washington, DC 20460 ஆக்கு வக்கு முற்று கொழுக Other 1 Application for Pesticide - Section I Company/Product Number 2. EPA Product Manager 3. Proposed Classification ... 9688-109 J. Miller x None Restricted PM# 19 - - - - OT PHENDERS - N 101 (MAY) - 10 C 4. Company/Product (Name) 3.00 Chemsico Sopt Weed Killer A 5. Name and Address of Applicant (include ZIP Code) 6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling Chemsico, Div. of United Industries Corp. P.O. Box 15842 CHILDREN STEEL CHILD TO BURE THE CONTROL OF SHEET OF SHEET OF SHEET OF SHEET St. Louis, MO 63114-0842 EPA Reg. No. Check if this is a new address **Product Name** Section - II Amendment - Explain below. Final printed labels in response to Agency letter dated Resubmission in response to Agency letter dated "Me Too" Application. Notification - Explain below. Other - Explain below. Explanation: Use additional page(s) if necessary. (For section I and Section II.) Notification: Add "OPTIONAL WEEDS" that this product controls to the label... Section - III 1. Material This Product Will Be Packaged In: Unit Packaging Water Soluble Packaging 2. Type of Container Child-Resistant Packaging Metal Yes Yes Plastic Contract Son to the Co No No Glass Paper If "Yes" No. per No. per * Certification must Unit Packaging wgt. container Other (Specify) Package wgt container be submitted 5. Location of Label Directions 4. Size(s) Retail Container 3. Location of Net Contents Information On Label Container On Labeling accompanying product Lithograph Paper glued Stenciled Other 6. Manner in Which Label is Affixed to Product and expressioned frame sognet it will be not been in the sign wants of Section - IV 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) Telephone No. (Include Are Rode) Name Regulatory Affairs Specialist 800-242-1166 Kelly Loft 6. Date Application Certification (1997) is a challeng date of the epitod School separation Received I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or Stamped both under applicable law. Signature ्रे विदेश के उद्भाव मानवार व्यव द्वाराष्ट्रीय बार्ट का का का का का का Regulatory Affairs Specialist 5. Date 4. Typed Name Kelly Loft May 21, 1996

Themsico.

Spot Weed Killer A

Kills weeds down to the root, not the lawn Kills 33+ weed-types, roots and all Effective Poison Oak and Ivy Killer Kills the Weeds, not the Lawn Water-Based • Ready-to-Use

Active Ingredients:	
*Dimethylamine salt of 2,4-dichlorophenoxyacetic acid	0.593%
†Dimethylamine salt of 2-(2-methyl-4-chlorophenoxy)	
propionic acid	0.287%
‡Dimethylamine salt of Dicamba (3,6-dichloro-o-anisic acid)	0.066%
Inert Ingredients;	99.054%
Total 1	00.000%

This product contains: *0.493%.2,4-dichlorophenoxyacetic acid equivalent, †0.237% 2-(2-methyl-4-chlorophenoxy) propionic acid equivalent, ‡0.055% 3,6-cichloro-o-anisic acid equivalent.

Keep Out of Reach of Children
CAUTION See back for additional precautionary statements

NET CONTENTS 1 GALLON/3.78 L

MAY Chemsico Spot Weed Killer A

Chemsico Spot Weed Killer A kills more than 33 types of broadleaf lawn weeds down to the root. And Chemsico Spot Weed Killer A is formulated to kill only the weeds, not the lawn. Use Chemsico Spot Weed Killer A as directed to spot treat the following types of weeds in your lawn:

Bedstraw	English Dalsy	Mustard	Sheep Sorrel
Black Medic	Filaree	Oxalis	Shepherdspurse
Buckhorn	Fleabane	Pennywort	Speedwell
Canada Thistle	Ground Ivy	Pepperweed	Spurge
Chickweed	Heal-All	Pigweed	Wild Carrot
Chicory	Henbit	Plantain	Wild Garlic
Clover	Knolweed	Poison Ivy	Wild Lettuce
Cudweed	Lambsquarter	Polson Oak	Wild Onlon
Curled Dock	Lespedeza	Prickly Lettuce	Yarrow
Dandelion	Matchweed	Purslane	
Dollarweed	Morning Glory	Ragwead	

STOP! READ ENTIRE LABEL BEFORE USE. (Optional; Stop, Read all instructions inside before using.)

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Keep people and pets off treated areas until dry. (graphic)

(OPTIONAL HAND SPRAYER DIRECTIONS)

- 1. Shake well.
- Connect trigger sprayer. Unscrew and discard the white cap on the bottle, insert the hose into the bottle and tighten the cap securely.
- Prime Sprayer: Turn the sprayer nozzle one-half turn counterclockwise. Hold the sprayer lower than the bottle and squeeze the trigger several times until it sprays. Adjust the nozzle to coarse spray pattern to minimize wind drift (graphic).
- 4. Spray just enough Chemsico Spot Weed Killer A to lightly cover broadleaf weeds. Excessive spraying can injure some lawns. Do not spray weeds growing within the dripline of trees. (graphic). Do not apply when daytime temperatures are above 85°F as lawn injury can occur (graphic). Spray only the weeds, not the entire lawn.
- 5. Weeds will begin wilting and browning within a few days.

STORAGE AND DISPOSAL (For hand sprayer)

Turn the nozzle to "OFF" position and store with sprayer above the level of liquid in container to prevent leakage. Store in original container in a cool, dry area away from heat or open flame and in an area. Inaccessible to children and pets. Keep from freezing. Do not reuse container. Rinse throughly and securely wrap original container in several layers of newspaper and discard in trash.

(OPTIONAL TRIGGER SPRAYER DIRECTIONS)

- 1. Shake well.
- Adjust nozzle to coarse spray pattern to minimize wind drift (graphic).
- 3. Spray just enough Chemsico Spot Weed Killer A to lightly cover broadleaf weeds. Excessive spraying can injure some lawns. Do not spray weeds growing within the dripline of trees (graphic). Do not apply when daytime temperatures are above 85°F as lawn injury can occur (graphic). Spray only the weeds, not the entire lawn.
- 4. Weeds will begin wilting and browning within a few days.

STORAGE AND DISPOSAL (For trigger sprayer)

Store in original container in a cool, dry area away from heat or open flame and in an area inaccessible to children and pets. Keep from freezing. Do not reuse container. Rinse throughly and securely wrap original container in several layers of newspaper and discard in trash.

USE TIPS (For both hand and trigger sprayers)

- Some hard-to-kill weeds may require retreatment. Wait at least 3 weeks between applications — some weeds can take that long to die.
- Do not water the lawn within 24 hours after spraying. If it rains within 24 hours of use, retreatment may be necessary.
- Do not allow spray to drift onto desirable plants since injury may result.

(OPTIONAL POWER PUMP DIRECTIONS)

Revolutionary (NEW) Power Pump™ • Works like a pressure sprayer • Ready to Pump and Spray • Refiliable • Power Pump Pressure Sprayer • Pump & Spray Your Weeds Away • Rest Your Trigger Finger Patent Pending

Chemsico Spot Weed Killer A kills more than 33 types of broadleaf lawn weeds down to the root. And the revolutionary Power Pump eliminates the need to squeeze a trigger sprayer over and over again. The Power Pump works like a pressure sprayer - just pump it a few times and spray. And the Power Pump can be refilled up to 5 times with Real-Kill® Broadleaf

Chemsico® Spot Weed Killer A

Weed Killer for incredible value!

Use to Spot Treat: Bedsiraw, Black medic, Buckhorn, Canada Thistle, Chickweed, Chicory, Clover, Cudweed, Curled dock, Dandellon, Dollarweed, English dalsy, Filaree, Fleabane, Ground Ivy, Heal-all, Henbit, Knotweed, Lambsquarter, Lespedeza, Matchweed, Moming glory, Mustard, Oxalis, Pennywort, Pepperweed, Pigweed, Plantain, Poison Ivy, Poison oak, Prickly lettuce, Purslane, Ragweed, Sheep sorrel, Shepherdspurse, Speedwell, Spurge, Wild carrot, Wild garlic, Wild lettuce, Wild onion, Yarrow and morel

STOPI READ ENTIRE LABEL BEFORE USE.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Keep people and pets off treated areas until dry. (graphic)

- CONNECT WAND HOSE TO POWER PUMP BOTTLE.
 Unwrap the wand. Unscrew and discard the Black Cap on the
 bottle. Push the Clear Tube down through the small opening
 on the bottle (graphic). Tightly screw the Green Hose
 Connector Cap onto the bottle (graphic). Make sure the
 Green Button on the wand is "OFF" or "UP" before
 pressurizing (graphic).
- 2. PRESSURIZE THE POWER PUMP. Break off the Pump Handle "TAB" with your thumb (graphle). Pump 20-30 times to build up pressure. NOTE: The Power Pump bottle may bulge slightly as it is pressurized. Never pressurize by any means other than the pump included. You'll need to pump occasionally during use to keep the Power Pump pressurized.
- 3. SHAKE WELL (graphic).
- 4. SPRAY LAWN WEEDS. Spray just enough Chemsico Spot Weed Killer A to lightly cover broadleaf weeds. Do not spray weeds growing within the dripline of trees (graphic). Excessive spraying can injure some lawns. Just press the Green Button on the wand to spray. If needed, the button can be locked "ON" by pushing it down and forward at the same time. The reverse motion will lock it "OFF." Do not apply when daytime temperatures are above 85°F as lawn injury may occur (graphic). Spray only the weeds, not the entire lawn.
- 5. Weeds will begin willing and browning within a few days.

USE TIPS

- Some hard-to-kill weeds may require retreatment. Wait at least 3 weeks between applications — some weeds can take that long to die.
- 2. Do not water the lawn within 24 hours after spraying. If it rains

within 24 hours of use, retreatment may be necessary.

Do not allow spray to drift onto desirable plants since injury may result.

REFILLING

The Power Pump can be refilled up to 5 times with Real-Kill® Broadleaf Weed Killer. Add 10 oz. of concentrate and dilute to a gallon with water. Use "Fill to Here" mark on the side of the Power Pump bottle as a guide. Shake well to mix. Make sure the Green Pump Cap and the Green Hose Connector Cap are tightly secured before re-pressurizing. Make sure the Green Button on the wand is "OFF" or "UP" before pressurizing (graphic). IMPORTANT: Do not refill more than 5 times. To keep track of the number of times refilled, put a mark through the appropriate number: (1) (2) (3) (4) (5-final). Do not use any product other than Real-Kill® Broadleaf Weed Killer in this Power Pump. Incompatible chemicals may damage the pump making it unsafe to use.

STORAGE AND DISPOSAL

Always release pressure by unscrewing the pump cap before storing. Store in original container in a cool, dry area away from heat or open flame and in an area inaccessible to children and pets. Keep from freezing. After 5 refills, rinse throughly and securely wrap original container in several layers of newspaper and discard in trash.

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals

CAUTION: Harmful If swallowed. Causes eye irritation. Harmful If absorbed through skin. Avoid contact with eyes, skin or clothing. Wear goggles when applying this product. When using this product, wear long-sleeved shirt, long pants, socks, shoes and rubber gloves. After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower. Wash hands before eating or smoking and after each use. Avoid contamination of food or feedstuffs.

First Aid

If Swallowed: Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Never induce vomiting or give anything by mouth to an unconscious person. If in Eyes: Flush eyes with plenty of water. Call a physician if irritation persists. If on Skin: Wash with plenty of soap and water. Get

medical attention.

Environmental Hazards

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and non-target plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters. Do not contaminate domestic or irrigation waters. Do not apply when weather conditions favor drift from target area.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Questions or comments? Call toll free 800-332-5553.

(Made in the USA symbol)

Made for Chemsico, Division of United Industries Corporation, P.O. Box 15842, St. Louis, MO 63114-0842

EPA Reg. No. 9688-109 EPA Est. No. 9688-MO-1

FN: C109-M&R.1N @1996

OPTIONAL WEEDS!

Aster, Bindweed, Bristly oxtongue, Burdock, Carolina geranium, Carpetweed, Cinque foil, Cranesbill, Creeping woodsorrel, Deadnettle, Dog fennel, False dandellon, Fleabane, Hairy bittercress, Hawkweed, Kochia, Mustard, Pearlwort, Penny cress, Prostrate vervain, Puncturevine, Red sorrel, Scarlet pimpernel, Soliva, Spotted catsear, Spurweed, Wild violet, Wild geranium, Yellow rocket