

PM 23

9688-109

9-14-98

10/4

Please read instruction on reverse before completing form.

Form Approved, OMB No. 2070-0060. Approval expires 11-30-93

(A)


 United States Environmental Protection Agency
 Office of Pesticide Programs (H7505C)
 Washington, DC 20460

Application for Pesticide:

☐ Registration
☒ Amendment
☐ Other

OPP Identifier Number

Section I

1. Company/Product Number 9688-109	2. EPA Product Manager Joanne I. Miller	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Chemsico Spot Weed Killer A	PM# 23	
5. Name and Address of Applicant (Include ZIP Code) Chemsico Division of United Industries Corporation P.O. Box 15842 St. Louis, Mo 63114 Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b) (I), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section II

Amendment - Explain below	Final printed labels in response to Agency letter dated	NOTIFICATION SEP 14 1998
Resubmission in response to Agency letter dated	"Me Too" Application	
<input checked="" type="checkbox"/> Notification - Explain below	Other - Explain below	

Explanation: Use additional page(s) if necessary. (For Section I and Section II.)

Notification per P.R. Notice 95-2: Notification to add the following options: Optional weeds, "brushy" to modify weed, to use "brush" instead of weeds, to use "product" instead of the product name, and under the USE TIPS to use "Do not water within 24 hours instead of "Do not water the lawn within 24 hours".

Section III

1. Material This Product Will Be Packaged In:					
Child-Resistant Packaging Yes* No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____		
*Certification must be submitted.		If "Yes", Unit Package wgt.	No. per container	If "Yes", Package wgt.	No. per container
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) of Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner In Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled <input type="checkbox"/> Other (_____)					

Section IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)					
Name Debbie Wyzlic		Title R&D/ Regulatory Specialist		Telephone No. (Include Area Code) 800-212-1156	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.					6. Date Application Received (Stamped)
2. Signature Debbie Wyzlic		3. Title R&D/ Regulatory Specialist			
4. Typed Name Debbie Wyzlic		5. Date August 31, 1998			



2944
8464 Chapin Industrial Dr.
St. Louis, MO 63114
314-427-4886

NOTIFICATION Per P.R. Notice 95-2

August 31, 1998

Document Processing Desk (NOTIF)
Office of Pesticide Programs - H7504C
U.S. Environmental Protection Agency
401 M Street, SW
Washington, DC 20460-0001

Attention: Ms. Joanne I. Miller
Product Manager 23

Subject: Chemsico Spot Weed Killer A
EPA Reg. No. 9688-109

Dear Ms. Miller:

Enclosed please find our Notification per PR Notice 95-2 to add addition OPTIONAL WEEDS to the above mention label in which this formula is known to control:

Ash, Birch, Blackberry, Black cherry, Brambles, Cedar, Gooseberry, Hackberry, Kudzu, Lilac, Multiflora rose, Raspberry, Sagebrush, Snowberry, Sumac, Trumpet vine, Virginia creeper, Wild cherry, Wild plum

We have also added the following options: To use "brushy" as an adjective to weeds, to use "brush" instead of weeds, to use "product" instead for the product name, and under the UPS TIPS to use "Do not water within 24 hours . . ." instead of "Do not water the lawn within 24 hours . . .".

This notification is consistent with the provisions of PR Notice 95-2 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 95-2 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Enclosed are two copies of the modified label, one copy of the modified label with the changes highlighted, a copy of the approved label, and an application form. Please call me at 800-242-1166 if you need further information. Thank you for your attention to this Notification.

Sincerely,

Debbie Wyzlic
R&D/Regulatory Specialist



Spot Weed Killer A

[Kills weeds down to the root, not the lawn • Kills 33+ weed-types, roots and all • Kills 66+ types of weeds!]
 • Kills [weed] [the] roots • Effective poison oak and ivy killer • Kills the weeds [brushy weeds] [brush], not the lawn • Water-Based • Ready-to-Use • See Results in Hours • Overnight Results • Kills all major broadleaf weeds! • Kills poison ivy and poison oak • Also kills blackberries, kudzu and other listed]

Active Ingredients:
 *2,4-D, dimethylamine salt 0.593%
 †Mecoprop, dimethylamine salt 0.287%
 ‡Dicamba, dimethylamine salt 0.066%
 Other Ingredients: 99.054%
 Total 100.000%
 Contains: *0.493% 2,4-D equivalent, †0.237% Mecoprop equivalent, ‡0.055% Dicamba equivalent.

KEEP OUT OF REACH OF CHILDREN

CAUTION See back [booklet] for additional precautionary statements

NET CONTENTS 1 GALLON/3.78 L

Chemsico Spot Weed Killer A kills more than 33 [66] types of [broadleaf] [brushy] [lawn] weeds down to the root. And Chemsico Spot Weed Killer A is formulated to kill only the weeds, not the lawn.

Use Chemsico Spot Weed Killer A as directed to spot treat [the following types of weeds in your lawn]:

[BROADLEAF WEEDS]

Bedstraw	English daisy	Mustard	Sheep sorrel
Black medic	Filaree	Oxalis	Shepherdspurse
Buckhorn	Fleabane	Pennywort	Speedwell
Canada thistle	Ground ivy	Pepperweed	Spurge
Chickweed	Heal-All	Pigweed	Wild carrot
Chicory	Henbit	Plantain	Wild garlic
Clover	Knotweed	Poison ivy	Wild lettuce
Cudweed	Lambsquarter	Poison oak	Wild onion
Curled dock	Lespedeza	Prickly lettuce	Yarrow
Dandelion	Matchweed	Purslane	
Dollarweed	Morning glory	Ragweed	

STOP! READ ENTIRE LABEL BEFORE USE.

[Stop. Read all instructions inside before using.

PRESS TO RESEAL]

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.



Keep people and pets off treated areas until dry.

(OPTIONAL HAND SPRAYER DIRECTIONS)

1. Shake well.
2. Connect trigger sprayer. Unscrew and discard the white cap on the bottle. Insert the hose into the bottle and tighten the cap securely.
3. Prime Sprayer: Turn the sprayer nozzle one-half turn counter-clockwise. Hold the sprayer lower than the bottle and squeeze the trigger several times until it sprays. Adjust the nozzle to coarse spray pattern to minimize wind drift. (graphic)
4. Spray just enough [Chemsico Spot Weed Killer A] [product] to lightly cover [broadleaf] [brushy] weeds [brush]. **Excessive spraying can injure some lawns.** Do not spray weeds [brush] growing within the dripline of trees. (graphic) Do not apply when daytime temperatures are above 85°F as lawn injury can occur. (graphic) Spray only the weeds [brush], not the entire lawn.

5. Weeds [brush] will begin wilting and browning overnight.

STORAGE AND DISPOSAL (For hand sprayer)

Turn the nozzle to "OFF" position and store with sprayer above the level of liquid in container to prevent leakage. Store in original container in a cool, dry area away from heat or open flame and in an area inaccessible to children and pets. Keep from freezing. Do not reuse container. Rinse thoroughly and securely wrap original container in several layers of newspaper and discard in trash.

(OPTIONAL TRIGGER SPRAYER DIRECTIONS)

1. Shake well.
2. Adjust nozzle to coarse spray pattern to minimize wind drift. (graphic)
3. Spray just enough [Chemsico Spot Weed Killer A] [product] to lightly cover [broadleaf] [brushy] weeds [brush]. **Excessive spraying can injure some lawns.** Do not spray weeds [brush] growing within the dripline of trees. (graphic) Do not apply when daytime temperatures are above 85°F as lawn injury can occur. (graphic) Spray only the weeds [brush], not the entire lawn.
4. Weeds [brush] will begin wilting and browning overnight.

STORAGE AND DISPOSAL (For trigger sprayer)

Store in original container in a cool, dry area away from heat or open flame and in an area inaccessible to children and pets. Keep from freezing. Do not reuse container. Rinse thoroughly and securely wrap original container in several layers of newspaper and discard in trash.

USE TIPS (For both hand and trigger sprayers)

1. Some hard-to-kill weeds [brush] may require retreatment. Wait at least 3 weeks between applications — some weeds [brush] can take that long to die.
2. Do not water [the lawn] within 24 hours after spraying. If it rains within 24 hours of use, retreatment may be necessary.
3. Do not allow spray to drift onto desirable plants since injury may result.

(OPTIONAL POWER PUMP DIRECTIONS)

[Revolutionary (NEW) Power Pump™ • Works like a pressure sprayer • Ready to Pump and Spray • Refillable • Power Pump Pressure Sprayer • Pump & Spray Your Weeds Away • Rest Your Trigger Finger] Patent Pending

Chemsico Spot Weed Killer A kills more than 33 [66] types of [broadleaf] [lawn] [brushy] weeds down to the root. And the revolutionary Power Pump eliminates the need to squeeze a trigger

3 of 4

sprayer over and over again. The Power Pump works like a pressure sprayer - just pump it a few times and spray. And the Power Pump can be refilled up to 5 times with Real-Kill® Broadleaf Weed Killer for incredible value!

Use to Spot Treat: Bedstraw, Black medic, Buckhorn, Canada Thistle, Chickweed, Chicory, Clover, Cudweed, Curled dock, Dandelion, Dollarweed, English daisy, Filaree, Fleabane, Ground ivy, Heal-all, Henbit, Knotweed, Lambsquarter, Lespedeza, Matchweed, Morning glory, Mustard, Oxalis, Pennywort, Pepperweed, Pigweed, Plantain, Poison ivy, Poison oak, Prickly lettuce, Purslane, Ragweed, Sheep sorrel, Shepherds purse, Speedwell, Spurge, Wild carrot, Wild garlic, Wild lettuce, Wild onion, Yarrow and more!

STOP! READ ENTIRE LABEL BEFORE USE.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.



Keep people and pets off treated areas until dry.

- 1. CONNECT WAND HOSE TO POWER PUMP BOTTLE.** Unwrap the wand. Unscrew and discard the Black Cap on the bottle. Push the Clear Tube down through the small opening on the bottle. (graphic) Tighty screw the Green Hose Connector Cap onto the bottle. (graphic) Make sure the Green Button on the wand is "OFF" or "UP" before pressurizing. (graphic)
- 2. PRESSURIZE THE POWER PUMP.** Break off the Pump Handle "TAB" with your thumb. (graphic) Pump 20-30 times to build up pressure. NOTE: The Power Pump bottle may bulge slightly as it is pressurized. Never pressurize by any means other than the pump included. You'll need to pump occasionally during use to keep the Power Pump pressurized.
- 3. SHAKE WELL.** (graphic)
- 4. SPRAY [LAWN] [BRUSHY] WEEDS [BRUSH].** Spray just enough [Chemsico Spot Weed Killer] A [product] to lightly cover [broadleaf] [brushy] weeds [brush]. Do not spray weeds [brush] growing within the dripline of trees. (graphic) **Excessive spraying can injure some lawns.** Just press the Green Button on the wand to spray. If needed, the button can be locked "ON" by pushing it down and forward at the same time. The reverse motion will lock it "OFF." Do not apply when daytime temperatures are above 85°F as lawn injury may occur. (graphic) Spray only the weeds [brush], not the entire lawn.
- 5. Weeds [brush] will begin wilting and browning overnight.**

USE TIPS

1. Some hard-to-kill weeds [brush] may require retreatment. Wait at least 3 weeks between applications — some weeds [brush] can take that long to die.
2. Do not water [the lawn] within 24 hours after spraying. If it rains within 24 hours of use, retreatment may be necessary.
3. Do not allow spray to drift onto desirable plants since injury may result.

REFILLING

The Power Pump can be refilled up to 5 times with Real-Kill® Broadleaf Weed Killer. Add 10 oz. of concentrate and dilute to a gallon with water. Use "Fill to Here" mark on the side of the Power Pump bottle as a guide. Shake well to mix. This dilution rate results in a product with the same strength as that supplied in the Power Pump when purchased. Make sure the Green Pump Cap and the Green Hose Connector Cap are tightly secured before repressurizing. Make sure the Green Button on the wand is "OFF" or "UP" before pressurizing. (graphic) **IMPORTANT: Do not refill more than 5 times.** To keep track of the number of times refilled, put a mark through the appropriate number: (1) (2) (3) (4) (5-final). Do not use any product other than Real-Kill® Broadleaf Weed Killer in this Power Pump. Incompatible chemicals may damage the pump making it unsafe to use.

STORAGE AND DISPOSAL

Always release pressure by unscrewing the pump cap before storing. Store in original container in a cool, dry area away from heat or open flame and in an area inaccessible to children and pets. Keep from freezing. After 5 refills, rinse thoroughly and securely wrap original container in several layers of newspaper and discard in trash.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Causes eye irritation. Harmful if absorbed through skin. Avoid contact with eyes, skin, or clothing. Wear goggles when applying this product. When using this product, wear long-sleeved shirt, long pants, socks, shoes and rubber gloves. After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower. Wash hands before eating or smoking and after each use. Avoid contamination of food or feedstuffs.

First Aid

If Swallowed: Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Never induce vomiting or give anything by mouth to an unconscious person. **If in Eyes:** Flush eyes with plenty of water. Call a physician if irritation persists. **If on Skin:** Wash with plenty of soap and water. Get medical attention.

Environmental Hazards

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and non-target plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters. Do not contaminate domestic or irrigation waters. Do not apply when weather conditions favor drift from target area.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Questions or comments? Call toll free 800-332-5553.

(Made in the USA symbol)

Made for Chemsico, Division of United Industries Corporation, P.O. Box 15842, St. Louis, MO 63114-0842

EPA Reg. No. 9688-109

EPA Est. No. 9688-MO-1

© 1998

(OPTIONAL WEEDS)

[Aster, Bindweed, Bristly oxtongue, Burdock, Carolina geranium, Carpetweed, Cinque foil, Cranesbill, Creeping woodsorrel, Deadnettle, Dog fennel, False dandelion, Hairy bittercress, Hawkweed, Kochia, Pearlwort, Pennycress, Prostrate vervain, Puncturevine, Red sorrel, Scarlet pimpernel, Soliva, Spotted catsear, Spurweed, Wild geranium, Wild violet, Yellow rocket]

(OPTIONAL WEEDS) [BRUSHY WEEDS]

[Ash, Birch, Blackberry, Black cherry, Brambles, Cedar, Gooseberry, Hackberry, Kudzu, Lilac, Multiflora rose, Raspberry, Sagebrush, Snowberry, Sumac, Trumpet vine, Virginia creeper, Wild cherry, Wild plum]

47407