

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

3005300086
3455499146
1823

07 MAY 1996

Ms. Kathie Tryson
Chemsico
PO Box 15842
8825 Page Blvd.
St. Louis, MO 63114-5842

Dear Ms. Tryson:

Subject: Updated Labeling and Alternate Formulations
Chemsico Aerosol Insecticide
EPA Registration No. 9688-111
Your Submissions Dated December 11 and December 22, 1995.

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable, provided that you make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

Under Directions for Fleas in Buildings delete
"..after 7 days or..." We are approving
control of 8 weeks.

The confidential statements of formula dated December 22, 1995 for the alternate formulations (ALT 1 and ALT 2) have been reviewed and are acceptable.

Submit three copies of your final printed labeling before you release the product for shipment. A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

George T. LaRocca
Product Manager (13)
Insecticide-Rodenticide Branch
Registration Division (7505C)

CONCURRENCES							
SYMBOL							
SURNAME	<i>bleat</i>						
DATE							

293

Chemsico Aerosol Insecticide

EPA Reg. No. 9688-111

Chemsico[®] Aerosol Insecticide

For Household Use • Controls Residential and Garden Insects • Keeps Killing for 8 weeks! (optional: 2 months) • 8 week control (optional: 2 months) • Seeks Out Bugs Where They Hide • Kills On Contact • Kills Lice and their Eggs • For Use On Bedding, Furniture and Other Inanimate Objects Infested With Lice • For Use On Dogs And On Premises To Control Fleas And Ticks • Controls Fleas And Ticks On Dogs For 14 Days • Water-Based Formula • No Unpleasant Odor • Non-Staining

Active Ingredients:

Pyrethrins 0.10%
 Piperonyl Butoxide, Technical 0.50%
 Permethrin 0.20%

Inert Ingredients:

..... 99.20%
 *Equivalent to min. 0.4% (butylcarbinyl)(6-propylpiperonyl)ether and 0.1% related compounds. **{3-phenoxyphenylmethyl}(cyclohexyl)2,2-dimethylcyclopropanecarboxylate. Cis/trans ratio: min 25% (±) cis and max. 65% (±) trans.

KEEP OUT OF REACH OF CHILDREN
CAUTION
 See back for additional precautions

ACCEPTED
 with COMMENTS
 in EPA Lett. Dated

NET WT 10 OZ./283 g

07 MAY 1996

Under the Federal Insecticide,
 Fungicide, and Rodenticide Act
 as amended, for the pesticide
 registered under EPA Reg. No.

9688-111

A Broad Spectrum Insecticide Highly Effective Against Ants (Including Carpenter Ants), Bees, Beetles (Including Carpet, Flour, Grain, and Ground Beetles), Centipedes, Clover Mites, Cockroaches, Crickets (Including Mole Crickets), Earwigs, Firebrats, Fleas, Millipedes, Moths, Pillbugs, Scorpions, Silverfish, Sowbugs, Spiders, Ticks, Wasps, and Other Pests Listed On the Label

STOP. READ ENTIRE LABEL BEFORE USE.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

SHAKE WELL BEFORE USING

Hold can upright and spray from a distance of 12 to 16 inches.

INDOORS

CLUSTER FLIES, HOUSEFLIES, FRUIT FLIES, MOSQUITOES, GNATS, WASPS, HORNETS, BEES, BLACK FLIES, SKIPPER FLIES, BLOW FLIES AND SMALL FLYING MOTHS: Close all doors and windows and spray upward into center of room with a slow sweeping motion. Spray 5 - 10 seconds for average room, moving toward the door. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Leave room and keep area closed for 15 minutes after spraying. Ventilate room thoroughly before re-entry. Sweep up and discard fallen insects. Repeat treatment as necessary.

COCKROACHES, WATERBUGS, PALMETTO BUGS, SILVERFISH, FIREBRATS, CRICKETS, SCORPIONS, SPIDERS, MILLIPEDES, CENTIPEDES, SOWBUGS AND PILLBUGS: Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray whenever possible. Repeat treatment as necessary.

ANTS: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

CARPET BEETLES: Spray directly on beetles, floors, baseboards, shelves and carpet. Repeat as necessary.

BEDBUGS: Spray mattresses, particularly around tufts and seams; Take beds apart and spray into all joints. Treat baseboards, moldings and floors. Repeat treatment as necessary. Allow all sprayed articles to dry thoroughly before use.

TO CONTROL CLOTHES MOTHS AND CARPET BEETLES

on wool and other proteinaceous materials, remove from storage, brush thoroughly with a stiff brush, if possible. Apply to closets, bureaus and other storage areas. Treat cracks, joints and crevices. Treat fabrics by spraying lightly, keep away from fabric to avoid staining.

FLEAS IN BUILDING - SPRAYING: Spray above floor and direct spray to baseboards. Spray for 10 seconds per 100 sq. ft. Upholstered chair surfaces are contacted for 15 minutes. Open and ventilate room after treatment after 7 days or as necessary.

FLEAS & TICKS (ADULTS): Thoroughly clean or destroy infested quarters, bed, entire floor and door frames. Infested upholstery and door frames. Infested upholstery may also be treated with this product. Be made to upholstery or drapery in place before use.

TO CONTROL FLEAS, TICKS: Stroke against the fur in short bursts, directly behind the coat. Dampen the fur before spraying. NOTE: Not recommended for fleas less than four weeks old.

TO KILL LICE AND THEIR EGGS: Test for possible staining. After drying, then proceed to spray. Can upright with nozzle away from articles 8 to 10 inches. Spray each side of only those garments and padding and furniture that cannot be sprayed. Allow all sprayed articles to dry thoroughly before use.

Point spray nozzle away from face. For best results, spray for 15 minutes for product to take effect.

FLYING INSECTS: Flies, Moths, Hornets, Wasps and other flying insects. Direct spray toward area. Give special attention to garbage cans and compost

373

MUD DAUBERS AND WASP NESTS: Spray mist directly on insects and their nests from approximately 2 feet away. Contacted insects will fly away from fog. Applications should be made in late evening when insects are at rest. Spray into hiding and breeding places contacting as many insects as possible.

CRAWLING INSECTS: Ants, Cockroaches, including Asian Cockroaches, Crickets, Mole Crickets, Centipedes, and Silverfish. Spray infested surface of patio or picnic area, hitting as many insects as possible. Also spray legs of tables and chairs to repel ants. Spray ant hills for best control.

FOR THE CONTROL OF GARDEN INSECTS: For use on roses, dahlias, asters and other ornamentals to kill Japanese Beetles hit by spray, as well as Whiteflies, Aphids, exposed Thrips, Spiders, Red Mites and Leafminers.

May be used on plants, as well as a multi-purpose spray in small gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas.

May also be used on other plants such as African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, dahlias, delphiniums, dogwood, English Ivy, euonymus, fuchsia, geraniums, crassula, grape vine, Kentia palm, laurel, marjolds, rhododendrons, roses, rubber plants, snapdragons, stocks, wandering Jews and zinnias.

Effective when used as directed against Whiteflies, Aphids, Spider and Red Mites, Exposed Thrips, Lace Bugs, Japanese Beetles, Pavement Ants, Clover Mites and Army Worms. When spraying plants, do not spray closer than 18 inches. Use sweeping motion. Spray in one second bursts. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F. Contact insects directly whenever possible. Repeat treatment as infestations occur.

STORAGE AND DISPOSAL

Store in a cool, dry area. Do not transport or store below 32°F. Wrap container in several layers of newspaper and dispose of in trash. Do not incinerate or puncture.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if inhaled. Avoid breathing vapor or spray mist. Remove contaminated clothing and wash before reuse. Avoid contamination of feed and foodstuffs. Remove pets and birds and cover fish aquariums before spraying. Vacate room after treatment and ventilate before reoccupying. Do not allow children or pets to contact treated areas until surfaces are dry.

Statement of Practical Treatment

If Inhaled: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. Get medical attention.

Environmental Hazards

This product is toxic to fish. Do not apply directly to water.

Physical or Chemical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not use this product in or on electrical equipment due to the possibility of shock hazard.

Notice: Buyer assumes all responsibility for safety and use not in accordance with directions.

Questions or comments? Call 800-332-5553

Contains NO CFC's or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols.

Made in the USA by Chemnico, Division of United Industries Corporation, P.O. Box 15842, St. Louis, MO 63114-0842

EPA Reg. No. 9688-111
Form R&M/A1

EPA Est. No: 9688-MO-1