

9688-115

11/06/2000

1/3

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 11-30-93



United States Environmental Protection Agency
Office of Pesticide Programs (H7505C)
Washington, DC 20460

Application for Pesticide:

Registration
Amendment
Other

OPP Identifier Number

Section I

1. Company/Product Number: 9688-115
2. Product Manager: G. LaRocca
3. Proposed Classification: None Restricted
4. Company/Product (Name): Chemsico Ornamental, Houseplant & Vegetable Spray
PM#: 33
5. Name and Address of Applicant: Chemsico, Division of United Industries Corp., PO Box 15842, St. Louis, Missouri 63114-0842
6. Expedited Review: In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labelling to: NOV 6 2003

Section II

Amendment - Explain below
 Resubmission in response to Agency letter dated _____
 Notification - Explain below.
 Final printed label in response to Agency letter dated 8/7/00
 "ME TOO" Application.
 Other - explain below

Explanation: Use additional page(s) if necessary. (For section I and Section II)

Notification of change in primary brand name per PR Notice 98-10 and final printed label with requested changes per comment letter.

Section III

1. Material in Which This Product Will Be Packaged:
Child-Resistant Packaging: Yes * No
Unit Packaging: Yes No
Water-Soluble Packaging: Yes No
2. Type of Container: Metal Plastic Glass Paper Other (Specify)
3. Location of Net Contents Information: Label Container
4. Size(s) of Retail Container
5. Location of Label Directions: On Label On Labeling accompanying product
6. Manner in Which Label is Affixed To Product: Lithographed Paper glued Stenciled

Section IV

1. Contact Point (Complete items directly below for identification of the individual to be contacted, if necessary, to process this application)
Name: Glenda L. Mah
Title: Regulatory Affairs Specialist
Telephone No. (include Area Code): 800-242-1166 Ext. 3415

Certification

I certify that the statements I have made on this form and all attachments thereto are true, accurate, and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

2. Signature: Glenda L. Mah
3. Title: Regulatory Affairs Specialist
4. Typed Name: Glenda L. Mah
5. Date: 8-25-00
6. Date Application Received (Stamped)



Ornamental, Houseplant & Vegetable Spray

[Fast Acting • Two week control • Lasts up to 2 weeks • Prevents [protects] re-infestation for up to 2 weeks • Protects roses, flowers, houseplants, vegetables, shrubs, trees, ornamentals • Can be used on delicate ornamentals • Use on houseplants too • [Quickly] kills [insects] pests on contact • Perfect for roses, flowers, vegetables, including tomatoes, and houseplants • Kills aphids, whiteflies, spider mites, beetles • Won't harm delicate plants • Water-based • Use indoors and outdoors • Indoor & Outdoor Use]

Active Ingredients:

Pyrethrins	0.02%
Piperonyl butoxide	0.20%
Permethrin	0.02%
Other Ingredients	99.76%

KEEP OUT OF REACH OF CHILDREN

CAUTION See back for additional precautionary statements

NET CONTENTS 24 FL. OZ./709 mL

OPTIONAL MARKETING LANGUAGE

[Chemsico Ornamental & Houseplant Spray protects roses, flowers and houseplants from most damaging insect pests. Ideal for use on delicate ornamentals and indoor plants, it kills insects fast, and continues to protect for up to 2 weeks!]

STOP. READ ENTIRE LABEL BEFORE USE.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. *For home use only.*

HOW TO USE

1. Shake well before using. (graphic)
2. Turn nozzle counter-clockwise to open position. Hold sprayer upright and at least 18 inches from foliage.
3. Spray with a sweeping motion to cover stems, upper and lower leaf surfaces. For dense growth, spray from both sides of plant. Do not saturate the foliage.
4. Repeat every two weeks. Heavy infestations may require more frequent spraying.

USE TIPS

- ✓ Do not spray if temperature is above 90° F as damage to some delicate plants can occur.
- ✓ Regular light sprayings are more effective than a single heavy treatment.
- ✓ Re-apply immediately after rain or if watering has washed product from foliage.

FLOWERS, ORNAMENTALS, TREES & SHRUBS

TO CONTROL Aphids, Spider mites, Thrips, Whiteflies, Rose chafers, Climbing cutworms, Leafhoppers, Mealybugs, Japanese beetles, Leafminers, Lace bugs, Lygus bugs, Leafrollers, Scales.

ROSES AND FLOWERS Such as asters, azaleas, begonias, chrysanthemums, coleus, dahlias, delphiniums,

gladioli, gold bells, hypoestes, iris, ivy, lilac, marigolds, mock-oranges, nannyberries, nasturtiums, pansies, pea shrubs, petunias, poinsettias, orchids, salvia, snapdragons, zinnias and other flowering plants.

HOUSEPLANTS Such as African violets, ageratum, ardisias, asters, azaleas, baby's breath, begonias, bleeding hearts, carnations, chrysanthemums, coleus, crown of thorns, cockscomb, cyclamen, dracaenas, dumbcane, ferns (bird's nest, rabbit's foot), fuchsias, geraniums, gladioli, ivies (including English, grape, hypoestes), junipers, lilies, marigolds, orchids, palms, pansies, peperomia, petunias, philodendrons, piggyback plants, poinsettias, portulacas, pothos, prayer plants, purple passion, roses, scheffleras, snapdragons, snake plants, statice, velvet plants, verbenas, and zinnias.

TREES AND SHRUBS Such as evergreens, deciduous trees and shrubs, althea, arborvitae, birches, boxwood, citrus (non-bearing), conifers, dogwoods, euonymus, forsythias, hemlock, holly, hoya, junipers, laurel, lilacs, locust, maples, mimosa, oaks, palms, pines, podocarpus, rhododendrons, spirea, spruces, viburnums, weeping figs, and yews.

VEGETABLES

TO CONTROL Aphids, Beetles (Asparagus, Bean leaf, Blister, Colorado potato, Cucumber, Flea, Japanese, Mexican bean, 12-Spotted cucumber), Cabbageworms (Crossstriped, Imported) Cabbage loopers, Climbing cutworms, Corn earworms*, Diamondback moth larvae, Fireworms, Harlequin bugs, Lace bugs, Leafhoppers, Leaf-tiers, Lygus bugs, Mealybugs, Rose chafers, Spider mites, Stink bugs, Thrips, Webworms and Whiteflies. *For Corn Earworms: Spray into corn silk. Make 3 applications at 2 day intervals.

NOTIFICATION
NOV 6 2003

6/3

VEGETABLE	APPLICATION DIRECTIONS
Wait seven days after last treatment before picking your vegetables.	
Asparagus	Apply for uniform coverage as needed. Do not apply more than 4 applications per season.
Broccoli, Brussels Sprouts & Cauliflower	Apply every 5 days as needed. Do not make more than 8 applications.
Cabbage	Apply every 5 days as needed. Do not make more than 10 applications.
Corn	Apply every 5 days and when needed, but not more than 6 applications per season.
Eggplant	Apply for uniform coverage. Do not exceed 16 applications.
Lettuce	Apply every 5-10 days as needed. Do not make more than 10 applications per season.
Peppers	Apply as needed, but not more than 8 applications per season.
Potatoes	Apply as needed. Do not apply more than 12 applications.
Spinach	Apply for uniform coverage when needed but not more than 7 applications per season.
Tomatoes (Do not apply on cherry tomatoes and varieties yielding tomatoes less than one inch in diameter.	Apply as needed. Do not make more than 6 applications per season.

may reduce exposure. Avoid contamination of food. Remove pets and birds and cover fish aquariums before spraying.

First Aid

If Swallowed: Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a Poison Control Center or doctor. Do not give anything to an unconscious person. **If on Skin:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. Call a Poison Control Center or doctor for treatment advice. **If Inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, and then give artificial respiration, preferably mouth-to-mouth if possible. Call a Poison Control Center or doctor for treatment advice. **If in Eyes:** Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes then continue rinsing. Call a Poison Control Center or doctor for treatment advice.

Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.

Environmental Hazards

This pesticide is toxic to fish. Do not apply directly to water. Do not contaminate water by disposal of waste.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Questions or comments? Call 800-332-5553

Made in the U.S.A. by Chemsico, Division of United Industries Corporation, P.O. Box 15842, St. Louis, MO 63114-0842

EPA Reg. No. 9688-115
EPA Est. No. 9688-MO-1

© 2000

STORAGE AND DISPOSAL

Store in cool, dry area away from heat or open flame. Discard container in trash.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION Harmful if swallowed, absorbed through skin or inhaled. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist. Washing hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco will reduce exposure. Removing and washing contaminated clothing before reuse