



# Ornamental, Houseplant & Vegetable Spray


[Fast Acting • Two week control • Lasts up to 2 weeks • Prevents [protects] re-infestation for up to 2 weeks • Protects for up to 2 weeks • Protects roses, flowers, houseplants, vegetables, shrubs, trees, [and] ornamentals • Can be used on delicate ornamentals • Use on houseplants too • [Quickly] kills [insects] pests on contact • Perfect for roses, flowers, vegetables, including tomatoes, and houseplants • Kills aphids, whiteflies, spider mites, beetles [Kills] [Controls] Ants, Brown Dog Ticks, Crickets, Non-Poisonous Spiders [and other listed Nuisance Pests] • Kills Aphids, Beetles, Mealybugs, Whiteflies and other listed insects • Won't harm delicate plants • Water-based • Use indoors and outdoors • Indoor & Outdoor Use]

|                          |        |
|--------------------------|--------|
| Active Ingredients:      |        |
| Pyrethrins .....         | 0.02%  |
| Piperonyl butoxide ..... | 0.20%  |
| Permethrin .....         | 0.02%  |
| Other Ingredients .....  | 99.76% |

KEEP OUT OF REACH OF CHILDREN

CAUTION See back for additional precautionary statements

NET CONTENTS 24 FL. OZ./709 mL



## OPTIONAL MARKETING LANGUAGE

[Chemsico Ornamental, Houseplant & Vegetable Spray protects roses, flowers and houseplants from most damaging insect pests. Ideal for use on delicate ornamentals and indoor plants, it kills insects fast, and continues to protect for up to 2 weeks!]

### STOP. READ ENTIRE LABEL BEFORE USE.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. *For home use only.*

#### HOW TO USE

1. Shake well before using. (graphic)
2. Turn nozzle counter-clockwise to open position. Hold sprayer upright and at least 18 inches from foliage.
3. Spray with a sweeping motion to cover stems, upper and lower leaf surfaces. For dense growth, spray from both sides of plant. Do not saturate the foliage.
4. Repeat every two weeks. Heavy infestations may require more frequent spraying.

#### ALTERNATE SPRAYER INSTRUCTIONS

[How to prime and care for your sprayer:]

1. After shaking product well, remove cap from container and replace with sprayer hose and cap assembly. Tighten securely.
2. Turn sprayer nozzle one half turn counter-clockwise. Hold sprayer below the level of container and prime by pumping trigger 10 - 15 times until product is dispensed. Adjust nozzle to fine spray or jet stream as needed.
3. Spray with a sweeping motion to cover stems, upper and lower leaf surfaces. For dense growth, spray from both sides of plant. Do not saturate the foliage.
4. Repeat every two weeks. Heavy infestations may require more frequent spraying.
5. To store, turn nozzle to "OFF" position and [store with sprayer above level of liquid in container to prevent leakage] [store sprayer on hook located near bottle handle to prevent leakage].

#### USE TIPS

- ✓ Do not spray if temperature is above 90° F as damage to some delicate plants can occur.
- ✓ Regular light sprayings are more effective than a single heavy treatment.
- ✓ Re-apply immediately after rain or if watering has washed product from foliage.

9688-115

11/27/2001

Page 1 of 3

**FLOWERS, ORNAMENTALS, TREES & SHRUBS**

[USE] TO CONTROL Aphids, Spider mites, Thrips, Whiteflies, Rose chafers, Climbing cutworms, Leafhoppers, Mealybugs, Japanese beetles, Leafminers, Lace bugs, Lygus bugs, Leafrollers, Scales.

[ON] ROSES AND FLOWERS Such as asters, azaleas, begonias, chrysanthemums, coleus, dahlias, delphiniums, gladioli, gold bells, hypoestes, iris, ivy, lilac, marigolds, mock-oranges, nannyberries, nasturtiums, pansies, pea shrubs, petunias, poinsettias, orchids, salvia, snapdragons, zinnias and other flowering plants.

[ON] HOUSEPLANTS Such as African violets, ageratums, ardisias, asters, azaleas, baby's breath, begonias, bleeding hearts, carnations, chrysanthemums, coleus, crown of thorns, cockscomb, cyclamen, dracaenas, dumbcanes, ferns (birds nest, rabbits foot), fuchsias, geraniums, gladiolis, ivies (including English, grape, hypoestes), junipers, lilies, marigolds, orchids, palms, pansies, peperomia, petunias, philodendrons, piggyback plants, poinsettias, portulacas, pothos, prayer plants, purple passion, roses, scheffleras, snapdragons, snake plants, statice, velvet plants, verbenas, and zinnias.

[ON] TREES AND SHRUBS Such as evergreens, deciduous trees and shrubs, althea arborvitae, birches, boxwood, citruses (non-bearing), conifers, dogwoods, euonymus forsythias, hemlock, holly, hoyan, junipers, laurel, lilacs, locust, maples, mimosas, oaks, palms, pines, podocarpus, rhododendrons, spireas, spruces, viburnums, weeping figs, and yews.

**VEGETABLES**

USE [ON VEGETABLES [LISTED]] TO CONTROL Aphids, Beetles (Asparagus, Beanleaf, Blister, Colorado potato, Cucumber, Flea, Japanese, Mexican bean, 12-Spotted cucumber), Cabbageworms (Crossstriped, Imported) Cabbage loopers, Climbing cutworms, Corn earworms\*, Diamondback moth larvae, Fireworms, Harlequin bugs, Lace bugs, Leafhoppers, Leafhoppers, Lygus bugs, Mealybugs, Rose chafers, Spider mites, Stink bugs, Thrips, Webworms and Whiteflies. \*For Corn Earworms: Spray into corn silk. Make 3 applications at 2 day intervals.

| VEGETABLE                                                                                                  | APPLICATION DIRECTIONS                                                             |
|------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|
| <b>Wait seven days after last treatment before picking your vegetables.</b>                                |                                                                                    |
| Asparagus                                                                                                  | Apply for uniform coverage. Do not make more than 4 applications per season.       |
| Broccoli, Brussels Sprouts & Cauliflower                                                                   | Apply every 5 days as needed. Do not make more than 8 applications per season.     |
| Cabbage                                                                                                    | Apply every 5 days as needed. Do not make more than 10 applications per season.    |
| Corn                                                                                                       | Apply every 5 days as needed. Do not make more than 6 applications per season.     |
| Eggplant                                                                                                   | Apply for uniform coverage. Do not make more than 16 applications per season.      |
| Lettuce                                                                                                    | Apply every 5-10 days as needed. Do not make more than 10 applications per season. |
| Peppers                                                                                                    | Apply as needed. Do not make more than 8 applications per season.                  |
| Potatoes                                                                                                   | Apply as needed. Do not make more than 12 applications per season.                 |
| Spinach                                                                                                    | Apply for uniform coverage. Do not make more than 7 applications per season.       |
| Tomatoes (Do not apply on cherry tomatoes and varieties yielding tomatoes less than one inch in diameter.) | Apply as needed; Do not apply more than 6 applications per season.                 |

2  
8  
3

**NUISANCE PESTS:** Apply directly to listed pests in outdoor areas.  
TO CONTROL Ants, Box Elder Bugs, Brown Dog Ticks, Mites, Crickets, Earwigs,  
Houseflies, Millipedes, Sowbugs and Non-poisonous Spiders.

### STORAGE AND DISPOSAL

Store in cool, dry area away from heat or open flame. Discard container in trash.

### PRECAUTIONARY STATEMENTS

#### Hazards to Humans and Domestic Animals

**CAUTION** Harmful if swallowed, absorbed through skin or inhaled. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist. Washing hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. ~~will reduce exposure~~ Removing and washing contaminated clothing before reuse. ~~may reduce exposure~~. Avoid contamination of food. Remove pets and birds and cover fish aquariums before spraying.

#### First Aid

**If Swallowed:** Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person. **If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. Call a Poison Control Center or doctor for treatment advice. **If Inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, and then give artificial respiration, preferably mouth-to-mouth if possible. Call a Poison Control Center or doctor for further treatment advice. **If in Eyes:** Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.

Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.

#### Environmental Hazards

This pesticide is toxic to fish. Do not apply directly to water. Do not contaminate water by disposal of waste.

**NOTICE:** Buyer assumes all responsibility for safety and use not in accordance with directions.

**Questions or comments?** Call 1-800-332-5553

Made in the U.S.A. by Chemsico, Division of United Industries Corporation, P.O. Box 142642, St. Louis, MO 63114-0642

EPA Reg. No. 9688-115

EPA Est. No. 9688-MO-1

© 2001