

PM-19

Reg # 9688-118

124

# Chemsico Granules Formula B

Granular Insecticide  
 For Use on Home Lawns Only  
 Optimum Grub Control  
 Intensive Grub Control  
 Seasonal Grub Control  
 Proven soil penetrating action  
 For Grubs Treats up to 5,000 square feet  
 Kills grubs on contact  
 Stops damaging grubs on contact  
 Stops grub damage on contact  
 Kills on contact  
 Kills grubs that damage your lawn

**ACTIVE INGREDIENT**

Bendiocarb (2,2 dimethyl 1, 3-benzodioxol-4-yl methylcarbamate\*)

1 5%

**INERT INGREDIENTS**

98 5%

\*Protected by U S Patent No 3,736,338

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY INFORMATION


NET WEIGHT 15 lb

STOP READ ENTIRE LABEL BEFORE USE.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

Apply Chemsico Granules Formula B to give complete and uniform coverage of grub infested areas Applications should be made using the rates shown below



PEST

USE RATE

HOW TO USE

White grubs of:  
Japanese Beetle, Black turf  
grass *Ataenius*, European  
chafer, Northern masked  
chafer, Green June Beetle,  
Annual white grub, Mole  
crickets.

3-4.5 lbs. per 1,000 sq. ft.

Apply to the lawn anytime  
spring through summer.  
Control of grubs is best  
when they are still small;  
therefore, late summer  
treatments are preferable to  
spring. Apply uniformly  
to assure coverage, then  
water in thoroughly with 1/2  
to 3/4 inch of water.


Chinch bugs, Leafhoppers,  
Sod webworms, Ants,  
Brown dog Ticks,  
Centipedes, Crickets,  
Earwigs, Firebrats, Fleas,  
Ground Beetles,  
Millipedes, Pillbugs,  
Scorpions, Silverfish,  
Sowbugs, Spiders

1.5-3 lbs. per 1,000 sq. ft.

Apply when pests are  
evident. Use adequate  
quantity of water to  
thoroughly moisten grass  
and thatch.

Annual Grub Life Cycle  
When to apply:

(Graphical chart showing grub life cycle)



**HOW TO APPLY**

Apply with a fertilizer spreader as uniformly as possible. Popular spreader model settings are shown below:

<b>Spreader Settings For Lawn Applications</b>			
Spreader Make & Model	Use Rate		
	1.5 lb./1,000 sq. ft.	3 lb./1,000 sq. ft.	4.5 lb./1,000 sq. ft.
<b>CYCLONE</b>			
Broadcast	2	2 1/2	3
<b>GREENVIEW</b>			
Drop II	5 1/2	6	6 1/2
Jet Spread II	4	5	6
<b>REPUBLIC</b>			
Drop 530	9	10	11
Broadcast 540	2 1/2	3	3 1/2
<b>SCOTTS</b>			
AG1	3 1/2	4 1/2	6
SG1	4 1/2	5 1/2	6 1/2
ER2	26	28	30
PF3	6	7	9
<b>SEARS</b>			
Drop 1935	5 1/2	6 1/2	8
Broadcast 1930	3 1/4	4	4 1/2

Note: These settings are approximate, due to variability and wear of spreader. Check settings and calibrations on a small area before making total application.

**STORAGE AND DISPOSAL**

Store this product in its original, closed container in a dry, locked area away from children and domestic animals. Do not reuse empty container. Securely wrap in several layers of newspaper and discard in trash.

474

PRECAUTIONARY STATEMENTS  
HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION Harmful if swallowed Do not take internally Do not breathe dust Avoid contact with skin, eyes, or clothing May be absorbed through the skin Wear long sleeves Change clothing daily Wash hands thoroughly after handling Keep children and pets off treated area during watering and until area has dried Avoid contamination of feed and foodstuffs Food utensils such as teaspoons or measuring cups should not be used for food after use with a pesticide

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED Call a physician or Poison Control Center Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger If person is unconscious, do not give anything by mouth and do not induce vomiting

IF INHALED Remove victim to fresh air If not breathing, give artificial respiration, preferably mouth-to-mouth Get medical attention

IF ON SKIN Remove contaminated clothing Wash with plenty of soap and water Launder clothing separately before reusing Get medical attention if irritation persists

IF IN EYES Flush eyes with plenty of water Call a physician if irritation persists

NOTE TO PHYSICIAN Bendiocarb is a moderate, reversible cholinesterase inhibitor Intravenous injection of atropine is antidotal

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife Do not apply directly to water Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas Do not contaminate water by cleaning of equipment or disposal of waste Do not contaminate water when disposing of equipment washwaters Collect cover or incorporate granules spilled on soil surface This product is highly toxic to bees exposed to direct treatment or to residues on plants

Notice Buyer assumes all responsibility for safety and use not in accordance with directions

QUESTIONS OR COMMENTS? Call 800-332-5553

EPA Reg No 9688-118

EPA Est No

Made in the USA for Chemsico  
Division of United Industries Corp  
P O Box 15842, St. Louis, MO 63114