

9688-120

05/24/2011


1/9



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

Mr. Eric D. Smith  
Chemsico, Div. of United Industries Corp.  
P.O. Box 142642  
St. Louis, MO 63114



Dear Mr. Smith:

Subject: Application for Pesticide Notification (PRN 98-10)  
Comply with Agency pyrethroid labeling letter dated June 4, 2009,  
Revise per Pesticide Registration Notice 2007-4 (Container Disposal),  
Revise per Pesticide Registration Notice 2008-1 (Environmental Hazards),  
and Update Warranty Statement  
Chemsico Concentrate MP  
EPA Reg. No. 9688-120  
Your submission dated April 8, 2010

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated April 8, 2010 for the above product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds the action requested falls within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions regarding this letter, please contact Dana Pilitt, PhD of my staff at (703) 305-7071 or via e-mail at [pilitt.dana@epa.gov](mailto:pilitt.dana@epa.gov).

Sincerely,

A handwritten signature in cursive script, appearing to read "Richard Gebken".

Richard Gebken  
Product Manager 10  
Insecticide Branch  
Registration Division (7505P)

Please read instructions on reverse before completing form.

Form Approved B No. 2070-0060. Approval expires 11-30-93



United States Environmental Protection Agency  
Office of Pesticide Programs (H7505C)  
Washington, DC 20460  
**Application for Pesticide:**

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number

**Section I**

1. Company/Product Number <b>9688-120</b>	2. Product Manager <b>R. Gebken</b>	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) <b>Chemsico Concentrate MP</b>	PM# <b>13</b>	
5. Name and Address of Applicant (include ZIP Code) <b>Chemsico, Div. Of United Industries Corp. P.O. Box 142642 St. Louis, MO 63114</b> <input type="checkbox"/> Check if this is a new address	6 Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labelling to: <b>NOTIFICATION</b> EPA Reg. No. _____ Product Name <b>MAY 24 2011</b>	

**Section II**

<input type="checkbox"/> Amendment - Explain below	<input type="checkbox"/> Final printed label in response to Agency letter date
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "ME TOO" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - explain below

**Explanation:** Use additional page(s) if necessary. (For section I and Section II.)  
Label Notification per PR Notice PRN 2007-4, PRN 2008-1, PRN 98-10 & EPA's June 4, 2009 General Labeling for Pyrethroid Notification letter. ( Please see cover letter for details.)

**Section III**

1. Material in Which This Product Will Be Packaged:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes * <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water-Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input type="checkbox"/> Metal	<input checked="" type="checkbox"/> Plastic
* Certification must be submitted		If "YES," Unit package wgt	No. per container	If "YES," Package wgt	No. per container
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) of Retail Container <b>16, 32 fl oz</b>		5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label Is Affixed To Product <input type="checkbox"/> Lithographed <input checked="" type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled				<input type="checkbox"/> Other _____	

**Section IV**

1. Contact Point (Complete items directly below for identification of the individual to be contacted, if necessary, to process this application)		
Name <b>Eric D. Smith</b>	Title <b>Regulatory Affairs Manager</b>	Telephone No. (include Area Code) <b>314-683-2455</b>
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate, and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6 Date Application Received (Stamped)
2. Signature 	3. Title <b>Regulatory Affairs Manager</b>	
4. Typed Name <b>Eric D. Smith</b>	5. Date <b>April 8, 2010</b>	

# Chemsico

Division of United Industries  
P.O. Box 142642  
St. Louis, MO 63114-0642

April 8, 2010

Document Processing Desk (NOTIF)  
Office of Pesticide Programs  
United States Environmental Protection Agency  
Room S4900, One Potomac Yard  
2777 S. Crystal Drive  
Arlington, VA 22202-4501

Attention: Mr. Richard Gebken  
Product Manager Team 13

Subject: **NOTIFICATION: Label Notification per PRN 2007-4, PRN 2008-1, PRN 98-10 & EPA's June 4, 2009 General Labeling for Pyrethroid Notification letter Chemsico Concentrate MP EPA Reg. No. 9688-120**

Please find the enclosed application for notification of the following registration amendments:

A. Pesticide Registration Notice (PR) 2007-4, Final Rule "Pesticide Management and Disposal: Standards for Pesticide Containers and Containment:


We have adopted the exact language set forth in PRN 2007-4.

*This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirement of 40 CFR 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.*

B. Pesticide Registration Notice (PRN) 2008-1, Environmental Hazard General Labeling Statements on Outdoor Residential Use Products:

We have adopted the exact language set forth in PRN 2008-1.

*This notification is consistent with the guidance in PR Notice 2008-1 and the requirements of EPA's regulations at 40 CFR 156.10, 40 CFR 156.80, and 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the guidance of PR*



Notice 2008-1 and the requirements of 40 CFR 156.10, 40 CFR 156.80, and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

C. Environmental Hazard and General Labeling for Pyrethroid Non-Agricultural Outdoor Products per the June 4, 2009 Letter from EPA:

We have adopted the appropriate label statements to be included in the "Directions for Use" section of the label.

*This notification is consistent with the guidance in the June 4, 2009 letter and the requirements of EPA's regulations at 40 CFR part 156. No other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR part 156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.*

D. Pesticide Registration (PR) Notice 98-10:

We have updated the label warranty statement in accordance to the EPA's October 17, 2006 Guidance on Warranty Statements.


*This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.*

The following documents are enclosed in support of this submission:


- 1. Application for Pesticide (EPA Form 8570-1)
- 2. One copy of the proposed label *with changes highlighted*
- 3. One clean copy of the proposed label

Please call me at 1-800-242-1166, Ext. 2455 or via email: [eric.smith@spectrumbrands.com](mailto:eric.smith@spectrumbrands.com), if you have questions or need further information. Thank you very much for your attention to our application.

Sincerely,



Eric D. Smith  
Regulatory Affairs Manager



# CHEMSICO Concentrate MP

## Multi-Purpose Fungicide/Insecticide Concentrate

For outdoor residential use only.

[Fast Acting • Dual disease and insect control [action] • Disease plus insect control [killer] • Prevents and cures diseases on roses, lawns, flowers, ornamental shrubs and trees • Protects roses, lawns, flowers, ornamental shrubs and trees • Perfect for roses, lawns, flowers, ornamental shrubs and trees • Can be used on delicate ornamentals • Ideal for use on delicate ornamentals • Controls brown patch, powdery mildew, black spot, rust, blights, leaf spot, mold and scab • Prevents and cures black spot, brown patch, rust, powdery mildew, scab, blights, mold and other listed diseases • Protects home lawns, roses, flowers, ornamental shrubs and trees from ants, aphids, chinch bugs, spider mites and many [other] [more] similar insects • Kills harmful insects on contact • Quickly kills insects/pests on contact • Kills aphids, whiteflies, spider mites, beetles and other harmful insects • Protects for up to 2 weeks against diseases • Can't be washed [off] away by rain • Rain fast in hours • Rainproof in hours • Rain fast – Effective even after rain • Rainproof – For control that won't wash away • Rainproof – Won't wash away • Water-Based • \*Guaranteed Results or Your Money Back]

## NOTIFICATION

MAY 24 2011

Active Ingredients:		
Myclobutanil	0.78%	
Permethrin	1.25%	
Other Ingredients	97.97%	

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION** See back [booklet] for additional precautionary statements

NET CONTENTS 1 PT. [473 mL]

## OPTIONAL MARKETING LANGUAGE

### OPTION A

Chemsico Concentrate MP protects roses, lawns, flowers, ornamental shrubs and trees from damaging diseases and insects. Its exclusive formula can actually prevent diseases and is ideal for use on delicate ornamentals.]

### OPTION B

Chemsico Concentrate MP prevents and stops a wide variety of diseases and insects on roses, flowers, lawns, trees and shrubs. It can't be washed off by rain or sprinklers once dried and it works against diseases for up to 2 weeks. Use this product throughout your yard to keep plants thriving.

*Prevents and cures . . . Black Spot, Brown Patch, Dollar Patch, Powdery Mildew, Rust, Blight and Leaf Spot*

*Also kills . . . aphids, spider mites, leafhoppers . . . and many [other] [more] similar insects!]*

## OPTIONAL PRODUCT FACT BOX

### PRODUCT FACTS

#### What It Does:

Prevents and Cures Black Spot, Brown Patch, Rust, Powdery Mildew and Other Listed Diseases. Kills Insects on Contact.

#### Where To Use:

(icon outdoors) Outdoors on Roses, Flowers, Shrubs, Trees & Lawns

#### Questions & Comments:

(icon computer) Call 1-800-332-5553 or Visit our Website at [www.spectracide.com](http://www.spectracide.com)

## STOP. READ ALL INSTRUCTIONS INSIDE BEFORE USE.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.



**Do not allow people or pets to contact treated areas until spray has dried.**

Do not water the treated area to the point of run-off.

Do not make applications during rain.

All outdoor applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:

1. Treatment to soil or vegetation around structures
2. Applications to lawns, turf, and other vegetation

All outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors, and eaves) are limited to spot and crack-and-crevice applications, only.

Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.

#### USE RESTRICTIONS FOR LAWNS AND ORNAMENTALS

Do not use treated plants, grass or clippings for food or feed. Not for use on turf or ornamental plants grown for sale or other commercial use, or for research purposes.

#### HOW TO USE

1. **CHOOSE AN APPLICATION METHOD.**

*Pump-Up Sprayer or Trigger Bottle Sprayer*

Fill with required amount of water. Add the amount of concentrate specified below. Replace sprayer top and shake well before spraying.

*Dial-Style Hose-End Sprayer*

Set sprayer to the "fl. oz./gallon" level specified below. Use only enough product for the area to be treated. Close sprayer, attach to hose and apply.

*Concentrate plus Water-Style Sprayer*

Determine the amount of concentrate required below. Pour concentrate into sprayer jar to the required "fl. oz." level. Then add the required amount of water to the "gals." level. Replace sprayer top on jar and shake well before spraying.

#### GENERAL USE TIPS

- This product is highly effective when it is used to prevent diseases and damage from insects or applied at the first sign of disease or insect damage. Consider treating early in the season.
- When using this product on plants not listed, test on a small area first.
- Rainproof [Rain fast] – rain or watering 2 hours after application will not wash away effectiveness. [If rainfall occurs within 2 hours of application, the product should be re-applied.]

- If you need more information about lawn, ornamental and tree diseases contact your Local County Extension Service.

- Handy Conversions: ½ fl. oz. = 1 Tablespoon and 1 fl. oz. = 2 Tablespoons. Food utensils such as measuring cups and spoons must not be used for food purposes after use in measuring pesticides.

#### 2. TO PROTECT LAWNS

Chemsico Concentrate MP prevents and cures brown patch, copper spot, dollar spot, leaf spot (including septoria, zonate), melting out, crown rot, leaf smuts, powdery mildew, rust, red thread, Spring dead spot, necrotic ring spot and Summer patch on lawns, while protecting them from Ants, Armyworms, Brown dog ticks, Chinch bugs, Crickets, Cutworms, Fleas, Mole crickets and Sod webworms.

For lawn application in Nassau and Suffolk counties in New York state, do not apply more than 3 times per given area per year.

**HOW TO TREAT:** For spot treatments, use 3 ½ fl. oz./gallon of water to treat 125 sq. ft. Start treating when grass begins to turn green in the spring or when signs of diseases are first noticed. For best disease control treat every 10 - 14 days. Do not apply more than 16 treatments per year.

#### USE TIP

- For crown rot use 3-½ fl. oz./gallon of water to treat 65 sq. ft.

#### 3. TO PROTECT ROSES, FLOWERS, SHRUBS & ORNAMENTAL TREES

Chemsico Concentrate MP prevents and cures Black spot, Blight (blossom, ovulinia petal), Leaf spot (including cercospora), Powdery mildew, Rust (including needle, fusiform), Scab and other diseases on a wide variety of roses, flowers, trees and ornamental shrubs, while protecting them from Aphids, Bagworms, Beetles (Elm leaf, Pine), Budworms, Cicadas, Elm spanworms, Exposed thrips, Fall cankerworms, Fall webworms, Inchworms, Leafminers, Leafrollers, Mealybugs, Moths (Pine, Tus-sock), Needle scales, Oakworms, Pine needleminers, Spider mites and Whiteflies. See table for a complete list of plants.

**HOW TO TREAT:** Use 2 fl. oz./gallon of water. Apply to the point when spray just begins to run off the leaves. Treat once every 10 - 14 days throughout the season or until conditions favoring disease development (hot, moist weather) are no longer present. Allow spray to dry for 2 hours before watering.

#### USE TIPS

1. Treat roses on a 7 to 10 day schedule. If black spot is not a problem, a 10 to 14 day schedule is recommended.

2. When treating azaleas or rhododendrons, begin spraying when flowers start to show color.
  3. When treating iris increase use rate to 4 fl. oz./gallon of water.
- For Douglas fir, loblolly pine and slash pine use 3 fl. oz./gallon of water. Begin treating in early spring and continue treating every 2 to 3 weeks until threat of infection has passed.

PLANT (Number following plant refers to the specific Use Tip above.)	DISEASES
Rose <sup>(1)</sup>	Black spot, Powdery mildew, Rust
Azalea <sup>(2)</sup> , Rhododendron <sup>(2)</sup>	Petal blight ( <i>ovulinia spp.</i> ), Powdery mildew
Flowering cherry, Honeysuckle, Privet, Trumpet creeper, Zinnia	Cercospora leaf spot, Powdery mildew
Ageratum, Aster, Birch, Chrysanthemum, Columbine, Cornflower, Flowering quince, Iris <sup>(3)</sup> , Marigold, Ninebark	Rust
Carnation, Mock-orange, Pansy, Petunia, Salvia, Snapdragon, Sunflower	Powdery mildew, Rust
Begonia, Elm, Maple, Poinsettia, Spirea	Powdery mildew
Flowering almond	Blossom blight ( <i>Monilinia spp.</i> )
Flowering crabapple	Powdery mildew, Rust, Scab
Douglas fir <sup>(4)</sup>	Needle rust
Loblolly pine <sup>(4)</sup> , Slash pine <sup>(4)</sup>	Fusiform rust

**SENSITIVE PLANT CARE**

Use with care on ferns, palms and fuchsia. As with all plants, especially carnations, chrysanthemums, and roses, there exists a wide variety of species, and therefore, a wide variety of susceptibility to injury. To test for plant sensitivity, spray a few plants as described above, wait 24 hours, and check for possible injury.

**OPTIONAL FORMAT**

**STOP. READ ALL INSTRUCTIONS INSIDE BEFORE USE.**

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.



Do not allow people or pets to contact treated areas until spray has dried.

Do not water the treated area to the point of run-off.

Do not make applications during rain.

All outdoor applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:

1. Treatment to soil or vegetation around structures
2. Applications to lawns, turf, and other vegetation

All outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors, and eaves) are limited to spot and crack-and-crevice applications, only.

Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.

**USE RESTRICTIONS FOR LAWNS AND ORNAMENTALS**

Do not use treated plants, grass or clippings for food or feed. Not for use on turf or ornamental plants grown for sale or other commercial use, or for research purposes.

**HOW TO APPLY**

Choose from one of the recommended application methods listed below.

**PUMP-UP SPRAYER OR TRIGGER BOTTLE SPRAYER**

1. Fill with required amount of water.
2. Add the amount of concentrate specified below.

3. Replace sprayer top and shake well before spraying.

**DIAL-STYLE HOSE-END SPRAYER**

1. Set sprayer to the "fl. oz./gallon" level specified below.
2. Use only enough product for the area to be treated.
3. Close sprayer, attach to hose and apply.

**CONCENTRATE PLUS WATER-STYLE SPRAYER**

1. Determine the amount of concentrate required below.
2. Pour concentrate into sprayer jar to the required "fl. oz." level.
3. Then add the required amount of water to the "gals." level.
4. Replace sprayer top on jar and shake well before spraying.

**GENERAL USE TIPS**

1. This product is highly effective when it is used to prevent diseases and damage from insects or applied at the first sign of disease or insect damage. Consider treating early in the season.
2. When using this product on plants not listed, test on a small area first.
3. Rainproof [Rain fast] – rain or watering 2 hours after application will not wash away effectiveness. [If rainfall occurs within 2 hours of application, the product should be re-applied.]
4. If you need more information about lawn, ornamental and tree diseases contact your Local County Extension Service.
5. **HANDY CONVERSIONS:** ½ fl. oz. = 1 Tablespoon and 1 fl. oz. = 2 Tablespoons. Food utensils such as measuring cups and spoons must not be used for food purposes after use in measuring pesticides.

**LAWNS**

**INSECTS CONTROLLED**

Ants, Armyworms, Brown dog ticks, Chinch bugs, Crickets, Cut-worms, Fleas, Mole crickets and Sod webworms.

**DISEASES CONTROLLED**

Brown patch, Copper spot, Dollar spot, Leaf spot (including septoria, zonate), Melting out, Crown rot, Leaf smuts, Powdery mildew, Rust, Red thread, Spring dead spot, Necrotic ring spot and Summer patch.

For lawn application in Nassau and Suffolk counties in New York state, do not apply more than 3 times per given area per year.

**HOW TO TREAT**

1. For spot treatments, use 3-½ fl. oz./gallon of water to treat 125 sq. ft.
2. Start treating when grass begins to turn green in the spring or when signs of diseases are first noticed.

3. For best disease control treat every 10 - 14 days. Do not apply more than 16 treatments per year.

**USE TIP**

- For crown rot use 3-½ fl. oz./gallon of water to treat 65 sq. ft.

**ROSES, FLOWERS, SHRUBS & ORNAMENTAL TREES**  
**INSECTS CONTROLLED**

Aphids, Bagworms, Beetles (Elm leaf, Pine), Budworms, Cicadas, Elm spanworms, Exposed thrips, Fall cankerworms, Fall webworms, Inchworms, Leafminers, Leafrollers, Mealybugs, Moths (Pine, Tussock), Needle scales, Oakworms, Pine needleminers, Spider mites and Whiteflies.

**DISEASES CONTROLLED**

PLANT	DISEASES
Rose <sup>(1)</sup>	Black spot, Powdery mildew, Rust
Azalea <sup>(2)</sup> , Rhododendron <sup>(2)</sup>	Petal blight ( <i>ovulinia</i> spp.), Powdery mildew
<b>PLANT continued</b>	<b>DISEASES</b>
Flowering cherry, Honeysuckle, Privet, Trumpet creeper, Zinnia	Cercospora leaf spot, Powdery mildew
Ageratum, Aster, Birch, Chrysanthemum, Columbine, Cornflower, Flowering quince, Iris <sup>(3)</sup> , Marigold, Ninebark	Rust
Carnation, Mock-orange, Pansy, Petunia, Salvia, Snapdragon, Sunflower	Powdery mildew, Rust
Begonia, Elm, Maple, Poinsettia, Spirea	Powdery mildew
Flowering almond	Blossom blight ( <i>Monilinia</i> spp.)
Flowering crabapple	
Douglas fir <sup>(4)</sup>	Powdery mildew, Rust, Scab
Loblolly pine <sup>(4)</sup> , Slash pine <sup>(4)</sup>	Needle rust
	Fusiform rust

89



1. Treat roses on a 7 to 10 day schedule. If black spot is not a problem, use a 10 to 14 day schedule.
2. When treating azaleas or rhododendrons, begin spraying when flowers start to show color.
3. When treating iris increase use rate to 4 fl. oz./gallon of water.
4. For Douglas fir, loblolly pine and slash pine use 3 fl. oz./gallon of water. Begin treating in early spring and continue treating every 2 to 3 weeks until threat of infection has passed.

### HOW TO TREAT

1. Use 2 fl. oz./gallon of water.
2. Apply to the point when spray just begins to run off the leaves. Treat once every 10 - 14 days throughout the season or until conditions favoring disease development (hot, moist weather) are no longer present.
3. Allow spray to dry for 2 hours before watering

### SENSITIVE PLANT CARE

Use with care on ferns, palms and fuchsia. As with all plants, especially carnations, chrysanthemums, and roses, there exists a wide variety of species, and therefore, a wide variety of susceptibility to injury. To test for plant sensitivity, spray a few plants as described above, wait 24 hours, and check for possible injury.

### STORAGE AND DISPOSAL (for all options)

**Storage:** Store in cool, dry place away from heat or open flame. **Disposal: If empty:** Nonrefillable Container. Do not reuse or refill this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

### PRECAUTIONARY STATEMENTS

#### Hazards to Humans and Domestic Animals

**CAUTION:** Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

#### First Aid

**If in Eyes:** Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses if present, after the first 5 minutes then continue rinsing. Call a Poison Control Center or doctor for treatment advice. Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.

### Environmental Hazards

This pesticide is toxic to fish. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

**NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.**

\*If you are not satisfied with this product for any reason send your written request for a refund to the address below, together with the dated store receipt showing the price you paid. Please allow 6-8 weeks for processing.

**[Questions or comments? Call 1-800-332-5553]**

Made in the USA for Chemsico  
Division of United Industries Corporation  
P.O. Box 142642, St. Louis, MO 63114-0642  
EPA Reg. No. 9688-120

EPA Est. No. 9688-MO-1

© 2010

### OPTION FOR BOOKLET STYLE LABELS

**Stop. Read all instructions inside before using.**

PEEL HERE                      PRESS TO RESEAL