

9688-120

11/7/2012

1/8



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

Ms. Jessica Goldberg
Chemsico, Div. of United Industries Corp.
P.O. Box 142642
St. Louis, MO 63114-0642

NOV - 7 2012

Dear Ms. Goldberg:

Subject: Amendment: Add optional sprayer instructions and
Add optional marketing claims
Chemsico Concentrate MP
EPA Reg. No. 9688-120
Your submission dated June 4, 2012

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA) section 3(c)(7)(a), is acceptable and a stamped copy of the label is enclosed for your records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions regarding this letter, please contact Dana Pilitt, PhD of my staff at (703) 305-7071 or via e-mail at pilitt.dana@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read "Richard Gebken".


Richard Gebken
Product Manager 10
Insecticide Branch
Registration Division (7505P)

CHEMSICO Concentrate MP

Multi-Purpose Fungicide/Insecticide Concentrate

For outdoor residential use only.

See last page for list of optional marketing claims



Active Ingredients:

Myclobutamil	0.78%
Permethrin	1.25%
Other Ingredients	97.97%
Total	100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION See back [booklet] for additional precautionary statements

NET CONTENTS 1 PT. [473 mL]

OPTIONAL MARKETING LANGUAGE

OPTION A

Chemsico Concentrate MP protects roses, lawns, flowers, ornamental shrubs and trees from damaging diseases and insects. Its formula can actually prevent diseases and is ideal for use on delicate ornamentals.]

OPTION B

Chemsico Concentrate MP prevents and stops a wide variety of diseases and insects on roses, flowers, lawns, trees and shrubs. It can't be washed off by rain or sprinklers once dried and it works against diseases for up to 2 weeks. Use this product throughout your yard to keep plants thriving.

Prevents and [kills][controls] Black Spot, Brown Patch, Dollar Spot, Powdery Mildew, Rust, Blight and Leaf Spot

Also kills aphids, spider mites, leafhoppers and many [other] [more] listed insects!]

OPTIONAL PRODUCT FACT BOX

PRODUCT FACTS

What It Does:

Prevents and [kills][controls] Black Spot, Brown Patch, Rust, Powdery Mildew and Other Listed Diseases. Kills Listed Insects on Contact.

Where To Use:

Outdoors on Roses, Flowers, Shrubs, Trees & Lawns

Questions & Comments:

(icon phone)-(icon computer)
Call 1-800-332-5553 or Visit our Website at www.spectracide.com

STOP. READ ALL INSTRUCTIONS INSIDE BEFORE USE.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Restrictions

- Do not allow adults, children, or pets to enter the treated area until sprays have dried.
- Do not apply this product in a way that will contact adults, children, or pets, either directly or through drift. Remove pets, birds, and cover fish aquariums before spraying.
- [Do not allow people or pets to contact treated plants until spray has dried.]
Optional for use in California in addition to the above phrase
- For outdoor use only.

- Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.
- Do not water the treated area to the point of run-off.
- Do not make applications during rain. Not for use in outdoor residential misting systems.
- All outdoor applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:
 1. Treatment to soil or vegetation around structures
 2. Applications to lawns, turf, and other vegetation
- All outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors, and eaves) are limited to spot and crack-and-crevice applications, only.
- Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.
- Do not apply more than 16 treatments per year.
- Food utensils such as measuring cups and spoons must not be used for food purposes after use in measuring pesticides.

USE RESTRICTIONS FOR LAWNS AND ORNAMENTALS

- Do not use treated plants, grass or clippings for food or feed.
- Not for use on turf or ornamental plants grown for sale or other commercial use, or for research purposes.
- For lawn application in Nassau and Suffolk counties in New York state, do not apply more than 3 times per given area per year

HOW TO APPLY

Choose from one of the recommended application methods listed below.

PUMP-UP SPRAYER OR TRIGGER BOTTLE SPRAYER

1. Fill with required amount of water.
2. Add the amount of concentrate specified below.
3. Replace sprayer top and shake well before spraying.

DIAL-STYLE HOSE-END SPRAYER

1. Set sprayer to the "fl. oz./gallon" level specified below.
2. Use only enough product for the area to be treated.
3. Close sprayer, attach to hose and apply.

CONCENTRATE PLUS WATER-STYLE SPRAYER

1. Determine the amount of concentrate required below.
2. Pour concentrate into sprayer jar to the required "fl. oz." level.
3. Then add the required amount of water to the "gals." level.
4. Replace sprayer top on jar and shake well before spraying.

USE TIPS

1. This product is highly effective when it is used to prevent diseases and damage from insects or applied at the first sign of disease or insect damage. Consider treating early in the season.
2. When using this product on plants not listed, test on a small area first.
3. Rainproof [Rain fast] – rain or watering 2 hours after application will not wash away effectiveness. [If rainfall occurs within 2 hours of application, the product should be re-applied.]
4. If you need more information about lawn, ornamental and tree diseases contact your Local County Extension Service.
5. **HANDY CONVERSIONS:** ½ fl. oz. = 1 Tablespoon and 1 fl. oz. = 2 Tablespoons.
6. [Wash hands with soap and water promptly after use and after contact with treated plants on day of application.] *Optional for use in California*

LAWNS

INSECTS CONTROLLED

Ants, Armyworms, Brown dog ticks, Chinch bugs, Crickets, Cut-worms, Fleas, Mole crickets and Sod webworms.

DISEASES CONTROLLED

Brown patch, Copper spot, Dollar spot, Leaf spot (including septoria, zonate), Melting out, Crown rot, Leaf smuts, Powdery mildew, Rust, Red thread, Spring dead spot, Necrotic ring spot and Summer patch.

HOW TO TREAT

1. For spot treatments, use 3-½ fl. oz./gallon of water to treat 125 sq. ft.
2. Start treating when grass begins to turn green in the spring or when signs of diseases are first noticed.
3. For best disease control treat every 10 - 14 days. Do not apply more than 16 treatments per year.

USE TIP

- For crown rot use 3-½ fl. oz./gallon of water to treat 65 sq. ft.

ROSES, FLOWERS, SHRUBS & ORNAMENTAL TREES

INSECTS CONTROLLED

Aphids, Bagworms, Beetles (Elm leaf, Pine), Budworms, Cicadas, Elm spanworms, Exposed thrips, Fall cankerworms, Fall webworms, Inchworms, Leafminers, Leafrollers, Mealybugs, Moths (Pine, Tussock), Needle scales, Oakworms, Pine needleminers, Spider mites and Whiteflies.

DISEASES CONTROLLED

PLANT	DISEASES
Rose ⁽¹⁾	Black spot, Powdery mildew, Rust

Azalea ⁽²⁾ , Rhododendron ⁽²⁾	Petal blight (<i>ovulinia spp.</i>), Powdery mildew
PLANT continued	DISEASES
Flowering cherry, Honeysuckle, Privet, Trumpet creeper, Zinnia	Cercospora leaf spot, Powdery mildew
Ageratum, Aster, Birch, Chrysanthemum, Columbine, Cornflower, Flowering quince, Iris ⁽³⁾ , Marigold, Ninebark	Rust
Carnation, Mock-orange, Pansy, Petunia, Salvia, Snapdragon, Sunflower	Powdery mildew, Rust
Begonia, Elm, Maple, Poinsettia, Spirea	Powdery mildew
Flowering almond	Blossom blight (<i>Monilinia spp.</i>)
Flowering crabapple	Powdery mildew, Rust, Scab
Douglas fir ⁽⁴⁾	Needle rust
Loblolly pine ⁽⁴⁾ , Slash pine ⁽⁴⁾	Fusiform rust
<ol style="list-style-type: none"> 1. Treat roses on a 7 to 10 day schedule. If black spot is not a problem, use a 10 to 14 day schedule. 2. When treating azaleas or rhododendrons, begin spraying when flowers start to show color. 3. When treating iris increase use rate to 4 fl. oz./gallon of water. 4. For Douglas fir, loblolly pine and slash pine use 3 fl. oz./gallon of water. Begin treating in early spring and continue treating every 2 to 3 weeks until threat of infection has passed. 	

HOW TO TREAT

1. Use 2 fl. oz./gallon of water.
2. Apply to the point when spray just begins to run off the leaves. Treat once every 10 - 14 days throughout the season or until conditions favoring disease development (hot, moist weather) are no longer present.
3. Allow spray to dry for 2 hours before watering

SENSITIVE PLANT CARE

Use with care on ferns, palms and fuchsia. As with all plants, especially carnations, chrysanthemums, and roses, there exists a wide variety of species, and therefore, a wide variety of susceptibility to injury. To test for plant sensitivity, spray a few plants as described above, wait 24 hours, and check for possible injury.

STORAGE AND DISPOSAL (for all options)
 Storage: Store in cool, dry place away from heat or open flame. **Disposal:** If empty: Nonrefillable Container. Do not reuse or refill this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling, [and before eating, drinking, chewing gum, using tobacco, or using the toilet.] *Optional for use in California*

First Aid

If in Eyes: Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses if present, after the first 5 minutes then continue rinsing. Call a Poison Control Center or doctor for treatment advice. Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.

Call 1-800-917-5438 for emergency medical treatment information.

Environmental Hazards

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

This pesticide is highly toxic to bees exposed to direct treatment on blooming crop weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

[*If you are not satisfied with this product for any reason send your written request for a refund to the address below, together with the dated store receipt showing the price you paid. Please allow 6-8 weeks for processing.]

[Questions or comments? Call 1-800-332-5553]

Made in the USA for Chemsico
Division of United Industries Corporation
P.O. Box 142642, St. Louis, MO 63114-0642

EPA Reg. No. 9688-120

EPA Est. No. 9688-MO-1

© 2012

OPTION FOR BOOKLET STYLE LABELS

Stop. Read all instructions inside before using.

PEEL HERE PRESS TO RESEAL

**OPTIONAL READY SPRAY NOZZLE
DIRECTIONS FOR LAWN**

STOP. READ ENTIRE LABEL BEFORE USE.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Restrictions

- Do not allow adults, children, or pets to enter the treated area until sprays have dried.
- Do not apply this product in a way that will contact adults, children, or pets, either directly or through drift. Remove pets, birds, and cover fish aquariums before spraying.
- [Do not allow people or pets to contact treated plants until spray has dried.]
Optional for use in California in addition to the above phrase
- For outdoor use only.

- Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

- Do not water the treated area to the point of run-off.
- Do not make applications during rain. Not for use in outdoor residential misting systems.

- All outdoor applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:

1. Treatment to soil or vegetation around structures
2. Applications to lawns, turf, and other vegetation

- All outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors, and eaves) are limited to spot and crack-and-crevice applications, only.
- Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.

- Do not apply more than 16 treatments per year.
- Food utensils such as measuring cups and spoons must not be used for food purposes after use in measuring pesticides.

USE RESTRICTIONS FOR LAWNS AND ORNAMENTALS

- Do not use treated plants, grass or clippings for food or feed.
- Not for use on turf or ornamental plants grown for sale or other commercial use, or for research purposes.
- For lawn application in Nassau and Suffolk counties in New York state, do not apply more than 3 times per given area per year

HOW TO APPLY

[OPTION A

USING THE READY SPRAY NOZZLE (Optional subheading)

1. *Shake container well before using.*
2. Connect a garden hose to the Ready Spray nozzle. Make sure the dial on the nozzle is in the "OFF" position with the [green] safety tab in the valve notch.
3. Turn on water at faucet. Extend hose to the farthest area to be treated and work back toward the faucet so you don't come in contact with the treated area.
4. To BEGIN spraying, point nozzle toward treatment site and a.) bend the [green] safety tab back (located at right of yellow dial) with your thumb, b.) hold while turning yellow dial clockwise until it stops. Water will automatically mix with the product.
5. Spray until wet to control listed insects and diseases. Walk at a steady pace while spraying using an even sweeping motion. One quart treats 1140 sq ft.
6. To STOP spraying, QUICKLY turn the dial counter clockwise until it stops and the safety tab engages into the notch on the valve. Turn water off at faucet. To relieve pressure before removing nozzle from hose, bend the safety tab back and turn dial "ON" until water stops spraying.
7. To STORE unused product, make sure the dial is in the "OFF" position with [green] safety tab in the valve notch. Place in cool area away from heat, sunlight or open flame.]

[Option B

USING THE READY SPRAY NOZZLE (Optional subheading)

1. Shake container well before using.
2. Attach a garden hose to the Ready spray nozzle. For first time use remove the safety tab below the SPRAY button on the toggle switch by pushing to the left or right until the tab breaks free. Make sure the toggle switch remains in the OFF position. For subsequent uses make sure the toggle switch is in the OFF position before attaching hose.
3. Turn on water at faucet. Extend hose to the farthest area to be treated and work back toward the faucet so you do not come into contact with the treated area.
4. To BEGIN spraying point nozzle toward treatment site and press the SPRAY button on the toggle switch until it clicks into the fully on position. Water will automatically mix with the product.
5. Spray until wet to control listed insects and diseases. Walk at a steady pace while

[Bracketed Text] = Optional language

spraying using a even sweeping motion, slightly overlapping treated areas. One quart treats 1140 sq ft.

6. To STOP spraying push the OFF button on the toggle switch until it stops. Turn water off at faucet. To relieve pressure before removing nozzle from hose press the SPRAY button on the toggle switch until water stops spraying.

7. To STORE unused product make sure the toggle switch is in the OFF position. Place in a cool area away from heat, sunlight or open flame.]

[Option C

USING THE READY SPRAY NOZZLE (Optional subheading)

1. Shake container well before using.
2. Attach a garden hose to the Ready spray nozzle. For first time use remove the safety tab above the trigger by pushing to the left or right until the tab breaks free.
3. Turn on water at faucet. Extend hose to the farthest area to be treated and work back toward the faucet so you do not come into contact with the treated area.
4. To BEGIN spraying point nozzle toward treatment site and squeeze the trigger to the fully on position. Water will automatically mix with the product.
5. Spray until wet to control listed insects and diseases. Walk at a steady pace while spraying using a even sweeping motion, slightly overlapping treated areas. One quart treats 1140 sq ft.
6. To STOP spraying release the trigger. Turn water off at faucet. To relieve pressure before removing nozzle squeeze the trigger until water stops spraying.
7. To STORE unused product make sure the trigger is in the closed position. Place in a cool area away from heat, sunlight or open flame.]

INSECTS CONTROLLED

Ants, Armyworms, Brown dog ticks, Chinch bugs, Crickets, Cut-worms, Fleas, M crickets and Sod webworms.

DISEASES CONTROLLED

Brown patch, Copper spot, Dollar spot, Leaf spot (including septoria, zonate), Melting out, Crown rot, Leaf smuts, Powdery mildew, Rust, Red thread, Spring dead spot, Necrotic ring spot and Summer patch.

STORAGE AND DISPOSAL

Storage: Store in cool, dry place away from heat or open flame. **Disposal:** If empty: Nonrefillable Container. Do not reuse or refill this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling, [and before eating, drinking, chewing gum, using tobacco, or using the toilet.] *Optional for use in California*

First Aid

If in Eyes: Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses if present, after the first 5 minutes then continue rinsing. Call a Poison Control Center or doctor for treatment advice. Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.

Call 1-800-917-5438 for emergency medical treatment information.

Environmental Hazards

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

[*If you are not satisfied with this product for any reason send your written request for a refund to the address below, together with the dated store receipt showing the price you paid. Please allow 6-8 weeks for processing.]

[Questions or comments? Call 1-800-332-5553]

Made in the USA for Chemsico
 Division of United Industries Corporation
 P.O. Box 142642, St. Louis, MO 63114-0642
 EPA Reg. No. 9688-120

EPA Est. No. 9688-MO-1

© 2012

List of Optional Marketing Claims

1. Fast Acting
2. Dual disease and insect control [action]
3. Disease plus insect control [killer]
4. Prevents and [kills][controls]diseases on roses, lawns, flowers, ornamental shrubs and trees
5. Protects roses, lawns, flowers, ornamental shrubs and trees
6. Perfect for roses, lawns, flowers, ornamental shrubs and trees
7. Can be used on delicate ornamentals
8. Ideal for use on delicate ornamentals
9. Controls brown patch, powdery mildew, black spot, rust, blights, leaf spot, mold and scab
10. Prevents and [kills][controls]black spot, brown patch, rust, powdery mildew, scab, blights, mold and other listed diseases
11. Protects home lawns, roses, flowers, ornamental shrubs and trees from ants, aphids, chinch bugs, spider mites and many [other] [more] listed insects
12. Kills harmful insects on contact
13. Quickly kills listed insect[s] pests] on contact
14. Kills aphids, whiteflies, spider mites, beetles and other harmful listed insects
15. Protects for up to 2 weeks against diseases
16. Can't be washed [off] away by rain
17. Rain fast in hours
18. Rainproof in hours
19. Rain fast – Effective even after rain
20. Rainproof – For control that won't wash away
21. Rainproof – Won't wash away
22. Water-Based
23. *Guaranteed Results or Your Money Back]
24. Dual Action Formula
25. 2 uses [in] [with] 1 product
26. 2 uses [[in] [with] 1 formula
27. Controls 2 problems [in] [with] 1 product
28. Controls 2 problems [in] [with] 1 formula
29. Controls listed insects [on contact]
30. Controls [9] [30] insect [on contact]
31. Kills [9] [30] insects [on contact]
32. Kills listed insects [on contact]
33. Controls and Prevents listed [lawn diseases] [and fungus]
34. Controls and Prevents listed lawn fungus
35. Controls and Kills listed [lawn diseases] [and fungus]
36. Controls and Kills listed lawn fungus
37. Kills listed [lawn diseases] [and fungus]
38. Kills listed lawn fungus
39. Prevents listed [lawn diseases] [and fungus]
40. Prevents listed lawn fungus
41. Controls listed [lawn diseases] [and fungus]
42. Controls listed lawn fungus