

9688-121

07-09-2010

1/5



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

Mr. Eric D. Smith
Chemsico
P.O. Box 142642
St. Louis, MO 63114-0642

JUL - 9 2010

Dear Mr. Smith:

Subject: Amendment-add the state of California Proposition 65 language
Chemsico RTU MP
EPA Registration Number 9688-121
Your submission dated June 4, 2010

The application referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable.

A stamped label is enclosed for your records.

If you have any questions regarding this action, please contact Linda A. DeLuise of my team at (703) 305-5428.


Sincerely yours,

A handwritten signature in cursive script, appearing to read "Linda A. DeLuise".

Richard Gebken
Product Manager (13)
Insecticide Branch
Registration Division (7505P)

Enclosure

Chemsico RTU MP



For Outdoor Residential Use Only

0.2 - 0.2 - 0.2

OPTIONAL CLAIMS

[Insect and Disease Control Plus Fertilizer • Insecticide – Fungicide – Plant Food • Feeds and protects [from insects and disease] • Contains Fertilizer • Feeds and Protects – all in one! • Feeds and protects [houseplants, roses, flowers and ornamental shrubs] • Triple action formula • 3-in-1 formula • 3-in-1 plant care • All-in-one [plant care] solution • Eliminates the need for multiple products • One step protection [from insects and disease] • One step feeding and protection • Works 3 ways • Fertilizes [houseplants, rose, flowers] • Protects plants and provides [primary] nutrients • Protects plants and promotes [encourages] plant vigor • Promotes rapid blooming • For beautiful blooms on [roses, flowers, houseplants and ornamental shrubs] • Fast acting • Ready-to-Use • Easy to Apply • Handy [easy to use] [trigger] sprayer • Protects from disease up to 2 weeks and fertilizes • Systemic action • Can't be washed [off] away by rain once spray has dried • Water-based • Kills insects [pests] [on contact] • Kills harmful insects on contact • Quickly kills insects [on contact] • Kills harmful insects such as aphids, spider mites and others listed on contact • Protects roses, flowers, houseplants and ornamental shrubs from ants, aphids, chinch bugs, spider mites and many [other] [more] similar insects • Prevents and cures diseases on roses, flowers, houseplants and ornamental shrubs • Perfect for roses, flowers, houseplants and ornamental shrubs • Controls powdery mildew, black spot, rust, lights and leaf spot • Prevents and cures black spot, rust, powdery mildew, blights and other listed diseases • *Guaranteed Results or Your Money Back • Results Guaranteed*

Active Ingredients:

Myclobutanil 0.012%
 Permethrin 0.020%
 Other Ingredients: 99.968%

KEEP OUT OF REACH OF CHILDREN

CAUTION See back for additional precautionary statements

NET 16 FL. OZ. (473 mL)

[Bracketed Text] = Optional Language

OPTIONAL MARKETING LANGUAGE

[Chemsico RTU MP protects roses, flowers and ornamental shrubs from damaging diseases and insects. Its unique formula can actually prevent diseases and is ideal for use on delicate ornamentals.] [Chemsico RTU MP feeds and protects your plants from insects [and disease] – all in one product.]

[Kills harmful insects including aphids, spider mites, leafhoppers, whiteflies and other listed insects.]

[Chemsico RTU MP prevents and stops a wide variety of diseases and insects on roses, flowers and shrubs. It can't be washed off by rain or sprinklers once dried and it works against diseases for up to 2 weeks. Use this product throughout your yard [and in flower [or plant] beds] to keep plants thriving.]

[Prevents and cures . . . Black Spot, Brown Patch, Dollar Spot, Powdery Mildew, Rust, Blight and Leaf Spot. Also kills . . . aphids, spider mites, leafhoppers . . . and many [other] [more] similar insects!]

GUARANTEED ANALYSIS	
Total Nitrogen (N).....	0.2%
0.2% Urea Nitrogen	
Available Phosphate (P ₂ O ₅).....	0.2%
Soluble Potash (K ₂ O).....	0.2%
Derived from: Urea, dipotassium phosphate.	

[Information regarding the contents and levels of metals in this product is available on the internet at: www.regulatory-info-sb.com]. [When applied as directed, this product meets the guidelines for metals adopted by the Association of American Plant Food Control Officials.]

STOP. READ ENTIRE LABEL BEFORE USE.

[Option: Stop. Read all instructions inside before using.]

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not allow people or pets to contact treated plants until spray has dried.

5/10

Do not water the treated area to the point of run-off.
 Do not make applications during rain.
 All outdoor applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:

1. Treatment to soil or vegetation around structures
2. Applications to lawns, turf, and other vegetation

All outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors, and eaves) are limited to spot and crack-and-crevice applications, only.

Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.

DIRECTIONS FOR A HAND SPRAYER

1. Shake well.
2. Connect trigger sprayer: Unscrew and discard the white cap on the bottle. Insert the hose into the bottle and tighten the cap securely.
3. Prime Sprayer: Turn the sprayer nozzle one-half turn counter-clockwise. Hold the sprayer lower than the bottle and squeeze the trigger several times until it sprays. Adjust the nozzle to a fine mist (graphic).
4. Begin early in the season. Start treating when insects first appear or conditions favoring disease start to develop.
5. Hold sprayer at least 18 inches from foliage when treating.
6. Can be used on: Ageratum, aster, azalea, begonia, carnation, chrysanthemum, iris, lilac, marigold, mock-orange, ninebark, pansy, petunia, privet, rhododendron, rose, salvia, snapdragon, spirea, sunflower, zinnia.
7. Spray with a slow sweeping motion, covering both upper and lower leaf surfaces and the stem.
8. For best results, repeat every 10 - 14 days.

INSECTS CONTROLLED

Aphids, Bagworms, Cicadas, Fall cankerworms, Fall webworms, Inchworms, Leafminers, Leafrollers, Mealybugs, Spider mites, Thrips (exposed), Whiteflies.

DISEASES CONTROLLED

PLANTS	DISEASES
Rose ⁽¹⁾	Black spot, Powdery mildew, Rust
Azalea ⁽²⁾ , Rhododendron ⁽²⁾	Petal blight (ovulinia spp.) Powdery mildew
Carnation, Mock-orange, Pansy, Petunia,	Powdery mildew, Rust

[Bracketed Text] = Optional Language

PLANTS	DISEASES
Salvia, Snapdragon, Sunflower	
Ageratum, Aster, Chrysanthemum, Columbine, Cornflower, Iris, Marigold	Rust
Begonia, Lilac, Spirea	Powdery mildew
Privet, Zinnia	Cercospora leaf spot, Powdery mildew
<ol style="list-style-type: none"> 1. Treat on a 7 to 10 day schedule. If black spot is not a problem, a 10 to 14 day schedule is recommended. 2. Begin spraying when flowers start to show color. 	

USE TIPS

- When using this product on plants not listed, test on a small area first.
- Do not spray if temperature is above 90 ° F as damage to some delicate plants can occur.
- Spray early in the morning or late in the evening, when air is still.
- If it rains before product has dried re-apply.
- Regular light sprayings are more effective than a single heavy treatment.
- Wash hands with soap and water promptly after use and after contact with treated plants on day of application.

HOUSEPLANTS (FOR OUTDOOR USE ONLY)

- Remove plants to outside area.
- Make sure your plants have been well watered and are in good condition before using this product.
- Mist both the top and underside of leaf surfaces.
- Allow plant to dry before returning indoors.

SENSITIVE PLANT CARE

Use with care on ferns, palms and fuchsia. As with all plants, especially carnations, chrysanthemums, and roses, there exists a wide variety of species, and therefore, a wide variety of susceptibility to injury. To test for plant sensitivity, spray a few plants as described above, wait 24 hours, and check for possible injury.

STORAGE AND DISPOSAL

Storage: Turn the nozzle to "OFF" position and store in cool, dry area away from heat or open flame. Keep from freezing. **Disposal:** If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly

9/12

filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

DIRECTIONS FOR A TRIGGER SPRAYER

1. Shake well.
2. Adjust nozzle to fine mist (graphic).
3. Begin early in the season. Start treating when insects first appear or conditions favoring disease start to develop.
4. Hold sprayer at least 18 inches from foliage when treating.
5. Can be used on: Ageratum, aster, azalea, begonia, carnation, chrysanthemum, iris, lilac, marigold, mock-orange, ninebark, pansy, petunia, privet, rhododendron, rose, salvia, snapdragon, spirea, sunflower, zinnia.
6. Spray with a slow sweeping motion, covering both upper and lower leaf surfaces and the stem.
7. For best results, repeat every 10 - 14 days.

INSECTS CONTROLLED

Aphids, Bagworms, Cicadas, Fall cankerworms, Fall webworms, Inchworms, Leafminers, Leafrollers, Mealybugs, Spider mites, Thrips (exposed), Whiteflies

DISEASES CONTROLLED

PLANTS	DISEASES
Rose ⁽¹⁾	Black spot, Powdery mildew, Rust
Azalea ⁽²⁾ , Rhododendron ⁽²⁾	Petal blight (ovulinia spp.) Powdery mildew
Carnation, Mock-orange, Pansy, Petunia, Salvia, Snapdragon, Sunflower	Powdery mildew, Rust
Ageratum, Aster, Chrysanthemum, Columbine, Cornflower, Iris, Marigold	Rust
Begonia, Lilac, Spirea	Powdery mildew
Privet, Zinnia	Cercospora leaf spot, Powdery mildew
<ol style="list-style-type: none"> 1. Treat on a 7 to 10 day schedule. If black spot is not a problem, a 10 to 14 day schedule is recommended. 2. Begin spraying when flowers start to show color. 	

USE TIPS

- When using this product on plants not listed, test on a small area first.
- Do not spray if temperature is above 90 ° F as damage to some delicate plants can occur.
- Spray early in the morning or late in the evening, when air is still.
- If it rains before product has dried re-apply.
- Regular light sprayings are more effective than a single heavy treatment.
- Wash hands with soap and water promptly after use and after contact with treated plants on day of application.

HOUSEPLANTS (FOR OUTDOOR USE ONLY)

- Remove plants to outside area.
- Make sure your plants have been well watered and are in good condition before using this product.
- Mist both the top and underside of leaf surfaces.
- Allow plant to dry before moving indoors.

SENSITIVE PLANT CARE

Use with care on ferns, palms and fuchsia. As with all plants, especially carnations, chrysanthemums, and roses, there exists a wide variety of species, and therefore, a wide variety of susceptibility to injury. To test for plant sensitivity, spray a few plants as described above, wait 24 hours, and check for possible injury.

STORAGE AND DISPOSAL

Storage: Store in cool, dry area away from heat or open flame. Keep from freezing.
Disposal: If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling, and before eating, drinking, chewing gum, using tobacco, or using the toilet.

First Aid

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.

9/15

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment.

Environmental Hazards

This pesticide is toxic to fish. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

NOTICE: To the extent consistent with applicable law, Buyer assumes all responsibility for safety and use not in accordance with directions.

Questions or comments? Call 1-800-332-5553

[*If you are not satisfied with this product for any reason, send your written request for a refund to the address below, together with the original dated store receipt showing the price you paid. Please allow 6-8 weeks for processing.]

Made in the USA by Chemsico, Division of United Industries Corporation, P.O. Box 142642, St. Louis, MO 63114-0642

EPA Reg. No. 9688-121

EPA Est. No. 9688-MO-1

© 2010

9/17