

U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (H7505C) 401 "M" St., S.W. Washington, D.C. 20460

_x__ Registration ____ Reregistration

NOTICE OF PESTICIDE:

EPA Reg. Number:

Date of Issuance:

9688-136

JUN 9 1998

Term of Issuance:

Conditional

Name of Pesticiae Product:

Chemsico Lawn Insect Spray

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Chemsico

P.O. Box 15842

St. Louis, MO 63114

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

- 1. Submit and/or cite all data required for registration/ reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
- 2. Make the labeling changes listed below before you release the product for shipment:
 - a. Add the phase "EPA Registration No. 9688-136".
- b. On the front label add "For use around the home only".
- c. What is the spray distance with this spray nozzle? Is it sufficient to reach upper portions of trees using standard pressure (25 psi) from a garden hose? If not delete trees or qualify as small trees.

٠.		_		
٠.	gnature	10	Approving	Orticial:

Date:

EPA Form 8570-6

page 2
EPA Reg. No. 9688-136

3. Submit two (2) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Enclosure



Lawn Insect Spray

[Protects home lawns, roses, flowers, trees & shrubs • Kills [controls] ants, aphids, chinch bugs, cutworms, fleas, beetles, grubs, mites, mosquitoes sod webworms and many other listed insects • Keeps killing for up to 4 weeks • Kills & Repels bugs in your backyard [yard]! • Kills and repels mosquitoes • Lets you enjoy your backyard again! • Creates a bug barrier in [around] your yard! • Keeps annoying insects away • Keeps bugs out of your yard! • Protects your yard all weekend long • Kills bugs fast • Can't be washed away [by rain] • Won't wash away [in rain] • Long lasting • One quart treats 5,000 sq. ft. • Do-it-yourself pest control • Just connect to your [garden] hose and spray • Clear-View TM measuring window • Water-based • Low odor]

 Active Ingredient:
 2.5%

 Other Ingredients:
 97.5%

Keep Out Of Reach Of Children CAUTION

See back [booklet] for additional precautionary statements

NET CONTENTS 1 GUART [32 FL: OZ./946 mL]

[Kills the most troublesome outdoor insects which destroy lawns, roses, flowers, trees and shrubs, or annoy pets and people. (Refer to label directions for specific insects controlled.)]

[Contains permethrin, a long lasting insecticide which provides contact and residual control for up to 4 weeks of many "hard-to-kill" sucking and chewing insects.]

[Perfect before picnics, parties and other outdoor gatherings! • Connect & Spray • Connect & Spray the right amount every time! • Connect & Spray Your Bugs Away! • Easy-To-Use Spray Ready Nozzle]

[Chemsico Lawn Insect Spray kills and repels insects that invade your yard and attack your lawn, as well as valuable trees, shrubs and flowers. One quart of this formula will treat a 5000 sq. ft. lawn.]

[PEEL HERE PRESS TO RESEAL]

OPTIONAL PARAGRAPH FORMAT

STOPI READ ENTIRE LABEL BEFORE USING. [Read all Instructions inside before using.] DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For outdoor use around the home only.



Keep people or pets off treated areas until the spray has dried.

- 1. Shake container well before using.
- 2. Connect a garden hose to the spray ready negrate local ball.

Make sure the yellow water control dial on the nozzle is in the "OFF" position (tab is vertical). (graphic)

- Turn on water at faucet. Extend hose to the farthest area to be treated and work back towards the faucet so you don't come in contact with the treated area.
 - Twist the small star-shaped, white product control button to align the flat portion with the lock tab. Push the button in to open. (graphic)
- To BEGIN spraying, point nozzle toward lawn or plants to be treated and turn the yellow water control dial to the "ON" position (tab is horizonal). Water will automatically mix with the product. (graphic)
- 5. Spray until wet to control insects listed below. Walk at a steady pace while spraying using an even sweeping motion, slightly overlapping treated areas. One quart will treat 5,000 sq. ft. Calculate square feet by multiplying length by width. Refer to [sight gauge] [Clear-View measuring window] to guide coverage (example, when bottle is half empty, you should have covered half the area).
- To STOP spraying turn yellow water control dial to-the "OFF" position, Push small white product control button in to close. Twist the small star-shaped, white product control button so that it is no longer aligned with the flat portion of the lock tab. Turn off water at faucet.
 - To relieve pressure, turn yellow water control dial to "ON" position and wait until water stops spraying before removing nozzle from hose.
- To STORE unused product, place in cool area away from heal, direct sunlight or open flame.

HOME LAWNS

Chemsico Lawn Insect Spray will control [kill] Ants, Armyworms, Crickets, Cutworms, Chinch bugs, Fleas, Grasshoppers, Mole crickets, Mosquitoes, Brown dog ticks and Sod webworms in [on] Bentgrass, Bermudagrass, Bluegrass, Fescue, Irish Moss, Merion and St. Augustine lawns.

TREES, SHRUBS AND FLOWERS

Chemsico Lawn Insect Spray will control [kill] Aphids, Bagworms, Budworms, Citrus black files, Clcadas, Elm leaf beetles, Elm spanworms, Fall cankerworms, Inchworms, Leaf-

[Bracketed Text] = Optional Language

JUN - 9 1998

Under the Federal Insecticide, Fungishte, and Rodenticide Act as amended, for the posticide registered under EPA Reg. No.

ACCEPTED

page 1 of 3

miners, Leafrollers, Mealybugs, Needle scales, Oakworms, Pine beetles, Pine moths, Pine needleminers, Spider mites, Exposed thrips, Fall webworms, Tussock moths, and Whiteflies on Ageratum, Aster, Arizona Cypress, Azalea, Begonia, Birch, Cherry, Non-bearing Citrus, Coleus, Common Ninebark and Snowberry, Conifers, Elm, English Ivy, Euonymus, Exacum, Weeping Fig, Fir, Gladiolus, Gold Bells, Honeysuckle, Hypoestes, Ivy, Lilac, Marigold, Mock-orange, Nannyberry, Oak, Orchid, Palm, Pansy, Pea Shrub, Petunia, Philodendron, Pine, Poinsettla, Rhododendron, Rose, Snapdragon, Taxus, Tulip Poplar and Zinnia.

USE TIPS

- Home lawns should be no taller than 3 Inches at time of application.
- Wet down lawns a few hours before applying.
- Application to trees, flowers, and shrubs should be made when the temperature is between 50°F and 75°F.

OPTIONAL TABLE FORMAT

STOPI READ ENTIRE LABEL BEFORE USING. [Read all instructions inside before using.] DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For outdoor use around the home only.



Keep people or pets off treated areas until the spray has dried.

- 1. Shake container well before using.
- Connect a garden hose to the spray ready nozzle, (graphic) Make sure the yellow water control dial on the nozzle is in the "OFF" position (tab is vertical), (graphic)
- Turn on water at faucet. Extend hose to the farthest area to be treated and work back towards the faucet so you don't come in contact with the treated area."

Twist the small star-shaped, white product control bullon to align the flat portion with the lock tab. Push the button in to open. (graphic)

- To BEGIN spraying, point nozzle toward lawn or plants to be treated and turn the yellow water control dial to the "ON" position (tab is horizonal). Water will automatically mix with the product, (graphic)
- 5. Spray until wet to control insects listed below. Walk at a steady pace while spraying using an even sweeping motion, slightly overlapping treated areas. One quart will treat 5,000 sq. ft. Calculate square feet by multiplying length by width. Refer to [sight gauge] [Clear-View measuring window] to guide coverage (example, when bottle is half empty, you should have covered half the area).
- To STOP spraying turn yellow water control dial to the "OFF" position. Push small white product control button in to close. Twist the small star-shaped, white product control button so that it is no longer aligned with the flat portion of the lock tab. Turn off water at faucet.

To relieve pressure, turn yellow water control dial to "ON" position and wait until water stops spraying before removing nozzle from base.

 To STORE unused product, place in cool area away from heat, direct sunlight or open flame.

HOME LAWNS

LAWID	marcin
Dentymss, Bernudaynes, Uhngrass, Fescue, Irish moss, Merion, St. Augustine	Anis, Armyworms, Crickets, Cutworms, Chinch bugs, Fleas, Grasshoppers, Mole crickets, Mosquitoos, Brown dog ticks, Sod webworms

TREES, SHRUBS AND FLOWERS

PLANTS	INSECTS
Ageralum, Aster, Arizona Cypress, Azalea, Begonia, Birch, Cherry, Non- bearing citrus, Coleus, Common nine- bark and Snowberry, Conifers, Elm, English Ivy, Euonymus, Exacum, Weeping fig, Fir, Gladiolus, Gold bells, Honeysuckle, Hypoestes, Ivy, Lilac, Marigold, Mock-orange, Nannyberry, Oak, Orchid, Palm, Pansy, Pea shrub, Pelunia, Philodendron, Pine, Poin- settia, Rhododendron, Rose, Snap- dragon, Taxus, Tulip poplar, Zinnla	Aphids, Bagworms, Beetles (Elm leaf, Pine), Budworms, Citrus black files, Cicadas, Elm spanworms, Fall cankerworms, Inchworms, Leafminers, Leafrollers, Mealybugs, Moths (Pine, Tussock), Needle scales, Oakworms, Pine needleminers, Spider mites, Exposed thrips, Fall webworms, Whitefiles

USE TIPS

- Home lawns should be no tailer than 3 inches at time of application.
- ✓ Wet down lawns a few hours before applying.
- Application to trees, flowers, and shrubs should be made when the temperature is between 50°F and 75°F.

STORAGE AND DISPOSAL AND PRECAUTIONARY STATEMENTS FOR EITHER FORMATS

STORAGE AND DISPOSAL – Store In cool, dry area away from heat or open flame. Do not reuse container. Wrap-and put in trash.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: May be harmful if swallowed or absorbed through skin. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

First Aid

If Swallowed: Call a physician or Poison Control Center immediately. If on Skin: Wash promptly with plenty of soap and water. Wash contaminated clothing. If in Eyes: Rinse eyes for at least 15 minutes with plenty of water. Call a physician if irritation persists. If Inhaled: Remove victim to fresh air. Apply artificial respiration if indicated.

Environmental Hazards

This pesticide is extremely toxic to fish. Do not apply directly to water. Drifts and runoff from treated areas may be hazardous to aquatic organisms in treated areas. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Questions or comments? Call 800-332-5553

Made in the USA by Chemsico, Division of United Industries Corporation, P.O. Box 15842, St. Louis, MO 63114-0842

EPA Reg. No. 9688-EPA Est. No. 9688-MO-1 © 1998

