

9688-138

4/16/2002

Page 185

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 11-30-93



United States Environmental Protection Agency  
Office of Pesticide Programs (H7505C)  
Washington, DC 20460

**Application for Pesticide:**

☐ Registration  
☐ Amendment  
☒ Other

OPP Identifier Number

**Section I**

1. Company/Product Number 9688-138	2. Product Manager J. Miller	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Chemsico Brush Killer Concentrate	PM# 23	
5. Name and Address of Applicant (include ZIP Code) Chemsico, Division of United Industries Corporation PO Box 142642 St. Louis, Missouri 63114-0642 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labelling to:  EPA Reg. No. _____ Product Name _____	

**Section II**

☐ Amendment - Explain below  
☐ Resubmission in response to Agency letter dated \_\_\_\_\_  
☒ Notification - Explain below.

☐ Final printed label in response to Agency letter dated \_\_\_\_\_  
☐ "ME TOO" Application.  
☐ Other - explain below

**NOTIFICATION**  
**APR 16 2002**

**Explanation:**

Use additional page(s) if necessary. (For section I and Section II)

Notification per PR Notice 98-10 to add additional broadleaf weed species.

**Section III**

1. Material In Which This Product Will Be Packaged:			2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes * <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water-Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____	
* Certification must be submitted.		If "YES," Unit package wgt	No. per container	If "YES," Package wgt
				No. per container
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) of Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product
6. Manner in Which Label Is Affixed To Product <input type="checkbox"/> Lithographed <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled				

**Section IV**

1. Contact Point (Complete items directly below for identification of the individual to be contacted, if necessary, to process this application)		
Name Glenda L. Mah	Title Regulatory Affairs Specialist	Telephone No. (include Area Code) 1-800-242-1166 Ext 3415
<b>Certification</b> I certify that the statements I have made on this form and all attachments thereto are true, accurate, and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped) 
2. Signature 	3. Title Regulatory Affairs Specialist	
4. Typed Name Glenda L. Mah	5. Date April 10, 2002	

285

# United Industries Corp.

## NOTIFICATION PER PR NOTICE 98-10

April 10, 2002

Document Processing Desk (NOTIF)  
Office of Pesticide Programs  
United States Environmental Protection Agency  
Room 266A Crystal Mall 2  
1921 Jefferson Davis Highway  
Arlington, VA 22202

Attention: Joann Miller  
Product Manager 23

Subject: Notification of Label Changes per PR Notice 98-10  
Chemsico Brush Killer Concentrate  
EPA Reg. No. 9688-138

Dear Ms. Miller:

Enclosed please find our Notification per PR Notice 98-10 to add the following woody and broadleaf weed species to the above referenced label: American chestnut, Barberry, Maple, Poplar, Sassafras, Trumpet creeper, Aster (white heath & white prairie), Beggarweed (creeping), Broadleaf plaitain, Buckhorn plaitain, Bull thistle, Burclover, Common burdock, Common chickweed, Cinquefoil, Compassplant, Curly dock, Dayflower, Deadnettle, Dogfennel, English Daisy, False Dandelion (\*spoiled catsear & common catsear), Field bindweed (\*morningglory & creeping jenny), Field oxeye-daisy (\*creeping oxeye), Filaree (whitestem & redstem), Florida pusley, Groundsel, Hawkweed, Lawn burweed, Lespedeza (common), Mallow (common), Matchweed, Mouseear chickweed, Oxalis (\*yellow woodsorrel & creeping wordsorrel), Parsley-piert, Pennsylvania smartweed (\*smartweed), Pennywort (\*dollarweed), Pepperweed, Pineappleweed, Prostrate knotweed (\*knotweed), Puncturevine, Red sorrel (\*sheep sorrel), Spotted spurge, Velvetleaf (\*pie marker, Indian mallow), Veronica (\*corn speedwell), Virginia buttonweed, White clover (\*Dutch clover, honeysuckle clover, white trefoil & purplewort), Wild geranium, Wild mustard, Wild strawberry, Wild violet, Yellow rocket.  
\*Synonyms.

*This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.*


Enclosed are an EPA application form, five copies of the label with changes highlighted, a copy of the final printed label and a copy of the EPA stamped accepted label.

Please call me at 1-800-242-1166, Ext. 3415 if you have questions or need further information. Thank you very much for your attention to our application.

Sincerely,



Glenda L. Mah  
Regulatory Affairs Specialist



# CHEMSICO

## Brush Killer Concentrate

[Fast acting • Starts working overnight • Overnight brush killer • Works in 24 hours • Results in 24 hrs. • Controls [kills] 66+ types of brush & weeds • Controls [kills] over 60 types of brush & weeds • Controls [kills] more than 66 [60] types of brush & weeds • Controls [kills] ash, aspen, brambles, kudzu, oak, willow, dandelion, chickweed, knotweed, plantain, henbit, spurge and many other species of brush and broadleaf weeds • Controls [kills] multiflora rose, brambles, cedars, locusts, poison oak and poison ivy, honeysuckle, thistles, kochia, kudzu and many other trees, vines and broadleaf weeds. • Also kills poison ivy, poison oak, kudzu & stumps • Makes 10 gallons of spray • Also kills stumps • Use to Kill Stumps • Guaranteed Results or Your Money Back\*]

### Active Ingredients

2,4-D, 2-ethylhexyl ester .....	9.74%
Dichlorprop, 2-ethylhexyl ester .....	9.55%
Dicamba .....	1.65%
Other Ingredients .....	79.06%
Total .....	100.00%

This product contains: 0.51 lbs. 2,4-D acid equivalent per gallon or 6.46%; 0.51 lbs. dichlorprop acid per gallon or 6.46%; 0.13 lbs. dicamba acid equivalent per gallon or 1.65%. Contains aromatic petroleum distillates.

**KEEP OUT OF REACH OF CHILDREN**

**WARNING** See back [booklet] for additional precautionary statements

**NET CONTENTS 1 QUART (946 mL)**

Chemsico Brush Killer Concentrate is intended for control of woody plants, vines and

broadleaf weeds. It controls [kills] the listed varieties of brush and control of woody plants, vines and broadleaf weeds, weeds along fence lines, along walkways, driveways, around homes or buildings and other overgrown areas around your property. Brush and weeds can be treated with either foliar applications or cut stump applications.

### Optional Product Fact Box

#### What It Does:

Kills Over 60 Types of Brush, Weeds & Vines including Poison Ivy, Poison Oak, Kudzu & Stumps

#### Where To Use:

Outdoors Along Fence Lines, Walkways, Driveways, Around Buildings and Around Your Property

#### Questions & Comments:

Call 1-800-332-5553 or Visit our Website at [www.spectracide.com](http://www.spectracide.com)

## [OPTIONAL FORMAT A

### CONTROLS

Ash, Aspen, Aster (white heath & white prairie), Bedstraw, Beggarweed (creeping), Bindweed, Birch, Blackberry, Black Cherry, Black Locust, Black Medic, Brambles, Broadleaf plantain, Buckbrush, Buckhorn, Buckhorn plantain, Bull thistle, Burdock, Burdock (common), Carpetweed, Cedar, Cherry, Chicory, Chickweed (common), Cinquefoil, Clover, Compassplant, Cottonwood, Curly dock, Dandelion, Dayflower, Deadnettle, Dogfennel, Dogwood, Elm, English Daisy, False Dandelion (\*spoiled catsear & common catsear), Field bindweed (\*morningglory & creeping jenny), Field oxeye-daisy (\*creeping oxeye), Filaree (whitestem & redstem), Florida pusley, Gooseberry, Ground Ivy, Groundsel, Hawkweed, Healall, Henbit, Honey Locust, Honeysuckle, Jimsonweed, English Daisy, Knotweed, Kochia, Kudzu, Lambsquarters, Lawn burweed, Lespedeza (common), Mallow (common), Matchweed, Morningglory, Mouseear chickweed, Multiflora Rose, Mustard, Nettle, Oak, Oxalis (\*yellow woodsorrel & creeping woodsorrel), Parsley-piert, Pennsylvania smartweed (\*smartweed), Pennywort (\*dollarweed), Peppergrass, Pepperweed, Pigweed, Pine, Pineappleweed, Plantain, Poison Ivy, Poison Oak, Prostrate knotweed (\*knotweed), Puncturevine, Purslane, Ragweed, Red Sorrel (\*sheep sorrel), Shepherds purse, Shortleaf Pine, Smartweed, Speedwell, Spruce, Spotted Spurge, Spurge, Sumac, Sunflower, Sycamore, Thistle, Trumpet Vine, Velvetleaf (\*pie marker, Indian mallow), Veronica (\*corn speedwell), Virginia Buttonweed, White clover (\*Dutch clover, honeysuckle clover, white trefoil & purplewort), Wild Carrot, White clover, Wild Garlic, Wild Geranium, Wild Lettuce, Wild mustard, Wild Onion, Wild Plum, Wild Strawberry, Wild Violet, Willow, Yarrow, Yellow rocket]

### \*Synonyms

REGISTRATION

APR 16 2002

W  
2  
5

## [OPTIONAL FORMAT B]

### BRUSH CONTROLLED

American Chestnut, Ash, Aspen, Barberry, Birch, Blackberry, Black Cherry, Black Locust, Brambles, Buckbrush, Cedar, Cherry, Cottonwood, Dogwood, Elm, Gooseberry, Honey Locust, Honeysuckle, Kudzu, Multi-flora Rose, Oak, Pine, Sassafras, Shortleaf Pine, Spruce, Sumac, Sycamore, Trumpet creeper, Wild Plum, Willow

### WEEDS CONTROLLED

Bedstraw, Bindweed, Black Medic, Buckhorn, Burdock, Chicory, Chickweed, Clover, Dandelion, Dock, Ground Ivy, Healall, Henbit, Jimsonweed, Knotweed, Kochia, Lambsquarters, Lespedeza, Mallow, Morning glory, Mustard, Nettle, Oxalis, Peppergrass, Pigweed, Plantain, Poison Ivy, Poison Oak, Purslane, Ragweed, Sheep Sorrel, Shepherd's purse, Smartweed, Speed-well, Spurge, Sunflower, Thistle, Trumpet Vine, Velvetleaf, Wild Carrot, Wild Garlic, Wild Lettuce, Wild Onion, Yarrow]

## STOP. READ ENTIRE LABEL BEFORE USING.

[STOP. READ ALL INSTRUCTIONS INSIDE BEFORE USING.]

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. *For outdoor use round the home only.*



[Graphic optional]

**People (other than applicator) or pets should not be allowed in treated areas until spray has dried.**

## USE PRECAUTIONS

(1) Apply when air is calm to avoid the possibility of drift onto nearby vegetables, ornamental plants, grass or other desirable plantings. (2) Keep away from the roots of desirable plants and trees. (3) Avoid sprays which are too fine because they can drift and damage other plants. (4) Extra care to control spray drift or run-off should be taken around carpetgrass, dichondra, St. Augustine grass or bentgrass to avoid lawn damage. Clover will be damaged by spray. (5) Treating when air temperatures exceed 85° F could cause damage to nearby grass.

## USE TIPS

1. Use a lawn and garden pressure sprayer or similar sprayer to apply.
2. For best results, treat during warm weather when brush and broadleaf weeds are actively growing.
3. Do not water within 24 hours after treatment. Poor control may result if spray is applied just before rain.
4. Use around established lawns (grass that has been mowed at least three times).
5. Seed can be sown 3 to 4 weeks after treatment

6. Poor performance may result with treatments following a frost.

## HOW TO MIX

Add half of the water to the sprayer. Slowly add the product. Add the remaining water, close the sprayer and shake well to mix. To prevent separation, mix thoroughly and shake often while spraying. NOTE: 1 fl. oz. = 2 tablespoons; 1 quart = 32 fl. oz. = 2 pints = 4 cups.

## FOLIAGE TREATMENT

Treating the foliage of brush and weeds is effective throughout the growing season, from the spring when leaves are full until leaves drop in the fall.

**Mix 3 - 5 fl. oz. (6 - 10 tablespoons) [of product] in 1 gallon of water following the directions under *How to Mix*.** Use higher rates for larger plants, dense growth or well established brush. Thoroughly wet all leaves, stems and shoots until run-off begins. Allow 5 - 7 days after treating before cutting or removal of treated area. Reapply to regrowth on resistant plants if needed. This product is most effective against young actively growing brush and weeds.

## CUT STUMP TREATMENT

This treatment method is most effective on stumps with diameters larger than 3 - 4 inches and works throughout the year except when snow, ice or water prevents complete spray coverage. **Mix 20 fl. oz. (2 ½ cups) [of product] with a gallon of water following the directions under *How to Mix*.** Mineral oil, kerosene or diesel oil (No. 1 or No. 2 fuel oil) may be substituted for water. Apply to freshly cut stumps. Thoroughly wet the cut surface, bark and exposed roots. Treat the entire stump, drench until run-off begins.

## [FOR] STUMP REMOVAL

Once the stump has been killed, decomposition can be accelerated with a stump removal product such as Spectracide Stump Remover, a ready-to-use formula that won't harm the surrounding soil. Read and follow all directions found on the product label.

## STORAGE AND DISPOSAL

**Storage:** Store in original container in a locked storage area inaccessible to children.

**Disposal: If empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

## PRECAUTIONARY STATEMENTS

**Hazards to Humans and Domestic Animals**

**WARNING:** Causes substantial but temporary eye injury. Causes skin irritation.

Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. When using this product, wear long-sleeved shirt, long pants, socks, shoes and chemical resistant gloves. Wear goggles when using this product. After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower. Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried.

## First Aid

**If in Eyes:** Hold eye open and rinse slowly and gently with water for 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment. **If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment. **If Swallowed:** Call Poison Control Center or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the Poison Control Center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a Poison Control Center, doctor, or going for treatment.

**Note To Physician** – Probable mucosal damage may contraindicate the use of gastric lavage. May pose an aspiration pneumonia hazard.

## Environmental Hazards

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and non-target plants. Do not apply directly to water. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

Most cases of groundwater contamination involving phenoxy herbicides such as 2,4-D and Dichlorprop (2,4-DP) have been associated with mixing/loading and disposal sites. Caution should be exercised when handling 2,4-D and Dichlorprop pesticides at such sites to prevent contamination of ground-water supplies. Use of closed systems for mixing or transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

**NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.**

[\*Guaranteed Results: If you are not satisfied with this product for any reason, send your written request for a refund to the address below, together with the original dated store receipt showing the price you paid. Please allow 6-8 weeks for processing.

[Questions or comments? Call 1-800-332-5553]

Made in the USA for Chemsico, Division of United Industries Corporation, P.O. Box 142642, St. Louis, MO 63114-0642

EPA Reg. No. 9688-138

EPA Est. No. 9688-MO-1

© 2002

gmah 4-09-02