

9688-140

7/27/2012

1/7



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D C 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

Jessica Goldberg
Chemsico, Div of United Industries Corp
P O Box 142642
St Louis, MO 63114

JUL 27 2012

Subject Notification per PR Notice 98-10 –Minor Label Changes
Chemsico Weed and Feed Concentrate
EPA Reg No 9688-140
Application Dated – April 4, 2012

Dear Ms Goldberg

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the subject product

The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10 The label submitted with the application has been date-stamped "Notification" and will be placed in our records

Should you wish to add/retain a reference to a website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), and is therefore subject to review by the Agency If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E) 40CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading Additionally, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved for your product through the registration process Therefore, should the Agency find that a website contains false or misleading statements, or claims substantially differing from the EPA-approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance

If you have any questions regarding this letter, please contact Maggie Rudick at (703) 347-0257 or rudick_maggie@epa.gov

Sincerely,

A handwritten signature in black ink that reads "Kathryn V. Montague".

Kathryn Montague, Product Manager 23
Herbicide Branch
Registration Division (7505P)

Please read instructions on reverse before completing form

Form Approved OMB No 2070 0060 Approval expires 11 30 93



United States Environmental Protection Agency
Office of Pesticide Programs (H7505C)
Washington DC 20460
Application for Pesticide

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number

Section I

1 Company/Product Number 9688 140	2 Product Manager K Montague	3 Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4 Company/Product (Name) Chemsico Weed & Feed Concentrate	PM# 23	
5 Name and Address of Applicant (include ZIP Code) Chemsico, Div Of United Industries Corp P O Box 142642 St Louis, MO 63114 <input type="checkbox"/> Check if this is a new address	6 Expedited Review In accordance with FIFRA Section 3(c)(3) (b)(i) my product is similar or identical in composition and labelling to EPA Reg No _____ Product Name _____	

Section II

<input type="checkbox"/> Amendment Explain below	<input type="checkbox"/> Final printed label in response to Agency letter date
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> ME TOO Application
<input checked="" type="checkbox"/> Notification Explain below	<input type="checkbox"/> Other explain below

Explanation Use additional page(s) if necessary (For section I and Section II)
Please find the enclosed notification per PRN 98 10 to add optional marketing claims All changes have been highlighted throughout the label

Section III

1 Material in Which This Product Will Be Packaged				2 Type of Container	
Child Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____		
* Certification must be submitted		If YES Unit package wgt _____	No per container _____	If YES Package wgt _____	No per container _____
3 Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4 Size(s) of Retail Container		5 Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6 Manner in Which Label Is Affixed To Product <input type="checkbox"/> Lithographed <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled		<input type="checkbox"/> Other _____			

Section IV

1 Contact Point (Complete items directly below for identification of the individual to be contacted if necessary to process this application)		
Name Jessica Goldberg	Title Regulatory Affairs Specialist	Telephone No (include Area Code) 314 683-2438
Certification I certify that the statements I have made on this form and all attachments thereto are true accurate and complete I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law		6 Date Application Received (Stamped)
2 Signature 	3 Title Regulatory Affairs Specialist	
4 Typed Name Jessica Goldberg	5 Date April 4, 2012	

Chemsico

Division of United Industries
P O Box 142642
St Louis, MO 63114 0642

April 4, 2012

Document Processing Desk (NOTIF)
Office of Pesticide Programs
United States Environmental Protection Agency
Room S4900, One Potomac Yard
2777 S Crystal Drive
Arlington, VA 22202 4501

Attention Ms Kathryn Montague
Product Manager Team 23

Subject **NOTIFICATION Label Notification per PRN 98-10
Chemsico Weed & Feed Concentrate
EPA Reg No 9688-140**

Please find the enclosed notification per PRN 98-10 to add optional marketing claims All changes have been highlighted throughout the label


This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46 and no other changes have been made to the labeling or the confidential statement of formula of this product I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46 this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA

The following documents are enclosed in support of this submission

- 1 Application for Pesticide (EPA Form 8570-1)
- 2 One copy of the proposed label *with changes highlighted*
- 3 One clean copy of the proposed label

Please call me at 314-683-2438 or via email jessica.goldberg@spectrumbrands.com, if you have questions or need further information Thank you in advance for your time

Sincerely,



Jessica Goldberg
Regulatory Affairs Specialist

c c c c c
c c c c c
c
c c c c c c
c c c c c
c c c c c
c c c c c
c
c c c c c
c c c c c
c c c c c

CHEMSICO

Weed & Feed Concentrate

[Controls [kills] dandelion chickweed knotweed plantain clover mallow purslane and many other broadleaf weeds Kills major broadleaf weeds The fast easy way to control weeds and fertilize your lawn Fertilize and control weeds in one easy application 20-0-0 Fertilizer 15-0-0 Fertilizer [One quart] treats up to 7 500 sq ft [26 fl oz] treats up to 6 000 sq ft] Do-it-yourself weed control Just connect to your [garden] hose and spray Easy-to-use spray ready nozzle No spreading No complicated mixing Clear-View™ measuring window Water-based Kills Weeds While Feeding Your Lawn Easy-to use spray application] Ace Promise Satisfaction Guaranteed • Sta-Green Promise Your satisfaction guaranteed or your money back [[Vigoro--] Beautiful Lawns Since 1924]

NOTIFICATION

JUL 27 2012

Active Ingredients
 * 2 4 D dimethylamine salt 3 25%
 ** Mecoprop p dimethylamine salt 1 63%
 *** Dichlorprop p dimethylamine salt 1 61%
 Other ingredients 93 51%
 Total 100 00%
 This product contains
 *0 26 lb 2 4 D per gallon or 2 7% **0 13 lb Mecoprop p per gallon or 1 35% ***0 13 lb Dichlorprop p per gallon or 1 35%

KEEP OUT OF REACH OF CHILDREN

CAUTION See back [booklet] for additional precautionary statements

Net [Contents] 1 qt (32 fl oz/946 mL) [26 fl oz]

[Bracketed Text] = Optional language

Chemsico Weed & Feed Concentrate controls chickweed clover dandelion knotweed plantain and most other broadleaf weeds in lawns vacant lots playgrounds and other similar areas. One quart of this formula will treat up to 7 500 sq ft

[One quart covers 7 500 sq ft of Southern grasses or 5 000 sq ft of Northern grasses

[See specific directions for St Augustine and other Southern grasses]

Option for 20-0-0 Formula GUARANTEED ANALYSIS	
Total Nitrogen (N)	20%
20% Urea nitrogen derived from urea	
Option for 15-0-0 Formula GUARANTEED ANALYSIS	
Total Nitrogen (N)	15%
15% Urea nitrogen derived from urea	

[When applied as directed this product meets the guidelines for metals adopted by the Association of American Plant Food Control Officials]

[PEEL HERE PRESS TO RESEAL
 Read all instructions inside before using]

STOP READ ENTIRE LABEL BEFORE USING

DIRECTIONS FOR USE

It is violation of Federal law to use this product in a manner inconsistent with its labeling For outdoor use around the home only



Do not apply this product in a way that will contact any person or pet either directly or through drift Keep people and pets out of the treated area during application Do not allow people or pets to enter the treated area until sprays have dried Do not apply directly to or near water storm drains gutters sewers or drainage ditches Do not apply within 25 feet of rivers fish ponds lakes streams reservoirs marshes estuaries bays and oceans Do not apply when windy To prevent product run off do not over water the treated area(s) to the point of runoff or apply when raining or when rain is expected that day

Other Use Precautions and Restrictions

Avoid spray drift onto vegetables flowers ornamental plants shrubs trees and other desirable plants since injury may result. Do not spray where grass is emerging from dormancy. Do not apply to newly seeded lawn grasses until well established. Do not spray when temperature exceeds 85 F. Seed can be sown 3 to 4 weeks after application. Do not use on carpetgrass dichondra closely mowed bentgrass or on lawns where desirable clovers are present. This treatment may cause temporary injury (chlorosis or slight yellowing) to St Augustinegrass and centipedegrass however this discoloration will disappear 7 to 10 days after application. Do not use this product on Floratam variety of St Augustine grass in Florida. Do not spray roots of trees and ornamentals. Do not exceed specified dosages for any area be particularly careful within driplines of trees and other ornamentals.

The maximum application rate to turf is 0.6 lb 2.4 D acid equivalent per acre per application per site. The maximum number of broadcast applications per treatment site is 2 per year. Wait a minimum of 30 days between the two applications.

[KILLS] [CONTROLS] [WEEDS CONTROLLED]

Black medic Buckhorn Burdock Chicory Chickweed Clover Dandelion Dock English daisy Ground ivy Heartail Knotweed Lambsquarters Mallow Morning glory Oxalis (woodsorrel) Pigweed Plantain Poison ivy Poison oak Purslane Ragweed Red clover Stitchwort Speedwell Spurge Wild clover Wild carrot Wild garlic Wild lettuce Wild onion Yarrow and many other broadleaf weeds

HOW TO USE [Project Guide] (for use as optional subheading along with How To Use)

- 1 **Shake container well before using**
- 2 Connect a garden hose to the Ready Spray nozzle. Make sure the dial on the nozzle is in the OFF position with the [green] safety tab in the valve notch.
- 3 Turn on water at faucet. Extend hose to the farthest area to be treated and work back toward the faucet so you don't come in contact with treated area.
- 4 To BEGIN spraying, point nozzle toward treatment site and a) bend the [green] safety tab back (located at the right of the [yellow] dial) with the thumb b) using your other hand QUICKLY turn the dial clockwise until it stops. Water will automatically mix the product.
- 5 Spray until wet to control insects. Walk at a steady pace while spraying using an even sweeping motion slightly overlapping treated area.
- 6 To STOP spraying QUICKLY turn the dial in opposite direction on ON until it stops and the safety tab engages the notch on the valve. Turn water off at faucet. To relieve pressure before removing nozzle from hose, bend the safety tab back and turn dial ON until water stops spraying.
- 7 To STORE unused product, make sure the dial is in the OFF position with [green] safety tab in the valve notch. Place in cool area away from heat, direct sunlight or open flame.

Northern Lawns (covers 5 000 sq ft) [covers 4 000 sq ft] (for 26fl oz size)	South-an Lawns (covers 7 500 sq ft) [covers 5 000 sq ft] (for 26fl oz size)
Bentgrass Bermuda Fescue Kentucky Bluegrass Rye Zoysia	Bahia Centipede St Augustine
NOTE: Do not use on Floratam variety of St Augustinegrass in Florida if you are unsure as to what type of grass you have. Contact your county extension agent.	

Other Product Use Information

- 1 Spray any time during the growing season when weeds are actively growing. Do not treat St Augustine or centipedegrass during periods of heat stress (high temperatures) or drought stress.
- 2 For best results, thoroughly water lawn 1 to 2 days before treating.
- 3 Do not treat when air temperatures exceed 85 F or damage to grass may occur.
- 4 Do not water within 24 hours after treatment. Poor weed control may result if spray is applied just before rain.
- 5 On new lawns, wait until the grass has reached a height of 2 inches before treating. Wait 3 weeks after treatment before seeding or planting stolons in the bare spots.
- 6 Avoid sprays which are too fine because they can drift and damage other plants.
- 7 If certain tough weeds are not dead within 3 weeks, spot treat.
- 8 It will take about 20 minutes to apply this bottle. Actual time will vary depending on water pressure.

Fertilizer Statements For 20-0-0 Product**OPTION A**

A lawn will typically utilize 1 to 4 lb of nitrogen per 1 000 sq ft each growing season. When applied as directed, this product supplies 0.06 – 0.10 lb of nitrogen per 1 000 sq ft with each application. Use this product with an additional fertilizer program to provide at least one pound of nitrogen per 1 000 sq ft each growing season. Consult your local Extension Office for the proper amount of nitrogen to be applied in your area.

OPTION B

A lawn will typically utilize 1 to 4 lb of nitrogen per 1 000 sq ft each growing season. When used as directed, this product will supplement your regular fertilizer by providing 0.06 – 0.10 lb of nitrogen per 1 000 sq ft. Please contact your local Extension Office for questions regarding a regular fertilizer program.

Fertilizer Statements For 15-0-0 Product

OPTION A

A lawn will typically utilize 1 to 4 lb of nitrogen per 1 000 sq ft each growing season When applied as directed this product supplies 0 05 – 0 08 lb of nitrogen per 1 000 sq ft with each application Use this product with an additional fertilizer program to provide at least one pound of nitrogen per 1 000 sq ft each growing season Consult your local Extension Office for the proper amount of nitrogen to be applied in your area

OPTION B

A lawn will typical utilize 1 to 4 lb of nitrogen per 1 000 sq ft each growing season When used as directed this product will supplement your regular fertilizer by providing 0 05 – 0 08 lb of nitrogen per 1 000 sq ft Please contact your local Extension Office for questions regarding a regular fertilizer program

STORAGE AND DISPOSAL

Storage Store in a cool dry area away from heat or open flame
Disposal If empty Nonrefillable container Do not reuse or refill this container Place in trash or offer for recycling if available **If partly filled** Call your local solid waste agency for disposal instructions Never place unused product down any indoor or outdoor drain

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals
CAUTION Harmful if absorbed through skin Causes moderate eye irritation Avoid contact with skin eyes or clothing Wash thoroughly with soap and water after handling and before eating drinking chewing gum using tobacco or using the toilet Wear long sleeved shirt and long pants socks shoes and gloves Remove and wash contaminated clothing before reuse

First Aid	
If in Eyes	Hold eye open and rinse slowly and gently with water for 15 20 minutes Remove contact lenses if present after the first 5 minutes then continue rinsing eye Call a Poison Control Center or doctor for treatment advice
If on Skin or on Clothing	Take off contaminated clothing Rinse skin immediately with plenty of water for 15-20 minutes Call a Poison Control Center or doctor

If Swallowed	for treatment advice Call a Poison Control Center or doctor immediately for treatment advice Have person sip a glass of water if able to swallow Do not induce vomiting unless told to do so by the Poison Control Center or doctor Do not give anything by mouth to an unconscious person
If Inhaled	Move person to fresh air If person is not breathing call 911 or an ambulance then give artificial respiration preferably by mouth to mouth if possible Call a Poison Control Center or doctor for further treatment advice

Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment You may also call 1 800 332 5553 for emergency medical treatment advice

Environmental Hazards

This product is toxic to fish and aquatic invertebrates and may adversely affect non target plants Drift or runoff may be hazardous to aquatic organisms in water adjacent to treated areas To protect the environment do not allow pesticide to enter or run off into storm drains drainage ditches gutters or surface waters Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems

This chemical has properties and characteristics associated with chemicals detected in groundwater The use of this chemical in areas where soils are permeable particularly where the water table is shallow may result in groundwater contamination Application around a cistern or well may result in contamination of drinking water or groundwater

NOTICE To the extent consistent with applicable law buyer assumes all responsibility for safety and use not in accordance with directions

6/7

[The Ace Promise If this Ace product when used for the intended purpose fails to give you complete satisfaction return the item to the Ace Hardware store where purchased for free replacement of the same or similar item]

[If you use [apply] Chemsico Weed & Feed Concentrate [this product] as directed and are not completely satisfied send proof of purchase from this package and the original cash register receipt to the address below We will refund the purchase price you paid]

[[Join] The Home Depot Garden Club Membership is free! www.homedepotgardenclub.com]

Questions or comments? Call 1 800 332 5553

Made in the USA by Chemsico
Division of United Industries Corporation
PO Box 142642
St Louis MO 63114 0642

EPA Reg No 9688 140

EPA Est No 9688 MO 1

© 2010

