

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 11-30-93



United States Environmental Protection Agency  
Office of Pesticide Programs (H7505C)  
Washington, DC 20460

Application for Pesticide:

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number

Section I

1. Company/Product Number 9688-149	2. Product Manager G. LaRocca	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Chemsico Insecticide Concentrate 57P	PM# 13	
5. Name and Address of Applicant (include ZIP Code) Chemsico, Division of United Industries Corp. P.O Box 142642 St. Louis, MO 63114-0642 <input type="checkbox"/> Check if this is a new address		6 Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labelling to: EPA Reg. No. _____ Product Name _____

Section II

<input type="checkbox"/> Amendment - Explain below	<input type="checkbox"/> Final printed label in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "ME TOO" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - explain below

NOTIFICATION

NOV 12 2002

Explanation: Use additional page(s) if necessary. (For section I and Section II)

Notification per PR Notice 98-10 to add updated sprayer directions and per PR Notice 2001-6 to update the Disposal statement.

Section III

1. Material in Which This Product Will Be Packaged:			2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes * <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water-Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
* Certification must be submitted.		If "YES," Unit package wgt	No. per container	
		If "YES," Package wgt	No. per container	<input type="checkbox"/> Paper
				<input type="checkbox"/> Other (Specify) _____
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) of Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product
6. Manner in Which Label Is Affixed To Product <input type="checkbox"/> Lithographed <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled				

Section IV

1. Contact Point (Complete items directly below for identification of the individual to be contacted, if necessary, to process this application)		
Name Glenda L. Mah	Title Senior Regulatory Affairs Specialist	Telephone No. (include Area Code) 1-800-242-1166 Ext 3415
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate, and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6 Date Application Received (Stamped) ..... .....
2. Signature <i>Glenda L. Mah</i>		
3. Title Senior Regulatory Affairs Specialist		
4. Typed Name Glenda L. Mah		5. Date November 4, 2002

278

# United Industries Corp.

November 4, 2002

Document Processing Desk (NOTIF)  
Office of Pesticide Programs  
United States Environmental Protection Agency  
Room 266A Crystal Mall 2  
1921 Jefferson Davis Highway  
Arlington, VA 22202

Attention: George LaRocca  
Product Manager 13

Subject: Notification per PR Notice 98-10 and PR Notice 2001-6  
Chemsico Insecticide Concentrate 57P  
EPA Reg. No. 9688-149

Dear Mr. LaRocca:

Please find the enclosed notification per PR Notice 98-10 to add alternate sprayer refill directions. We are also taking this opportunity to update the storage and disposal statement per PR Notice 2001-6 and to change the format of this label to reflect our current 2-column landscape format.


*This notification is consistent with the provisions of PR Notice 98-10 and the guidance of PR Notice 2001-6 and the requirements of EPA regulations at 40 CFR 156.10 and 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and PR Notice 2001-6 and 40 CFR 156.10 and 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.*

The following documents are enclosed in support of this submission:

1. Application for Pesticide (EPA Form 8570-1)
2. Five copies of the proposed label *with changes highlighted*
3. One copy of the final printed label.
4. One copy of the EPA stamped approved label

Please call me at 1-800-242-1166, Ext. 3415 if you have questions or need further information. Thank you very much for your attention to our application.

Sincerely,



Glenda L. Mah  
Senior Regulatory Affairs Specialist



# Chemsico

## Insecticide Concentrate 57P

[Do-it-yourself termite control\* killing spray • Kills termites\* [including drywood termites] • Kills termites\* that damage wood • Kills [controls] termites\*, ants, carpenter ants and other wood destroying pests • Kills termites\* on contact • Kill on contact • Keeps killing for weeks! • For use around foundations, outside buildings, porches, wood piles, wooden fences and decks • Termite\* killing concentrate • Makes up to 7 gallons • Use indoors & outdoors in the Chemsico Home Insect Control C Power [Pump] Sprayer • Water-based • Kills for Weeks • Guaranteed Results [or Your Money Back\*\*]

(\*FOR LOCALIZED CONTROL ONLY)

NOTIFICATION  
NOV 12 2002

Active Ingredient:  
Permethrin ..... 5.7%  
Other Ingredients ..... 94.3%

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION** See back [booklet] for additional precautionary statements

**NET CONTENTS 32 FL. OZ. (1 Quart)**

[Use Chemsico Insecticide Concentrate 57P to treat infested areas and areas likely to be infested, such as wood surfaces, voids and channels in damaged wood, spaces between wooden parts of a structure, and between wood and foundations. Also use it to treat around fenceposts, wood piles (do not use on firewood) and tree stumps.]

### OPTIONAL PRODUCT FACTS BOX

#### PRODUCT FACTS

##### WHAT IT DOES

Kills Carpenter Ants, Termites\*, Carpenter Beetles and Other Wood Destroying Pests

##### WHERE TO USE – (outdoor icon)

Outdoors around Foundations, Outside Buildings, Porches, Wood Piles, Wooden Fences and Decks

##### QUESTIONS & COMMENTS: (phone and computer ICON)

Call 1-800-332-5553 or Visit our Website at [www.spectracide.com](http://www.spectracide.com)

\*FOR LOCALIZED CONTROL ONLY.

### STOP. READ ENTIRE LABEL BEFORE USE.

[STOP! READ ALL INSTRUCTIONS INSIDE BEFORE USING.  
PEEL HERE. PRESS TO RESEAL.]

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.



**Keep people and pets off treated areas until spray has dried.**

### HOW TO USE

For spot treatment of Termites\*, Ants, Carpenter ants, Carpenter beetles and Wood boring beetles [including Powderpost beetles].

SHAKE WELL BEFORE USING.

- Mix 4½ fl. oz. with enough water to make one gallon. One gallon of mix treats 100 sq. ft.
- Apply evenly on wood surfaces with a tank [pressure] sprayer. Spray surfaces until thoroughly wet, avoiding dripping and runoff.
- Treat outside surfaces of buildings, porches, wooden decks and patios, wooden fences, window frames, doorways, foundations, eaves, patios, garages, garbage areas and other areas where you may find these pests.

This product will kill workers and winged reproductive forms of termites\* which may be present in the treated areas at the time of treatment.

378

\*FOR LOCALIZED TERMITE CONTROL ONLY. Not recommended as sole protection against termites. For active infestations get a professional inspection.

## [USE] PRECAUTIONS

Do not spray into electrical outlets or utilities. Do not permit contact with treated surfaces until spray has dried. Suitable protective clothing should be worn in confined or overhead areas to prevent exposure to eyes and skin. The use of eye protection, protective head covering, chemical resistant gloves and footwear, a long-sleeved shirt and long pants or coveralls are recommended. Ventilate confined areas, such as detached garages, under porches and decks, during treatment and immediately following treatment before areas are re-occupied.

## OPTION A - REFILL DIRECTIONS FOR POWER [PUMP] SPRAY

1. **REFILL THE POWER [PUMP] SPRAY.** The Chemsico Home Insect Control C Power [Pump] Spray can be refilled up to 5 times with Chemsico Insecticide Concentrate 57P.

Add 4½ fl. oz. of concentrate and dilute to a gallon with water. Use "Fill to Here" mark on the side of the Power Pump [Spray] bottle as a guide. Shake well to mix. Make sure the [Green] pump cap and the [Green] hose connector cap are tightly secured before re-pressurizing. Make sure the [Green] button on the wand is "OFF" or "UP" before pressurizing (graphic).

2. **PRESSURIZE THE POWER PUMP [SPRAY].** Pump 20-30 times to build up pressure. NOTE: The Power Pump [Spray] bottle may bulge slightly as it is pressurized. Never pressurize by any means other than the pump included. You'll need to pump occasionally to keep the Power Pump [Spray] pressurized during use.
3. **SHAKE WELL** (graphic).
4. **THOROUGHLY SPRAY AREAS WHERE TERMITES\*, ANTS, CARPENTER ANTS, CARPENTER BEETLES, AND WOOD BORING BEETLES [INCLUDING POWDER POST BEETLES], MAY HIDE OR ENTER THE HOME.** Spray infested surfaces until wet. Apply evenly on wood surfaces, avoid dripping and runoff. Just press the [Green] button on the wand to spray. If needed, the button can be locked "ON" by pushing it down and forward at the same time. The reverse motion will lock it "OFF" (graphic).

One gallon will treat 100 sq. ft. This product will kill workers and winged reproductive forms of termites\* which may be present in the treated areas at the time of treatment.

## OPTION B - PRESSURIZED SPRAYER REFILL DIRECTIONS

The Chemsico Home Insect Control C pressure sprayer can be refilled up to 5 times with Chemsico Insecticide Concentrate 57P.

1. **Refilling Sprayer**  
Before opening, release any built-up pressure by opening valve. Press down on pump handle and turn to left to remove pump assembly from tank. Add 4 ½ fl. oz. of concentrate and dilute to a gallon with water. Use "Fill to Here" mark on the side of the bottle as a guide. Replace pump, turning to right to seal.
2. **Pressurize Sprayer**  
Align locking bar on pump handle with slots on top of pump to release handle for pumping. Pump 10-20 times for maximum pressure. Fewer pumps may be desirable to control spray in tight areas. Pump occasionally during application to maintain tank pressure and desired spray pattern. Do not over pressurize.
3. **Spraying**  
Position deflector shield on top of nozzle outlet for a fine fan spray to cover wider areas; rotate to bottom of nozzle outlet for a more precise, solid stream. Depress button to begin spraying. Slide button forward to lock on; press down and back to release to off.

**IMPORTANT: Do not refill more than 5 times.**

Do not use any product other than Chemsico Insecticide Concentrate 57P in the than Chemsico Home Insect Control C pressure sprayer. Incompatible chemicals may change the pump making it unsafe to use.

### Cleaning/Maintaining Sprayer

Between uses, release pressure as described above. Detach sprayer hose from tank by turning hose connection cap to left. Lock on sprayer nozzle, hold end of hose under running water, and let clean water run through hose for 1-2 minutes. Drain water from hose, reattach to sprayer and place handle in built-in storage pocket. Apply a few drops of oil to pump rod, then pump several times to lubricate the rod. Store container in a cool, dark place between uses.

### Sprayer Precautions

- Always thoroughly inspect your sprayer before each use.
- Be sure hose is securely attached and in good condition before pressurizing tank.
- Discard if any worn or damaged parts are noticed.
- Do not allow spray to reach people or animals.
- Always release air pressure before removing pump (see sprayer directions).
- Do not use this sprayer to apply any materials other than Chemsico Insecticide Concentrate 57P. Other materials could cause the container to weaken or corrode its working parts, which could lead to injury.
- Do not use mechanical devices to pressurize the tank. They can create excessive and dangerous pressure which could cause the tank to explode.

4  
8  
8

- Do not stand over pressurized sprayer while using or pumping it.
- Do not use solutions hotter than 105° F [or appropriate temperature] .
- Always securely tighten the pump. An improperly tightened pump could be forcibly ejected and cause serious injury.
- Do not pressurize sprayer until ready to use. Do not store pressurized sprayer, or leave pressurized sprayer unattended.
- Do not lift or carry sprayer by hose or extension rod. Carry only by pump or bottle handle, making sure handle is properly locked in place before lifting.
- Do not force clogged nozzle open with air pressure. Clean with fine wire or toothpick.
- Failure to heed all precautions and directions could result in serious bodily injury or property damage.

#### [USE DIRECTIONS FOR BOTH SPRAYER TYPES]

##### INDOORS

Spray into areas vulnerable to attack by termites\*, ants, carpenter ants, carpenter beetles and wood boring beetles [including Powder post beetles] such as cracks, crevices, openings around pipes, along baseboards, doors, window frames and cracks in the foundation. Also spray in termite eaten channels or damaged wooden areas. Spray directly on insects where possible. Do not spray into electrical outlets or utilities. Do not permit contact with treated surfaces until spray has dried.

##### OUTDOORS

Treat outside surfaces of buildings, porches, wooden decks and patios, wooden fences, window frames, doorways, foundations, eaves, patios, garages, garbage areas and other areas where you may find termites\*, ants, carpenter ants, carpenter beetles and wood boring beetles [including Powder post beetles].

Spray infested areas and areas likely to be infested, such as wood surfaces, voids and channels in damaged wood, spaces between wooden parts of a structure, and between wood and foundations where infestation is likely to occur, also around fenceposts, wood piles (do not use on firewood) and tree stumps.

Suitable protective clothing should be worn in confined or overhead areas to prevent exposure to eyes and skin. The use of eye protection, protective head covering, chemical resistant gloves and footwear, a long-sleeved shirt and long pants or coveralls are recommended. Confined areas, such as detached garages, under porches and decks, should be ventilated during and immediately following application before the areas are reoccupied.

**\*FOR LOCALIZED TERMITE CONTROL ONLY.** Not recommended as sole protection against termites. For active infestations get a professional inspection.

**IMPORTANT: Do not refill more than 5 times.** To keep track of the number of times refilled, put a mark through the appropriate number: (1) (2) (3) (4) (5-final). Do not use any product other than Chemsico Insecticide Concentrate 57P in the Power Pump [Spray]. Incompatible chemicals may damage the pump making it unsafe to use.

#### STORAGE AND DISPOSAL

**Storage:** Store in a cool, dry area away from heat or open flame. **Disposal: If empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

#### PRECAUTIONARY STATEMENTS

##### Hazards to Humans and Domestic Animals

**CAUTION:** Avoid breathing vapor or spray mist. Avoid contact with eyes or clothing. May cause eye irritation. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before re-use.

##### Environmental Hazards

This pesticide is extremely toxic to fish. Use with care when applying to areas adjacent to any body of water. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

##### Physical or Chemical Hazards

Do not use or store near heat or open flame. Do not use this product in or on electrical equipment due to possibility of shock hazards.

**NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.**

##### OPTIONAL GUARANTEE STATEMENT

\*\*(Guaranteed Results ICON) If you are not satisfied with this product for any reason send your written request for a refund to the address below, together with the dated store receipt showing the price you paid. Please allow 6-8 weeks for processing.

**Questions or Comments?** Call toll free 888-KILL-TERMITES (888-545-5837) for assistance in using this product.

Made in the USA by Chemsico  
Division of United Industries Corporation  
P. O. Box 142642  
St. Louis, MO 63114-0642

EPA Reg. No. 9688-149  
© 2002

EPA Est. No. 9688-MO-1


5  
2  
8

## Optional for Use as Package Insert, Brochure or Printed on Package

### [Termite Facts]

#### [What You Should Know About Termites]

Termites are active in 49 U.S. states, all but Alaska.



It has been suggested that there are only two types of homes: Those that have termites and those that will have termites in the future. Whether you live in the north or south, or have a new or old home, your [the] home is a target for termites. Termites enter your [the] home through tiny cracks in the foundation or slab, through utility entry points, or anywhere that soil contacts wood. If they can't find an easy entrance point near the ground, they will construct mud tunnels [shelter tubes] up the side of a structure to access areas above ground.

### Warning Signs

Termites rarely come to the surface of what they're eating, so most of the time you will never know they have invaded your [the] home until it is too late. However, if you're lucky, you may see some of the warning signs:

- "Swarming" or flying termites in the house, especially near sources of light
- Small wings near windows, doors or in the garage
- Mud tunnels [shelter tubes] along the foundation of your [the] house, inside or outside
- Small holes in the wood or drywall or buckling paint

**Subterranean Termites:** The subterranean termite is the most common type of termite, and has been estimated to cause over ninety percent of all termite damage in the U.S. These termites live in colonies in the soil and enter houses in search of wood-based food. However, subterranean termites do not live in houses, since they must constantly return to the ground for moisture and to supply the colony with food.

Each colony is built around a queen, whose sole job is reproduction. A queen can live as long as 25 years and produce thousands of eggs per year. The colony also has "soldier" termites who protect the colony from predators (mostly ants), "worker" termites who provide food for the colony, and winged "reproductive" termites who turn into king and queen termites and leave each year to start new termite colonies.

Worker termites are the most troublesome termites to homeowners. Because they are in charge of providing food to the colony, they constantly forage in search of wood-based food, traveling as far as 250 feet from the colony. This relentless search for food makes your [the][a] home a target.

**Drywood and Dampwood Termites:** While subterranean termites are the most common, other types of termites do exist. The drywood termite colony lives in undecayed wood with little moisture and does not have to maintain constant contact with the ground. Drywood termites are found along the Southeast, Gulf and Southern California coasts.

The dampwood termite colony lives in moist wood like tree stumps or areas in a house that contain a high degree of moisture and [a sufficient quantity of] wood. They do not have to maintain constant contact with the ground. Dampwood termites are found along the coastal areas of Northern California and the Pacific Northwest.

Homes in one of these areas can have subterranean and some other type of termite [living in its vicinity].

**Formosan Termites:** The Formosan subterranean termite is the most destructive termite in the U.S. These termites live in the ground like common subterranean termites, but have colonies that are many times greater in size. A colony of Formosan termites may have millions of members and can consume hundreds of pounds of wood in a single year. Formosan termites are located in many of the same coastal areas that drywood termites are found, and are especially prevalent in Louisiana and Hawaii.

If you live in the portions of the country where drywood, dampwood or Formosan termites are found, regular pest control inspections are recommended to determine if these forms of termites are in your [the] home.

### Inspecting for Termites

Regular termite inspections are an important step in an effective termite program. Most states have guidelines and certification programs for termite inspectors. When having your [the] home inspected, make sure the person or firm is authorized by your [the] state to inspect for termites. A typical termite inspection will involve the following steps:

1. **An examination of your [the] house's foundation** searching for termite mud tunnels [shelter tubes]. Subterranean termites live in colonies in the ground. In order for them to enter an above ground food source, such as a house, they construct mud tunnels [shelter tubes] to protect them during their journey from the colony to the food source. Mud tunnels [shelter tubes] are constructed of dirt and are about as thick as a pencil. Any mud tunnels [shelter tubes] must be inspected for termite activity. This is accomplished by breaking off a 1-2 inch section of the tunnel [tube] and looking for termites. If termites are present, the tunnel [tube] is active. If termites are not present, the tunnel [tube] is left for one week. If during that time the tunnel [tube] is reconstructed, the tunnel [tube] is active. If termites are found, a sample should be collected for identification (see note).

6  
8  
8

2. **An examination of any direct wood-to-ground contact** outside of the house. All wood, including treated lumber, which has direct contact with the soil must be inspected for termite activity. Examples of direct wood-to-soil contact include wood fences, steps from your [the] house, wooden decking and steps, landscaping timbers and mulch beds. This wood is inspected for termite activity at or near ground level by probing with a screwdriver or other sharp object. If the wood is easily penetrated, the wood has been damaged by termites, fungus, or some other wood-destroying organism. Termite activity is indicated by the presence of termites in the wood or signs that they have been feeding at this site. Signs of feeding include termite foraging galleries, dirt or mud present in the wood and/or small trails or holes in the center portion of the wood.
3. **An examination of the interior of your [the] house** for signs of termite activity. Floor boards, wallboard, wood trim around windows and doors and wood in the attic must be inspected for termite activity. There are three primary signs of termite activity that should be noted during this portion of the inspection. First, the most conclusive sign of termite activity is the presence of mud tunnels [shelter tubes]. When located, they should be inspected as noted in step one above. Second, areas containing moisture should receive special attention. Subterranean termites require constant moisture in order to survive. Any areas in a house that retain moisture must be thoroughly inspected for signs of termite activity. Wood in these areas can be inspected by probing with a screwdriver or other sharp object (described above). Finally, the house should be examined for flight exit holes. The holes are constructed to allow "swarmers" (winged termites) out to try to establish new colonies. Swarming in the U.S. typically falls between the months of March and July. The flight exit holes look like small mud packs protruding from one or more openings and are constructed just prior to swarming.
4. **An examination of outside areas** that are favorable for [conducive to] termite activity. Favorable [conducive] areas include those that retain moisture around downspouts, spigots, air conditioner lines, and low areas with improper drainage. Other conditions favorable for [conducive to] termite activity include areas that provide a source of food such as direct wood-to-ground contact, woodpiles, mulch beds, wooden fences, tree stumps, and landscaping timbers. All favorable [conducive] areas should be thoroughly inspected for termites. Termites can be detected by the presence of mud tunnels [shelter tubes], by inspecting wood with a probe, and by sampling the soil in these areas. Sampling the soil may be accomplished by using a small hand trowel or shovel to dig holes in the ground to a depth of 6-8 inches. **These holes must be dug at least 12-18 inches away from the foundation to leave any chemical barrier treatment undisturbed.** The soil removed and the hole must be checked for termite activity.

NOTE: If termites are found during any portion of the inspection, a sample should be collected and the species of termite identified. Any termites collected during the inspection can be preserved in a glass jar with rubbing alcohol. Entomologists at state universities, county extension agents, or authorized pest control operators can aid in the identification of the termite species.

**Reducing the Risk of Termites**

This product is not recommended as sole protection against termites. In addition to using this product, here [the following] are some important steps you can [to] take [do] to reduce the risk of getting termites.

- Eliminate any sources of moisture for termites. Check for leaky water spigots, sump pumps or sprinklers. Look for any areas that stay moist for a long time, such as mulch or under bricks or large rocks and ensure that water flows away from your [the] home. Also check for interior leaks in pipes or from roof drainage. Pay particular attention to areas near kitchens or bathrooms, and attached porches or decks.
- Remove potential food sources that will attract termites to the vicinity of your [the] home. These include direct wood-to-soil contact (fences, stairs, trellises), wood piles, stumps or dead bushes and other wood debris.
- Apply a pre-treatment. When building a new home, check with your [the] contractor for soil pre-treatments that can be applied by an authorized pest control operator.
- Have a regular termite inspection. Certified termite inspectors can point out other areas that attract [tempt] termites to your [the] home and may recommend other treatments [such as mechanical alteration, soil or foundation treatments].

**Is it a Termite or an Ant?**

Swarming ants and termites look very similar. Compare these characteristics: (graphic of features)

TERMITE	ANT
1. Straight antennae	1. Elbowed antennae
2. No visible eyes	2. Eyes present
3. Two pair of wings of equal length	3. Two pair of wings of unequal length
4. Thick waist	4. Thin waist (hourglass shape)

**Tips for Treating Carpenter Ants**

1. The best way to control carpenter ants is to locate their nest and spray it directly. To help locate nest, watch the ants to see where they go. Nests outside [outdoors] can be found in trees, old wood piles, decks, stumps, fences, and adjacent buildings.
2. Common nest sites in the home include under cabinets and dishwashers, around pipes, attics, leaky roofs and doors, wall voids and garage door jambs. Treat with a product registered for indoor use [such as ...].
3. To keep pests from entering your home, spray the outside surfaces of screens, doors, window frames or wherever these insects may enter.
4. To prevent future infestations [damage]:
  - Treat the outside of your home's foundation and treat your yard [with products registered for these uses [such as ...].

7  
8  
8

- Trim all trees and bushes [shrubs] so that the branches do not touch the [your] house. Carpenter ants often travel into homes via [from] branches.
- Fix leaky roofs and plumbing. Carpenter ants need a moist environment to establish a colony and typically nest in softened decayed wood.
- Seal openings in living trees and remove dead trees and wood piles – they attract carpenter ants.

## ABBREVIATED OPTIONAL TERMITE MARKETING CLAIMS

[Chemsico Insecticide Concentrate 57P is an easy to apply product to control termites\* and other wood-destroying pests.] \*For localized control only.

### **TERMITE WARNING SIGNS**

Termites rarely come to the surface of what they're eating, so most of the time you will never know that they have invaded your home until it is too late. However, if you're lucky, you may see some of the warning signs:

- "Swarming" or flying termites in the house, especially near sources of light
- Small wings near windows, doors or in the garage
- Mud tunnels [shelter tubes] along the foundation of your house, inside or outside
- Small holes in the wood or drywall or buckling paint

### **REDUCING THE RISK OF TERMITES**

[There are some additional steps you can take to reduce the risk of getting termites.]

- Eliminate any sources of moisture for termites (any areas that remain moist inside and outside the home)
- Remove potential food sources that will attract termites to the vicinity of your home (any direct wood-to-soil contact).
- Apply a pre-treatment. When building a new home, check with your contractor for soil pre-treatments that can be applied by an authorized pest control operator.
- Have a regular termite inspection.