

 <p>U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7505C) 401 "M" St., S.W. Washington, D.C. 20460</p> <p>NOTICE OF PESTICIDE: <u> X </u> Registration <u> </u> Reregistration</p> <p>(under FIFRA, as amended)</p>	<p>EPA Reg. Number: 9688-156</p>	<p>Date of Issuance: FEB 10 2000</p>
	<p>Term of Issuance: Conditional</p>	
	<p>Name of Pesticide Product: EH1370 Weed & Feed</p>	
<p>Name and Address of Registrant (include ZIP Code): Chemsico Division of United Industries Corp. 8825 Page Blvd. St. Louis, MO 63114</p>		
<p>Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.</p>		
<p>On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.</p> <p>Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:</p> <ol style="list-style-type: none"> Submit and/or cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4. Make the following label changes before you release the product for shipment: <ol style="list-style-type: none"> Revise the EPA Registration Number to read, "EPA Reg. No. 9688-156". The heading "Active Ingredient" should be made plural. Add the statement "If spills occur, collect the material and dispose of by following disposal instructions on this label" to the end of the Precautionary Statements. Delete the statement "Won't harm most [ornamentals] [trees] [plants]" from the list of optional marketing language. This statement contradicts the Use Precautions section, which states that drift to ornamentals, trees, and plants may result in injury. 		
<p>Signature of Approving Official:</p>	<p>Date: FEB 10 2000</p>	

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

2/5

page 2
EPA Reg. No. 9688-156

3. Submit one copy of the revised final printed label for the record before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Joanne I. Miller
Product Manager (23)
Herbicide Branch
Registration Division (7505C)

Enclosure

DK:305-7546:HB/PM23

		CONCURRENCES					
SYMBOL	7505C						
SURNAME	D. KENNY						
DATE	2/10/00						

FEB 10 2000

EH1370 Weed & Feed

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
9688-156

EPA Reg. No. 9688-

FN: EH1370-W&F.DOC

11/9/99

EH1370 Weed & Feed

[Controls [kills] dandelion, chickweed, knotweed, plantain, clover, mallow, purslane and many other broadleaf weeds • Kills all major broadleaf weeds • The fast, easy way to control weeds and fertilize your lawn • Fertilize and control weeds in one easy application • 20-0-0 Fertilizer • One 64 oz. bottle treats up to 5,000 sq. ft. • Two quarts treats 3,000 sq. ft. of Northern grasses and 5,000 sq. ft. of Southern grasses • Do-it-yourself weed control • Just connect to your [garden] hose and spray • Easy-to-use spray ready nozzle • No spreading . . . No complicated mixing • Water-based • Clear-View™ measuring window]

Active Ingredient:

*2,4-D, dimethylamine salt	1.017%
**Mecoprop, dimethylamine salt	1.022%
***Dichlorprop, dimethylamine salt	1.007%
Other Ingredients	96.954%
Total	100.000%

[This product contains] *0.08 lbs. 2,4-D acid equivalent per gallon or 0.845%. **0.08 lbs. Mecoprop acid equivalent per gallon or 0.845%. ***0.08 lbs. Dichlorprop acid equivalent per gallon or 0.845%. Isomer specific by AOAC methods.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back [booklet] for additional precautionary statements

NET CONTENTS 2 QUARTS [64 FL. OZ./1.89 L]

NET WT. 4.7 LBS.

OPTIONAL MARKETING LANGUAGE

[Chemsico's annual lawn program makes it easy to have a beautiful lawn. Use all 5 products for a complete lawn program or customize the program by using only the products your lawn needs.

Using the Chemsico annual lawn program is easy! Each product has an easy-to-use spray ready nozzle that you attach to a garden hose and spray. No spreading or complicated mixing is required.

Chemsico's Annual Lawn Program Includes:

Lawn Food plus Crabgrass Preventer

Use in early spring to stop crabgrass before it can start.

Lawn Food plus Weed Control

Use April through June to keep your lawn weed free.

Lawn Food plus Insect Control

Use June through August to keep your lawn strong and insect free.

Liquid Lawn Food

Use August through September or anytime during the growing season to keep your lawn green and strong.

Winterizer

Use October through November

EH1370 Weed & Feed controls chickweed, clover, dandelion, knotweed, plantain and most other broadleaf weeds while feeding your lawn for two months. Apply in April - June for a lush, green weed-free lawn.

EH1370 Weed & Feed is so much easier than applying granules! With granules you have to wrestle with a big bag of fertilizer, pour it into the spreader, push the spreader around your lawn and then water it in! (On top of that, you have to purchase an expensive spreader.) With Chemsico, you skip to the last step, just water it in!

EH1370 Weed & Feed can be used on lawns, vacant lots, playgrounds, and other similar areas. One 64 oz. bottle of this formula will treat up to 5,000 sq. ft.

[One 64 oz. bottle covers 5,000 sq. ft. of Southern grasses or 3,000 sq. ft. of Northern grasses. See specific directions for St. Augustine and other Southern grasses.]

GUARANTEED ANALYSIS [20-0-0]

Total Nitrogen (N) 20%
20% Urea nitrogen derived from urea.

[PEEL HERE PRESS TO RESEAL
Read all instructions inside before using.]

STOP. READ ENTIRE LABEL BEFORE USE.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For outdoor use around the home only.



Keep people (other than applicator) or pets off treated areas during application and afterwards until spray has dried.

USE PRECAUTIONS

Do not allow spray to drift to vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants since injury may result. Do not spray when grass is emerging from dormancy. Do not apply to newly seeded lawns until well established. Do not spray when the temperatures exceed 85°F. Seed can be sown 3 to 4 weeks after application. Do not use on carpetgrass, dichondra, closely-mowed bentgrass, or on lawns where desirable clovers are present. This treatment may cause temporary injury (chlorosis or slight yellowing) to St. Augustinegrass and centipedegrass; however, this discoloration will disappear 7 to 10 days after application. Cultivars vary in tolerance to this product. Do not use this product on 'Floratam' St. Augustinegrass. Do not

3/5

spray roots of trees and ornamentals. Exercise care to avoid over-dosing by spraying evenly. Do not exceed specified dosages for any area; be particularly careful within dripline of tree and other ornamental species.

The maximum application rate to turf is 0.6 pounds 2,4-D acid equivalent per acre per application per site. The maximum number of broadcast applications per treatment site is 2 per year.

[KILLS] [CONTROLS] [WEEDS CONTROLLED]

Black medic, Buckhorn, Burdock, Chicory, Chickweed, Clover, Dandelion, Dock, English daisy, Ground ivy, Healall, Knotweed, Lambsquarters, Mallow, Morningglory, Oxalis (woodsorrel), Pigweed, Plantain, Poison ivy, Poison oak, Purslane, Ragweed, Red clover, Stitchwort, Speedwell, Spurge, Wild clover, Wild carrot, Wild garlic, Wild lettuce, Wild onion, Yarrow and many other broadleaf weeds.

WHEN TO USE

- ❖ Spray any time during the growing season when weeds are actively growing.
- ❖ On new lawns, wait until the grass has reached a height of 2 inches before treating. Wait 3 weeks after treatment before seeding or planting stolons.
- ❖ Poor weed control may result if spray is applied during drought or just before rain.
- ❖ Do not water lawn within 24 hours after treatment.

[HOW TO USE]

1. *Shake container well before using.*
2. Connect a garden hose to the spray ready nozzle. [graphic] Make sure the large round water control dial on the nozzle is in the "OFF" position (tab is vertical). [graphic]
3. Turn on water at faucet. Extend hose to the farthest area to be treated and work back toward the faucet so you don't walk over treated area.

Twist the small star-shaped product control button to align the flat portion with the lock tab. Push the button in to open. [graphic]

4. To BEGIN spraying, point nozzle toward lawn to be treated and turn the large round water control dial to the "ON" position (tab is horizontal). Water will automatically mix with the product. [graphic]
5. Walk at a steady pace while spraying using an even sweeping motion, slightly overlapping treated area. One 64 oz. bottle will treat 5,000 sq. ft. of Southern lawn or 3,000 sq. ft. of Northern lawn. Refer to [sight gauge] [Clear-View measuring window] to guide coverage (when bottle is half-empty, you should have covered half the area). Calculate square feet by multiplying length by width.
6. To STOP spraying turn large round water control dial to the "OFF" position. Push in opposite side of small star-shaped product control button to close. Turn star-shaped button so that it is no longer aligned with the flat portion of the lock tab. Turn off water at faucet.

To relieve pressure, turn large round water control dial to "ON" position and wait until water stops spraying before removing nozzle from hose.

Northern Lawns (covers 3,000 sq. ft.)	Southern Lawns (covers 5,000 sq. ft.)
Bentgrass, Bermuda, Fescue, Kentucky Bluegrass, Rye, Zoysia	Bahia, Centipede, St. Augustine
NOTE: Do not use on Floratam variety of St. Augustine grass in Florida. If you are unsure as to what type of grass you have, contact your county extension agent.	

USE TIPS

1. Do not treat St. Augustine or centipede grass during periods of heat stress (high temperatures) or drought stress.
2. For best results, water lawn thoroughly 1 to 2 days before treating.
3. Do not treat when air temperatures exceed 85° F or damage to grass may occur.

4. Avoid sprays that are too fine because they can drift and damage other plants.
5. If certain tough weeds are not dead within 3 weeks, spot treat.
6. It will take about 40 minutes to apply this bottle. Actual time will vary depending on water pressure.

Fertilizer Statements for 20-0-0 Product

When applied as directed this product meets the guidelines for metals adopted by the Association of American Plant Food Control Officials.

OPTION A

A lawn will typically utilize 1 to 4 pounds of nitrogen per 1,000 sq. ft. each growing season. When applied as directed, this product supplies 0.19 - 0.32 lbs. of nitrogen per 1,000 sq. ft. with each application. Use this product with an additional fertilizer program to provide at least one pound of nitrogen per 1,000 sq. ft. each growing season. Consult your local agricultural extension agent for the proper amount of nitrogen to be applied in your area.

OPTION B

A lawn will typically utilize 1 to 4 pounds of nitrogen per 1,000 sq. ft. each growing season. When used as directed this product will supplement your regular fertilizer by providing 0.19 - 0.32 lbs. of nitrogen per 1,000 sq. ft. Please contact your local Extension Office for questions regarding a regular fertilizer program.

OPTION C

This product can be supplemented with a liquid lawn fertilizer every 3 weeks from March through September (or April through October depending upon the growing season in your area). Consult your local extension office concerning a regular fertilizer program.

ALTERNATE HOW TO USE

Shake well before using. Connect attached spray nozzle to

garden hose. Turn the water control "ON/OFF" valve on top of nozzle to the "OFF" position. Turn on water at faucet. Extend hose to the farthest area of lawn to be treated and work back towards faucet to keep from walking over treated areas. Rotate the product control valve forward to open. This allows the contents to mix with water.

To begin spraying, point nozzle towards lawn and turn the water control valve to the "ON" position. The water automatically mixes with the product. Walk at a steady pace while spraying using an even sweeping motion, slightly overlapping treated areas. One 64 oz. bottle will treat 5,000 sq. ft. of Southern lawn or 3,000 sq. ft. of Northern lawn. Refer to [sight gauge] [Clear-View measuring window] to guide coverage (when bottle is half-empty, you should have covered half the area). Calculate square feet by multiplying length by width.

To stop spraying, turn the water control valve to "OFF". Rotate the product control valve to upright position to close. To relieve pressure, turn water "ON/OFF" valve to the "ON" position before removing nozzle from hose.

STORAGE AND DISPOSAL

Storage: Keep from freezing. Store in original container in a locked storage area inaccessible to children. **Pesticide Disposal:** Securely wrap original container in several layers of newspaper and discard in trash. **Container Disposal:** Do not reuse container. Rinse thoroughly before discarding in trash.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Harmful if absorbed through skin or if inhaled. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist. When using this product, wear long-sleeved shirt, long pants, socks, shoes and rubber gloves.

After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower.

First Aid

If in Eyes: Flush eyes with plenty of water. Call a physician if

irritation persists. **If On Skin:** Wash with plenty of soap and water. Get medical attention. **If Inhaled:** Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention. **If Swallowed:** Call a physician or Poison Control Center. Drink one or two glasses of water and induce vomiting by touching back of throat with finger. If person is unconscious, do not give anything by mouth and do not induce vomiting.

Environmental Hazards

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and non-target plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwater. When cleaning equipment, do not pour the washwater on the ground; spray or drain over a large area away from wells and other water sources.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Questions or comments? Call 800-332-5553

Made in the USA by Chemsico, Division of United Industries Corporation, P.O. Box 15842, St. Louis, MO 63114-0842

EPA Reg. No. 9688-

EPA Est. No. 9688-MO-1

© 1999

OPTIONAL MARKETING LANGUAGE

[Attach to hose & spray] • The easy way to control weeds and fertilize your lawn • No spreading . . . no complicated mixing • Measuring window on bottle • Covers 3,000 sq. ft. • Use April - June • Kills over 100 varieties of broadleaf weeds • For fast lawn greenup • For dark, green lawns FAST! • For a thicker, greener lawn • Second of 5 steps to a beautiful lawn • Apply in late spring • Part of the Chemsico Annual Lawn Care Program • Application reminder sticker for your calendar included • Kills dandelions & other broadleaf weeds • Feeds up to 2 months • 64 fl. oz. treats 3,000 sq. ft. • Easy to use spray ready nozzle • Controls broadleaf weeds while feeding your lawn • For a

weed free lawn • Spray ready • For a [green] [thick] [hardy] [dense] turf • Easy to use - just attach to hose and spray • Ready-to-use • No mixing required • Premixed • Concentrated formula covers up to [3,000] [5,000] sq. ft. • Works faster than weed killers [products] alone • Covers an average size U.S. lawn • Won't burn your lawn • Step 2 of Chemsico's annual lawn program • Part of a total lawn care system • Only takes 15 minutes to apply • Simple system • Applies in minutes • Works on cool and warm season grasses* • Won't harm most [ornamentals] [trees] [plants] • Kills all major broadleaf weeds • Kills the root • Systemic action • High nitrogen for fast green-up • [For] green lawn, brown weeds • Eliminates weeds • Eliminates competition from weeds • Nutrients go to the grass, not the weed • Feed your grass, not the weeds • Weeds hate it, lawns love it! • One Step- Just water in • Kills weeds, not lawns • Grass grows, weeds go! • Easier to use than granular fertilizers • Feeds faster than granular fertilizers • Lasts as long as granular fertilizers • Comfortable handle • Easy grip handle • Most technologically advanced sprayer available • 24 hour weed control • Works in a day! • 24 hr. green up • Fast acting • Aim & Spray • Feeds fast and keeps feeding for 2 months • Fast feeding, long lasting formula • Grows the grass you want, kills the weeds [you don't] [want] • No surge growth

Visit our web site at [www . . .](http://www...) and register to receive Chemsico's Annual Lawn Care Program reminders. We'll let you know via email when it's time for you to use one of the Chemsico's lawn care products on your lawn. You'll get five emails per year starting with Chemsico's Lawn Food plus Crabgrass in the Spring and ending with Chemsico's Winterizer in Late Fall. We'll help you use the products at the right time and make sure you don't forget!