9688-157 8-30-2000			
U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7505C) 401 "M" St., S.W. Washington, D.C. 20460 NOTICE OF PESTICIDE: X Registration Reregistration	EPA Rog Number: 9688-157	Date of Issuance AUG 3 0, 2000	
	Term of Issuance: Conditional		
	Name of Pesticide Product: Chemsico Aerosol M		
Name and Address of Registrant (include ZIP Code): CHEMISCO, Division of United Industries Corpora P.O. Box 15842 St. Louis, MO 63114 Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to an commerce. In any correspondence on this product always refer to the above EPA registration number. On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the F Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect	accepted by the Registration Divi ederal Insecticide Fungicide and f	Rodenticide Act.	
<pre>as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others. This product is conditionally registered in acc 3(c)(7)(A) provided that you: 1. Submit/cite all data required for the regist your product when the Agency requires all regist to submit data; and submit acceptable responses reregistration of your product under FIFPA sect </pre>	ration/ rere strants of si required fo	gistration of milar products	
 Revise the EPA Registration Number to 9688- Submit one (1) copy of your final printed 1 the product for shipment. 		ore you release	
4. Submit a one-year corrosion characteristics January 1, 2002.	study (830.	6320)by	
If these conditions are not complied with, the subject to cancellation in accordance with FIFH for shipment of the product constitutes accepta	A sec. 6(e).	Your release	
A stamped copy of the label is enclosed for you	r records.		
If you have any questions, contact Lisa Jones (703) 308-9424 or at jones.lisa@epa.gov	of my staff a	τ	
Enclosures: Stamped copy of label Appendix Required Label Changes 7 August 2000,Technical Review Branch, Similar: (Toxicology) 27 March 2000,Technical Review Branch, Product			
Signature of Approving Official: Mary J. Waller	Date: AUG	3 0 2000	

(

١

100 C

ACCEPTE

Chemsico Aerosol M

AUG 3 0 2000

EPA File Symbol 9688-RLT

FN: AERO-Mrev.DOC

08/23/00

hensice Ba. 9688-157

AEROSOL M

For outdoor residential use only.

[New! Fast Acting · Perfect for roses, flowers and ornamental shrubs - Can be used on delicate ornamentals - Ideal for use on delicate ornamental plants · Prevents and cures diseases on roses, flowers and ornamental shrubs . Prevents and cures black spot, rust, powdery mildew, blights and other listed diseases · Controls powdery mildew, black spot, rust, blights and leaf spot · Protects roses, flowers and ornamental shrubs · Protects for up to 2 weeks · Can't be washed away [off] by rain once dried · Systemic action - can't be washed away by rain once dried · Water-based · Ready-to-use]

Active Ingredient:

Myclobutanil	. 0.012%
Other Ingredients	99.988%

KEEP OUT OF REACH OF CHILDREN

CAUTION See back for additional precautionary statements

NET WT, 15 OZ.[/426 q]

Under the Federal Insocilcide,

Under the Pourta discourse Act, Pungloude, and Rodentioide Act, as amended, for the pesticide optionAL MARKETING LANGUAGE

IOPTION A

Chemsico Aerosol M protects roses, flowers and ornamental shrubs from damaging diseases. Its exclusive formula prevents and cures diseases and is ideal for use on delicate ornamental plants.

OPTION B

Chemsico Aerosol M prevents and stops [cures] a wide variety of diseases on roses, flowers and shrubs. It can't be washed off by rain or sprinklers once dried and it works for up to 2 weeks. Use this product throughout your yard to keep plants thriving.

USE ON

Ageratum, aster, azalea, begonia, carnation, chrysanthemum, iris, lilac, marigold, mock-orange, ninebark, pansy, petunia. privet, rhododendron, rose, salvia, snapdragon, spirea, sunflower, zinnia and others listed.

Prevents and cures . . . Black Spot, Brown Patch, Dollar Spot, Powdery Mildew, Rust, Blight and Leaf Spott

STOP. READ ENTIRE LABEL BEFORE USE.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DO NOT ALLOW PEOPLE OR PETS TO CONTACT TREATED AREAS UNTIL SPRAY HAS DRIED.

USE RESTRICTIONS

Do not use treated plants for food or feed,

NOTE: This product is non-staining to most home siding depending on age and cleanliness. However, before using in areas where the spray may contact home siding (vinyl siding in particular), test in an inconspicuous area and re-check in a few hours. Do not use if any staining is observed.

TO PROTECT ROSES, FLOWERS, AND ORNAMENTAL SHRUBS

Chemsico Aerosol M prevents and cures black spot, blight (blossom, cercospora leaf, ovulinia petal), leaf spot (including cercospora), powdery mildew, rust (including needle, fusiform), scab (including fusicladium) and other diseases on a wide variety of roses, flowers, and ornamental shrubs. Treat roses on a 7 to 10 day schedule unless black spot is not a problem, then treat on a 10 to 14 day schedule. When treating azaleas, mountain laurel or rhododendrons, begin spraying when flowers start to show color. Treat all other listed plants when conditions favoring disease first start to develop.

Use with care on ferns, palms and fuchsia. As with all plants, especially carnations, chrysanthemums, and roses, there exists a wide variety of species, and therefore, a wide variety of susceptibility to injury. To test for plant sensitivity, spray a few plants as described above, wait 24 hours, and check for possible injury.

HOW TO USE [Alternate: HOW TO TREAT]

1. Shake well before using.

- 2 Begin early in the season. Start treating when conditions favoring disease first start to develop.
- 3. Hold can at least 18 inches from foliage when treating.
- 4 Spray with a slow sweeping motion, covering both upper and lower leaf surfaces and the stem. Apply to the point when spray just begins to run off the leaves.
- 5. For best results, repeat every 10 14 days throughout the season.

THINGS TO KNOW [Alternate heading: USE TIPS]

- This product is highly effective when it is used to prevent diseases. Treat early in the season when conditions favoring disease development ([warm] humid weather) begin,
- 1 Allow spray to dry before watering. If it rains before product has dried, re-apply.
- Image: A second s If you need more information about flower or ornamental diseases contact your local County Extension Service.
- Do not spray if temperature is above 90 ^O F as damage to 1 some delicate plants can occur.

Chemsico Aerosol M

EPA File Symbol 9688-RLT

FN: AERO-Mrev.DOC

08/23/00

Spray early in the morning or evening, when air is still.

 Regular light sprayings are more effective than a single heavy treatment.

[DISEASES CONTROLLED]

ROSE

Diseases: Black spot, Powdery mildew, Rust

AZALEA, MOUNTAIN LAUREL, RHODODENDRON Diseases: Petal blight (ovulinia spp.) Powdery mildew

ABELIA, ACALYPHA (COPPERLEAF), CATALPA, HACK-BERRY, HONEYSUCKLE, PRIVET, TRUMPET CREEPER, ZINNIA

Diseases: Cercospora leaf spot, Powdery mildew

AGERATUM, ANEMONE, ANGELICA, ASTER, CHINA ASTER, CHOKEBERRY, CHRYSANTHEMUM, COLUMBINE, CORN-FLOWER, DIANTHUS, FLOWERING QUINCE, FOUR O'CLOCK, FUCHSIA, MARIGOLD, MOONFLOWER, NINE-BARK

Diseases; Rust

ACHILLEA (YARROW), ALDER, AMELANCHIER (JUNEBER-RY, SHADBUSH), BARBERRY, CARNATION, DELPHINIUM, GAILLARDIA, GARDENIA, GERANIUM, HOLLYHOCK, MOCK-ORANGE, PANSY, PETUNIA, PHOTINIA, SALVIA, SNAPDRA-GON, VIBURNUM

Diseases: Powdery mildew, Rust

AFRICAN VIOLET, BEGONIA, BITTERSWEET, CALIFORNIA POPPY, COSMOS, CREPE MYRTLE, DAHLIA, EUONYMUS, GOURD (ORNAMENTAL), GRAPE LEAF IVY, LILAC, POIN-SETTIA, SPIREA Diseases: Powdery mildew

FLOWERING ALMOND

Diseases: Blossom blight (Monilinia spp.)

AMORPHA (FALSE INDIGO), BELLFLOWER, BUTTONBUSH, FLEABANE, PHLOX, SUNFLOWER Diseases: Cercospora leaf spot, Powdery mildew, Rust

CALENDULA, HYDRANGEA, LEUCOTHOE Diseases: Cercospora leaf spot

FLOWERING CRABAPPLE, FLOWERING PEAR, HAWTHORN Diseases: Powdery mildew, Rust, Scab

DOGWOOD

Diseases: Anthracnose, Powdery mildew

PYRACANTHA Diseases: Fusicladium scab

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal. Pesticide Storage: Store in a cool area away from heat or open flame. Pesticide and Container Disposal: This container may be recycled in aerosol recycling centers. At present, there are only a few such centers in the country. Before offering for recycling, empty the can by using the product according to the label (DO NOT PUNCTURE!). If recycling is not available, wrap the container in several layers of newspaper and discard in the trash.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

First Aid

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment.

Environmental Hazards

This pesticide is toxic to fish. Do not apply directly to water.

Physical or Chemical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130 ° F may cause bursting.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Questions or comments? Call 800-332-5553

Contains NO CFC's or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols.

Made in the USA by Chemsico, Division of United Industries Corporation, P.O. Box 15842, St. Louis, MO 63114-0842

EPA Reg. No. 9688-

EPA Est. No. 9688-MO-1 © 2000

