

U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (7505C)
401 "M" St., S.W.
Washington, D.C. 20460

NOTICE OF PESTICIDE:

<u>x</u> Registration

Reregistration

(under FIFRA, as amended)

EPA Reg. Number:

Date of Issuance:

PART ARRIE

9688-166

FEB 13 2001

Term of Issuance:

Conditional

Name of Pesticide Product:

Chemsico Insect

Control CP

Name and Address of Registrant (include ZIP Code):

Chemsico, Division of United Industries

P.O. 15842

St. Louis, MO 63114

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division print to use of the label in commerce. In any correspondence on this product always refer to the above 62% registration number:

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Pungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Make the following label change before you release the product for shipment:

Revise the EPA Registration Number to read, "EPA Reg. No. 9688-166.

Signature of Approving Official:

George T. LaRocca Insecticide Branch

Registration Division (7505C)

Date:

FEB 13 2001

Page 2 EPA Reg. No. 9688-166

2. Please submit two (2) copies of your final printed labeling prior to releasing your product for shipment. A stamped copy is enclosed for you records.

Sincerely,

George T. LaRocca
Product Manager (13)
Insecticide Branch
Registration Division (7505C)

Enclosure



# Insect Control CP

[Controls Tree termite (comejen) nests within 24 hours • Kills Tree termites (comejenes) • Kills Drywood Termites (Polillas) • Kills Drywood Termites (Polillas) • Kills Drywood Termites (polillas) on contact • Kills roaches • Kills fleas • Kills both adult and pre-adult (larvae) fleas • Kills fleas and their hatching eggs • Also stops spiders, roaches, fleas, and ticks • Kills on contact • Kills fast • Fast killing • Kills hidden bugs • Kills even hidden bugs • Kills the bugs you see and kills the bugs you don't see • Lasts for up to 8 weeks • 8 week control • Water-based • Nonstaining • No oily residue • No lingering odor • Leaves no odor • Use indoors and outdoors • Water-based (Non-staining, [Leaves] no odor) • Sprayer included • Ready-to-use • Economical do-it-yourself pest control • Do-it-yourself pest control • Easy to use ready spray]

#### Active Ingredient:

Tralomethrin supplied under license from Aventis Environmental Science USA LP.

KEEP OUT OF REACH OF CHILDREN

CAUTION See side for additional precautionary statements

**NET CONTENTS 1 GALLON** 

# [STOP!] READ ENTIRE LABEL BEFORE USE.

# **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For home use.

(icon) People and pets should not be allowed in treated areas until spray has dried. Do not use on pets.

#### SHAKE WELL BEFORE USING

**ISPRAYER INSTRUCTIONS** 

[How to prime and care for your sprayer:]

- After shaking product well, remove cap from container and replace with sprayer hose and cap assembly. Tighten securely.
- Turn sprayer nozzle one half turn counter-clockwise. Hold sprayer below the level of container and prime by pumping trigger 10 - 15 times until product is dispensed. Adjust nozzle to fine spray or jet stream as needed.
- To store, turn nozzle to "OFF" position and store with sprayer above level of liquid in container to prevent leakage.

INDOORS (Graphic showing Indoor treatment sites.)

Avoid contamination of food, feedstuffs and domestic water supplies. All food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Remove pets, birds and cover fish aquariums before spraying.

For Drywood Termites[polillas] treat infested areas and areas likely to be infested, such as wood surfaces, voids and tunnels [channels] in damaged wood, behind veneers, in structural voids (between stud walls and spaces between wood and concrete [foundations] and along cracks. When treating for exposed drywood termites pay particular attention to areas around windows, ventilation pipes and other areas that may allow termite entry into the home.

Note: Drywood termites will be killed only if they come in contact with this product. Use of this product to control Drywood termites should not be considered as a substitute for treatment by a professional pest control operator.

Spray areas where cockroaches, Palmetto bugs, ants, crickets, water bugs, silverfish and spiders are found or normally occur including dark corners of rooms and closets, cracks and crevices in walls; along and behind baseboards; beneath and behind sinks, stoves, refrigerators and cabinets; around plumbing and other utility installations. Repeat application after eight weeks or earlier if re-infestation occurs. For ants, apply to ant trails, around doors and windows and wherever else ants may find entrance.

For control of fleas and brown dog ticks, thoroughly spray pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, window and door frames and localized areas of floor and floor covering where fleas and ticks may be present. Pet bedding should be replaced with clean fresh bedding after treating the area. Do not treat pets with this product. To control the source of flea infestations, pets should be treated with a product registered for application to animals.

OUTDOORS (Graphic showing Outdoor treatment sites.) For Tree termites (spp. Nasutitermes)[come]enes] treat specific areas where termite trails and nests are seen. Make holes in the nest and apply enough product to saturate the nest. Thoroughly wet termite trails going into the nest. Wait at least 24 hours before removing treated nest.

Files, mosquitoes: For use only as an aid in reducing annoyance from these insects. Spray outside surfaces of screens, doors, window frames or wherever insects may enter the room. Also spray surfaces around light fixtures, on porches, in garages and other places where insects alight or congregate. Repeat as needed.

Ants, ticks (including ticks which transmit Lyme disease), crickets, fleas and earwigs: For treatment of infestation of these insects in areas where there are weeds or bushy non-crop areas, spray infested areas thoroughly. When treating for ticks, give special attention to areas frequented by pets. For ants, thoroughly wet hills and runways.

## STORAGE AND DISPOSAL

Store in cool dry area away from heat or open flame. Securely wrap original container in several layers of newspaper and discard container in trash.

W

# PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals

**CAUTION:** Harmful if inhaled. Avoid breathing vapor or spray mist. Removing and washing contaminated clothing before reuse may reduce exposure.

## First Aid

If Inhaled: Move person to fresh air. If not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth if possible. Call a Poison Control Center or doctor for further treatment advice. Have the product container with you when calling a Poison Control Center or doctor, or going for treatment.

# **Environmental Hazards**

This product is toxic to fish and other aquatic organisms. Do not apply directly to water.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Questions or comments? Call toll free 800-332-5553

Made in the USA for Chemsico, Division of United Industries Corporation, P.O. Box 15842, St. Louis, MO 63114-0842

EPA Reg. No. 9688-EPA Est. No. 9688-MO-1 © 2000 ACCEPTED FEB | 3 2001

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide Registered under EPA Reg. No. 4432-166