



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

May 15, 2015

Ms. Jessica Goldberg
Sr. Regulatory Affairs Specialist
Chemsico, Div. of United Industries Corp.
P.O. Box 142642
St. Louis, MO 63114

Subject: Label Amendment – Adding alternate brand names, marketing claims, new sprayer equipment use directions, and updates to storage and disposal
Product Name: Chemsico RTU Herbicide G II
EPA Registration Number: 9688-168
Application Date: February 6, 2015
Decision Number: 500185

Dear Ms. Goldberg:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance

Page 2 of 2
EPA Reg. No. 9688-168
Decision No. 500185

with FIFRA section 6. If you have any questions, please contact Beth Benbow by phone at 703-347-8072, or via email at Benbow.bethany@epa.gov.

Sincerely,

A handwritten signature in blue ink, appearing to read "Reuben Baris". The signature is stylized and cursive.

Reuben Baris, Product Manager 25
Herbicide Branch
Registration Division (7505P)
Office of Pesticide Programs


Enclosure

Chemsico RTU Herbicide G II

[See Appendix for optional marketing claims & language]

Alternate Brand Names:

Ace Ready-to-Use Weed & Grass Killer3
Ultra-Kill Weed & Grass Killer2



ACTIVE INGREDIENT:

Glyphosate, isopropylamine salt	1.92%
Other ingredients.....	98.08%
Total	100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION See (side)(back) (inside) (panel) (booklet) for additional precautionary statements

Net Contents: 128 fl oz (1 gal) (3.78L)

CONTROLS WEEDS AND GRASSES INCLUDING:

[Annual weeds and grasses: Annual ryegrass, annual bluegrass, barnyardgrass, beggarweed, black medic, blue medic, blue toadflax, brassbuttons, blue mustard, bromegrass, bur clover, buttercup, cheeseweed, chickweed, clover, common groundsel, common lambsquarters, common plantain, common ragweed, crabgrass, creeping beggarweed, diffuse lovegrass, dog fennel, evening primrose, false dandelion, fall panicum, fennel, fiddleneck, field pennycress, field sandbur, filaree, Florida pusley, foxtail, garden spurge, goosegrass, green foxtail, hemp sesbania, henbit, horseweed/marestail, ironweed, knotweed, lambsquarters, little bitter cress, London rocket, maiden cane, mallow, mayweed, mouseear chickweed*, oxalis*, Pennsylvania smartweed, pennywort, pigweed, prickly lettuce, prostrate spurge, puncture vine, purslane, redroot, pigweed, sandspur, shepherdspurge, smartweed, smooth cat's ear, smooth pigweed, sowthistle, spotted spurge, sprangletop, spurges, tansy mustard, tansy ragwort, teaweed, Texas panicum, tumble mustard, velvetleaf, wild geranium*, witch grass, wild mustard, yellow nutgrass, yellow oxalis (and many other annual grasses and weeds)]

[Perennial weeds, grasses, brush:

Alder, artichoke thistle, bahiagrass, barnyardgrass, bentgrass, Bermudagrass, blackberries, bluegrass, broadleaf plantain, brownseed, paspalum, buckhorn plantain, bull thistle, Canada thistle, cattail, ceanothus, centipedegrass, cherry, cocklebur, cogongrass, common mullein, common ragweed, coral bead, coyote brush, creeping bentgrass, creeping Charlie, creeping lanтана, curly dock, dallisgrass, dandelion, dewberry, dog fennel, elderberry, false dandelion, fescue species, field bindweed, guineagrass, hairy crabgrass, honeysuckle, horsenettle, horseradish, iceplant, Johnsongrass, Kentucky bluegrass, kikuyugrass, knapweed, knawel, kudzu, lanтана, maiden cane, milkweed, mouseear chickweed*, multiflora rose, nimblewill, nutgrass (nutsedge), oak species, oldenlandia, orchardgrass, oxalis*, pampasgrass, pennywort, perennial ryegrass, plantain, poison oak, poison ivy, poison hemlock, primrose, purple cudweed*, purple nutsedge, quackgrass, quaking aspen, ragweed, raspberry, red clover, smooth bromegrass, sourdock, sowthistle, St. Augustine grass, sumac, tall fescue, tansy ragwort, Timothy, torpedograss, trumpetcreeper, vaseygrass, Virginia creeper, white clover, whitetop, wild barley, wild blackberry, wild carrot, wild morning-glory, wild oats, wild sweet potato, willow, yarrow, yellow nutgrass, yellow starthistle, zoysia [and many other perennial grasses, weeds, brush and sedges] [as listed].] *annual or perennial

STOP. Read entire label before use

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. *For home use only.*



Do not allow people and pets to enter treated areas until spray has dried.

[When to use] [When to Apply]

- For best results apply during warm, sunny weather (above 60° F)
- Apply when weeds are actively growing and no rain is forecast for 24 hours.
- To avoid drift to desirable plants, apply when the air is calm.
- Completely [wet] [cover] the foliage [leaves] of the target vegetation [plant]. Do not overspray to the point of saturation.
- Sprayed plants begin yellowing and wilting in about 24 hrs, with complete kill, including the roots, in 1 to 2 weeks.
- Protect desirable plants [including fruit and vegetables], with a piece of plastic or cardboard.
- If desirable plants are accidentally sprayed, wash plants with water immediately.
- Do not mow, cut or otherwise disturb treated [vegetation] [weeds] or [plants] for at least 7 days following application.
- If rain does occur 2 hours or more after application, this product will not be washed off the target weeds. Reapplication is not necessary.

Do not use for spot weed treatment in established lawns since lawn grasses will be killed too.

Product Information:

Chemsico RTU Herbicide GII is pre-mixed and ready to use and is formulated for "spot" treatment of weeds and grasses. [It is ideal for tough to reach weeds found in flower beds and vegetable gardens.] Use it on driveways and walkways, or around fences, trees, flower beds, vegetables, shrubs and other areas in your yard. Avoid contamination of food. Do not contaminate water supplies.

[OPTIONAL EDGER TEXT]

Chemsico RTU Herbicide GII is an easy edger for use along driveways, walkways, curbs, sidewalk cracks, around landscaping, ornamentals, trees, and shrubs. Use in larger areas such as patios and brick and gravel walks. [This product treats 1200 linear feet (3 inch wide band)]

[How to Use][Application Instructions] [SPRINKLER CAP APPLICATOR]

1. Remove cap from applicator head and make sure that the applicator head is screwed firmly on the bottle.
2. Hold the bottle about 2 to 6 inches from the area to be treated. Invert the bottle and apply product to thoroughly cover unwanted vegetation. The width of the stream may be adjusted by either raising or lowering the bottle.
3. Use just enough product to completely [cover] [wet] the [vegetation] [plant].

[Sprayer Instructions]

[Hand Sprayer Application]

How to prime and care for your sprayer:

1. CONNECT TRIGGER SPRAYER. Unscrew and discard the [white] cap on the bottle. Insert the hose into the bottle and tighten the cap securely.
2. PRIME SPRAYER. Turn the sprayer nozzle one-half turn counter-clockwise. Hold the sprayer lower than the bottle and squeeze the trigger several times until it sprays. Adjust the nozzle to coarse spray pattern. Avoid sprays which are too fine because they can drift and damage other plants.
3. Spray unwanted grass & weeds until completely [covered] [wet].

[Trigger Sprayer applicator]

1. Turn nozzle to coarse spray pattern. Avoid sprays are too fine because they can drift and damage other
2. Spray unwanted grass & weeds until completely [covered] [wet].



which plants.

[Captive Sprayer applicator]

[HOW TO USE]

BEFORE USE:

1. Shake well before each use.
2. Peel sticker from flip-top cap and open cap. Discard sticker.
3. Remove sprayer from its slot beneath the bottle handle and remove and discard plastic wrap. Pull black hose tip to completely extend tubing.
4. Firmly press black hose tip into opening in cap until it snaps into place.
5. Hold sprayer below the level of the container and prime by pumping trigger several times until product is dispensed.
6. Adjust nozzle to desired setting.

AFTER USE:

7. To store, turn sprayer nozzle off.
8. DO NOT disconnect hose.
9. Return sprayer to its slot. Hose can be pushed back into sprayer handle.

OPTION D: [EZSPRAY™ Directions]™][AccuShot Sprayer Directions] (Option A)

1. [Unwrap sprayer.] Remove sprayer from side holder. [Unwrap the tubing] [Gently pull tubing out]. (Graphical representation.)
2. Remove seal from top of cap. Unplug cap. (Graphical representation.)
3. Securely snap the [yellow] plug into hole on cap. (Graphical representation.)
4. Remove plastic tab near [top] [bottom] of sprayer to activate batteries. (Graphical representation.)
5. Twist nozzle to adjust spray from CLOSE to SPRAY or STREAM. (Graphical representation.)
6. [When priming the sprayer, hold sprayer level to the ground. Sprayer may not prime if it is held at an angle. Once primed, it will spray in any direction. (Graphical representation.)]

[AccuShot Sprayer Directions] (Option B)

1. Remove cap and replace with reusable AccuShot Sprayer. Make sure sprayer cap is tightly closed before use
2. Twist nozzle to adjust spray from CLOSE to SPRAY or STREAM. [Graphic depiction]
3. [When priming the sprayer, hold sprayer level to the ground. Sprayer may not prime if it is held at an angle. Once primed, it will spray in any direction. (Graphical representation.)]

HOW TO USE THE EzSpray™ [AccuShot Sprayer]

1. Aim toward target [weeds/plants] [Area to be treated], and away from people and pets.
2. [To improve accuracy, use slider to extend wand.][Use slider to extend wand and to improve accuracy.]
3. Press the trigger to spray.
4. Release the trigger to stop spray.

After use: 1. Twist nozzle completely to CLOSE position. 2. Secure sprayer [upright] [tip down] in [holder] [holster]. 3. **Failure to adjust nozzle completely to CLOSE position and properly secure sprayer in [holder][holster] may result in leakage and damage to property or injury to people or animals.**

[Keep reusable AccuShot sprayer for use with Chemsico RTU Herbicide GII]

To replace batteries: 1. [Slide battery compartment door to unlatch and open.] [Push release button near nozzle and lift up on battery hatch.] .] [Use screwdriver to

open battery compartment] 2. Remove used batteries and insert [four] [two] new AA batteries **in correct positions** as marked per diagram inside of battery compartment. Never insert the positive end where the negative end belongs and vice versa. **Always** use a complete set of new batteries of the same type when replacing batteries. **Never** mix alkaline, carbon-zinc or rechargeable batteries. 3. Securely close battery compartment door. 4. **Always** follow manufacturer's recommendations for use and disposal of batteries. **Additional Operating Notes:** Do not submerge in water. Before each use inspect sprayer carefully, make sure hose is flexible and not kinked, worn or cracked, and that all connections are tight. When storing sprayer for prolonged periods remove batteries.

WHEN TO REPLANT

- All ornamental flowers, trees and (&) shrubs may be planted **1 day after** application.
- The following berries may be planted **1 day after** application: Blackberry, Blueberry, Boysenberry, Cranberry, Currant, Dewberry, Elderberry, Gooseberry, Huckleberry, Loganberry, Olallieberry and (&) Raspberry (Black and (&) Red).
- The following fruits, vegetables & (and) herbs may be replanted **1 day after** application: Artichoke (Jerusalem), Beans (all), Beet Greens, Broccoli, Brussels Sprouts, Cabbage (all), Carrot, Cauliflower, Celery, Chard (Swiss), Chicory, Collards, Endive, Horseradish, Kale, Kohlrabi, Leek, Lentils, Lettuce, Mustard Greens, Okra, Onion, Rape Greens, Parsley, Parsnips, Potato, Radish, Rhubarb, Rutabaga, Spinach, Sweet Potato, Turnip & (and) Yams.
- The following fruits, vegetables & (and) herbs may be planted **3 days after** application: Corn, Cucumber, Eggplant, Garlic, Gourds, Melons (all), Peas (all), Peppers (all), Pumpkin, Squash (summer & (and) winter), Tomatillo, Tomato (by seed) & (and) Watercress.
- Lawn grasses may be planted [re-seeded] **7 days after** application.
- Tomatoes from transplant & (and) unlisted fruits, vegetables & (and) herbs may be planted **30 days after** application.

[WHEN TO HARVEST]

If this product is used to control weeds around fruit or nut trees or grapevines, allow a minimum of 21 days before eating the fruit or nuts.

[REFILL DIRECTIONS]

[24 fl oz]:

Add 1½ cups [12 fl oz] of [water] [clean tap water] to this empty [container] [sprayer], then add 1.75 fl oz of **Chemsico Concentrate Herbicide G II**. Continue to add water until full. Close container and shake to mix. Follow label directions for use. Do not reuse container for any other product or purpose.

[32 fl oz]:

Add 2 cups [16 fl oz] of [water] [clean tap water] to this empty [container] [sprayer], then add 2.5 fl oz **Chemsico Concentrate Herbicide G II**. Continue to add water until full. Close container and shake to mix. Follow label directions for use. Do not reuse container for any other product or purpose.

[64 fl oz]:

Add 4 cups [32 fl oz] of [water] [clean tap water] to this empty [container] [sprayer], then add 4.5 fl oz of **Chemsico Concentrate Herbicide G II**. Continue to add water until full. Close container and shake to mix. Follow label directions for use. Do not reuse container for any other product or purpose.

[128 fl oz]:

Add ½ gallon [64 fl oz] of [water] [clean tap water] to this empty [container] [sprayer], then add 9 fl oz of **Chemsico Concentrate Herbicide G II**. Continue to add water until full. Close container and shake to mix. Follow label directions for use. Do not reuse container for any other product or purpose.

[170 fl oz/ Pull 'N Spray or Fast & Easy Pressure Sprayer]:

Remove the entire spraying system/pumping mechanism. Add [2½ L] [85 fl oz] of [water] [clean tap water] to this empty [container] [sprayer], then add 12 fl oz of **Chemsico Concentrate Herbicide G II**. Continue to add water until full. Close container and shake to mix. Follow label directions for use. Do not reuse container for any other product or purpose.

[202 fl oz]

Add ¾ gallon [96 fl oz] [3 L] of [water] [clean tap water] to this empty [container] [sprayer], then add 14.5 fl oz of **Chemsico Concentrate Herbicide G II**. Continue to add water until full. Close container and shake to mix. Follow label directions for use.

[256 fl oz]

Add 1 gallon [128 fl oz] of [water] [clean tap water] to this empty [container] [sprayer], then add 18.5 fl oz **Chemsico Concentrate Herbicide G II**. Continue to add water until full. Close container and shake to mix. Follow directions for use.

STORAGE AND DISPOSAL

[Hand Sprayer Application]

Pesticide Storage: Turn the nozzle to “OFF” position and store with sprayer above the level of liquid in container to prevent leakage. Store in a cool dry area away from heat or open flame. **Pesticide Disposal and Container Handling: If empty:** Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste for disposal instructions. Never place unused product down any indoor or outdoor drain.

[Trigger Sprayer and Sprinkler Cap]

Pesticide Storage: Store in a cool, dry area away from heat or open flame. Do not reuse container. **Pesticide Disposal and Container Handling: If empty:** Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

[Captive Sprayer]

Pesticide Storage: Turn the nozzle to “OFF” position and store with sprayer above the level of liquid in container to prevent leakage. Store in a cool dry area away from heat or open flame. **Pesticide Disposal and Container Handling: If empty:** Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling, if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

[EZSPRAY Sprayer]

Pesticide Storage: Turn the nozzle to "CLOSE" position. To prevent leakage, attach sprayer to clip. Store this product only in its original container in a secure storage area away from sources of heat or open flame. Protect product from freezing.

Pesticide Disposal and Container Handling: If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling, if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

[For AccuShot Sprayer]

Pesticide Storage: Turn the nozzle to "CLOSE" position. To prevent leakage, attach sprayer to clip. Store this product only in its original container in a secure storage area away from sources of heat or open flame and in an area inaccessible to children and pets. Keep from freezing.

Pesticide Disposal and Container Handling: Do not discard the AccuShot Sprayer. Keep the AccuShot Sprayer for use on Chemsico RTU Herbicide GII. Nonrefillable container. Do not reuse or refill this container unless the directions for use allow a different (concentrated) product to be diluted in the container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling.

FIRST AID

If on Skin: Take off contaminated clothing. Rinse skin with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **If in Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment.

ENVIRONMENTAL HAZARDS

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather

when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid runoff to water bodies or drainage systems.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

Made in the USA by Chemsico, Division of United Industries Corp., P. O. Box 142642, St. Louis, MO 63114-0642

[Questions or Comments? call 1-800-332-5553]

EPA Reg. No. 9688 – 168

EPA Est. No. 9688-MO-1

© 2015

Optional Marketing Language

[Chemsico RTU Herbicide GII eliminates common weeds and grasses as listed. (*illustrations*) This product can be used [for] [edging around lawns] [garden plot preparation] in driveways, walkways, curbs, along fences and foundations, near trees and shrubs, in flower beds, mulch beds, garden plot preparation and other similar areas of the yard to get rid of undesirable vegetation.]

[This product [is a non-selective herbicide that] will kill any vegetation contacted. This herbicide kills unwanted plants by inhibiting the production of a substance found only in plants. It enters plants through the leaves and moves down to the roots. This will ensure that the entire plant is eliminated. Avoid direct spray or drift onto desirable plants, lawn grasses, shrubs, and trees. Protect desirable plants and vegetation with a piece of plastic or cardboard. If desirable plants are accidentally sprayed, wash plants with water immediately. This product has no soil. [This container covers approximately 300 sq. ft. Coverage may be reduced if large brush species are treated.]

List of Optional Marketing Claims

1. Ready to Use
2. No Mixing Required
3. Ready to Use, No Mixing
4. No Measuring [mixing] [necessary]
5. Fast Acting [Formula]
6. Contains Glyphosate
7. Glyphosate Formula
8. Fast & [and] complete
9. Fast results
10. Starts to Kill Overnight [in] [the same day]
11. Starts working overnight
12. Starts to Kill in Hours
13. See results in 24 hours [in hours]
14. Quick Visible Results
15. Results that show
16. Speedy Results
17. Works overnight [in hours]
18. Begins (Starts) working in hours, [New Formula]
19. [Formula] enters the plant within one to two hours [won't wash off] for tough weed control
20. Water-based
21. Kills the Root
22. Kills to the Root

23. Kills the Root So Weeds Won't Grow Back
 24. Kills Weeds and Unwanted Grasses, Roots and All
 25. No Root, No Weeds, [Guaranteed]
 26. Eliminates Roots & Weeds, [Guaranteed]
 27. Eliminates Weeds, [Guaranteed]
 28. Can be Used Over the Root Zones of Trees, Shrubs or Desirable Plants
 29. Kills the Entire Plant
 30. Rainproof [in 2 hours]
 31. Rainproof in 2 Hours for Control That Won't Wash Away
 32. Rainfast in Hours – Starts to enter the Plant on Contact
 33. Rainfast in 2 hours for control that doesn't wash away [won't wash away]
 34. Starts Working in Hours
 35. Starts [working overnight] [to kill overnight]
 36. See results in Hours
 37. Controls Hardy Weeds
 38. No Soil Activity, Must be Applied to Foliage
 39. No residual activity in soil
 40. Does not have soil activity
 41. Use in flower beds, driveways and other listed use sites
 42. Works First Time, Every time,
 43. Kills the Weed you see and the Root you Don't
 44. Kills over 175 types of weeds [as listed]
 45. Kills over 175 varieties of broadleaf and grassy weeds [as listed]
 46. Eliminates [kills] all common weeds and grasses
 47. Kills Weeds and Unwanted Grasses
 48. Systemic Weed and Grass Killer for [Spot] Treatment of Unwanted Weeds and Grasses
 49. For Use [Use] [Can be Used] [Use in and around] [in] [on] [for] [along] [around] [fences], [driveways], [walkways], [shrubs], [trees] [ornamentals] [Walks] [Mulch Beds] [Gravel] [and] [Driveways] [Curbs]
 50. [Spot] Treatment for Lawn Replanting
 51. No soil activity
 52. Ace Quality Since 1924
 53. Money Back Guarantee†
- †Guaranteed Results or Your Money Back. If you are not satisfied with this product for any reason, send your written request for a refund to the

address below, together with the original dated store receipt showing the price you paid. Please allow 6-8 weeks for processing.]

54. Satisfaction guaranteed* or your money back with proof of purchases
 55. Ace Promise Satisfaction Guaranteed*

*The Ace Promise: If this Ace product when used for its intended purpose, fails to give you complete satisfaction, return the item to the Ace Hardware store where purchased for free replacement of the same or similar item.

OPTIONAL PRODUCT FACT BOXES

What it Does: Kills weeds and grasses as listed.

Where to Use: On patios, walkways or driveways, in flower and vegetable gardens, around trees and shrubs, along fences and foundations, for garden plot preparation [and other listed use sites]

When to Use: For best results, apply during warm, sunny weather (above 60 degrees F)

Questions & Comments: Call 1-800-332-5553

Product Facts

24 fl oz. treats up to 55 sq ft.

1/2 gal treats up to 156 sq ft.

1 gal treats up to 295 sq ft.

2 gal treats up to 590 sq ft

KILLS WEEDS

[illustrate grassy, broadleaf and woody weeds]

ALL TYPES OF WEEDS AND/& GRASSES [as listed]

WHERE TO USE:

- On patios, walkways or driveways
- In flower [beds] and/& vegetable gardens
- Around shrubs and/& trees
- Along fences and/& foundations
- Edging around lawns
- For garden plot preparation

Questions & comments:

(phone icon) (computer icon)

Call 1-800-332-5533