# CHEMSICO Lawn Granules

# ACCEPTED

MAR 2 7 2002

Under the Federal Insecticide. Furgicide, and field-ancide Ast. an amonded, for the posticide rogistered saider EPA Pag. No. 9688-181

For outdoor use around the home only

[Kills Fire Ant Queen [and Mound in 24 hours] • Kills Fire Ant Queen and Colony [in 24 hrs.] • Kills in 24 hours • Limits New Fire Ant Mound Formation • Works within 24 hours (no waiting for weeks) • Ready-to-use Granules • \*Guaranteed Results or Your Money Back • New! Granules completely dissolve for faster [more complete] active release • [New] Deep Reaching Formula - Completely Dissolves for More Killing Power • Resealable bag • [Kills in 24 hours] • New Exclusive Formula • Low odor • No odor • Kills the mound • Starts to kill in minutes • Starts to kill in hours • Kills Ants, Crickets, Fleas, Grubs [and other listed pests] • Kills Grubs [and Lawn Invading Pests] • Kills on Contact • Controls many destructive lawn insects. including grubs • Kills Mole Crickets and Chinch Bugs • Kills Fire Ants • White grub control • Effective grub control • Kills insects above and below the ground • Use on lawn and as a barrier treatment • [New] Quick Release Formula

### Active Ingredient: Lambda-Cyhalothrin ...... Other Ingredients .....

KEEP OUT OF REACH OF CHILDREN CAUTION See back for additional precautionary statements NET WT. 10 POUNDS [LB] /4.53 kilograms

# **OPTIONAL MARKETING LANGUAGE**

OPTIONAL PRODUCT FACT BOX

Change Highlighted

#### PRODUCT FACTS

#### What it Does:

Helps protect your home from Invading Ants. Also Kills Crickets, Fire Ants, Chinch Bugs, Armyworms, Billbugs, Cutworms, Earwigs, Fleas, Roaches, Grubs, Sod webworms, European Crane Flies, and Other Listed Insects

#### Where to Use: (icon outdoors)

Outdoors, as a Barrier Band Treatment

Alternate: Outdoors, on Lawns and as a Barrier Band Treatment around House Foundation

Questions & Comments: (icon phone) (icon computer) Call 1-800-332-5553 or Visit our Website at www.xxx.com

# STOP. READ ENTIRE LABEL BEFORE USE

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.



Keep children and pets off treated area until product has been watered in and lawn is dry.

#### Three Easy Steps to Use this Product

Step #1: Determine size of the job, measure the area to be treated.

Step #2: Use spreader setting chart to determine appropriate setting for your spreader.

Step #3: Treat as directed in rate chart. Thorough coverage is important. Water in granules immediately after application.

#### NOTE:

- Do not apply more than six (6) times per year per location.
- Do not apply within 24 hours of rain.
- Do not allow product to run off from target site



Spreader Settings for Overall Lawn Application

| Spreader Make and Model | 2 pounds/ 1000<br>square feet           | 3 pounds/ 1000<br>square feet |  |  |
|-------------------------|---|-------------------------------|--|--|
| CYCLONE                 | -v                                      |                               |  |  |
| Rotary                  | 3 1/2 - 4                               | 4 1/2                         |  |  |
| K-GRO                   |   |                               |  |  |
| Rotary                  | 1                                       | 1 1/2                         |  |  |
| Drop                    | 5                                       | 5 1/2                         |  |  |
| REPUBLIC                |   |                               |  |  |
| EZ Drop #530            | 8                                       | 10                            |  |  |
| EZ Drop #540            | 2 1/2                                   | 3                             |  |  |
| SpeedyGreen 2000        | 4 1/2                                   | 5                             |  |  |
| SpeedyGreen 3000        | 4 1/2                                   | 5                             |  |  |
| AccuGreen 1000          | 4 1/2                                   | 5                             |  |  |
| AccuGreen 2000          | 4 1/2                                   | 5                             |  |  |
| AccuGreen 3000          | 4 1/2                                   | 5                             |  |  |
| Drop                    | 5 1/2                                   | 6                             |  |  |
| SEARS                   |   |                               |  |  |
| Rotary                  | 1 1/2                                   | 1 1/2 - 2                     |  |  |
| Drop                    | 5                                       | 6                             |  |  |
| EARTHWAY                |   |                               |  |  |
| Rotary                  | 1 1/2                                   | 1 1/2 - 2                     |  |  |
| PRECISION               | 医氯磺基甲霉菌素                                |                               |  |  |
| Rotary (#S850)          | 3 1/2                                   | 4                             |  |  |
| RED DEVIL               |   |                               |  |  |
| Rotary                  | 3 1/2                                   | 4                             |  |  |
| TRUE TEMPER             | 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - |                               |  |  |
| Rotary                  | 3 1/2                                   | 4                             |  |  |
| Rotary                  | 3                                       | 3 1/2                         |  |  |

Note: The spreader settings listed above are approximate. Accurately weigh a few pounds into your spreader and apply to a measured area. Then adjust spreader setting if necessary, in order to assure correct rate of application.

Treat the following pests during the months indicated. Make no more than 10 applications per year.

| Jan | Feb | Mar | Apr | May      | Jun | Jul   | Aug | Sep | Oct | Nov | Dec |
|-----|-----|-----|-----|----------|-----|-------|-----|-----|-----|-----|-----|
|     |     |     |     | Billbugs |     | Grubs |     |     |     |     |     |
|     |     |     |     |          |     |       |     |     |     |     |     |
|     |     |     |     |          |     |       |     |     |     |     |     |
|     |     |     |     |          |     |       |     |     |     |     |     |

#### DIRECTIONS FOR APPLYING CHEMSICO LAWN GRANULES L

| DIVECTION  | S TON AFFEITING   | GRANULES L  |  |  |
|--|---|---|--|--|
| Treatment<br>Areas                                 | Pests   | How To Use  | Use Rate   |  |
| Band<br>Treatment<br>Around<br>House<br>Foundation | Ants, Fleas,<br>Roaches,<br>Millipedes, Mites,<br>Silverfish, Sowbugs<br>(Pillbugs), Crickets,<br>Earwigs   | These pests are commonly found around or near foundations of houses as well as in lawns. Certain of these pests may enter houses. Apply a 3 to 5 foot band of granules next to the house foundation. Distribute granules uniformly. Water lightly immediately after application.  | Apply at the rate of 2<br>hbs per 1000 sq.ft. (an<br>area 5' x 200') or 3.2<br>oz for each 100 sq.ft.<br>(5' x 20')  |  |
| Overall Lawn<br>Application                        | Ants, Armyworms,<br>Centipedes,<br>European Crane<br>Flies, Crickets,<br>Cutworms, Earwigs,<br>Fleas, Lawn moths<br>(sod webworms),<br>Grasshoppers,<br>Japanese beetle<br>(adults), Pillbugs,<br>Spittle bugs, Mites,<br>Leafhoppers,<br>Millipedes, Sowbugs | Apply with a fertilizer spreader. See spreader setting chart (on the side of bag). Apply when grass is dry. Water lawn lightly immediately after application.   | For application with other types of equipment, apply at the rate of 2 bs. per 1000 sq. ft. (an area 20' by 50') or 3.2 oz. per 100 sq. ft. (an area 10' by 10'). |  |
|  | Billbugs,Grubs, Japanese beetle grubs, Ateenius spretulus (dung beetles),Hyperodes Weevils, Mole Crickets, Chinch bugs  | Immediately water grass thoroughly after application. For billbug control, apply when activity is first observed or when chewed or brown grass indicates damage from these insects. For grub control, except dung beetle, treat any time between late July and early October. For dung beetle grub control, apply in spring or early summer when damage is first noticed. Water grass thoroughly with ½ to ½ inch of water immediately after application. Treat again in late summer or early fall if a second generation occurs. | Apply 3 lbs. per 1000 sq. ft. of lawn,   |  |
| Spot<br>Treatment                                  | Ants  | Water lightly immediately after application   | Apply 1 1/2 teaspoons over and around each ant hill.   |  |
|  | Fire Ant [s]<br>[Mounds]  | Immediately after application, water in thoroughly. A minimum of 1 gallon of water should be applied to each mound area. Apply water gently to avoid disturbing ants. Use of high pressure watering equipment may disturb the ants and cause migration, reducing product effectiveness. NOTE: For best results, apply in cool weather, 65 – 80° F, or in early moming or late evening hours. Treat new mounds as they appear. Fast acting, works within 24 hours.   | Apply 1/2 cup over,<br>and 2 ft. around,<br>each fire ant mound.   |  |

# **OPTIONAL DIRECTIONS FOR BAND TREATMENT**

# **OPTION A**

#### **BAND TREATMENT AROUND HOUSE**

#### General Directions

The following pests are commonly found around or near foundations of houses as well as in lawns. Some of these pests may enter the home. Apply a 3 to 5 foot band of granules next to the house's foundation.

#### INSECTS:

Ants, Mites, Crickets, Earwigs, Fleas Millipedes, Sowbugs (Pillbugs)

#### RATE:

3.2 oz. for each 100 sq. ft. area (5 ft. by 20 ft.).

#### HOW TO USE:

Distribute granules evenly. Water lightly immediately after application.

#### SPOT TREATMENT FOR ANTS

#### RATE:

Apply 1-1/2 teaspoons over and around each ant hill.

#### HOW TO USE:

Water lightly immediately after application.

# **OPTION B**

#### **BAND TREATMENT AROUND HOUSE**

- Chemsico Lawn Granules L kills ants, as well as fleas, mites, crickets, earwigs, millipedes, roaches, sowbugs (pillbugs), silverfish and other pests.
- 2. Break the seal and open the pop-top cap.
- Evenly sprinkle granules in a 3 to 5 foot wide band along the foundation of your home. Granules should be spaced liked the ones pictured below (show picture). Use rate = 2 lbs per 1000 sq.ft. (an area 5' x 200') or 3.2 oz for each 100 sq.ft. (an area 5' x 20')
- 4. Gently water treated areas.

#### **USE TIPS**

- 1. Try to get even coverage throughout your "barrier band".
- 2. Reapply after hard rains to areas where down spouts empty.

#### SPOT TREATMENT FOR ANTS

- 1. Evenly sprinkle granules over and around each ant hill.
- 2. Use 2 oz. (1-1/2 teaspoons) per ant hill. [(NOTE: This package will effectively treat 64 ant hills.) (The note is for a 2 pound package.)]
- 3. Gently water treated areas immediately after application.

#### STORAGE AND DISPOSAL

Reclose container tightly after each use. Store in a cool, dry area which is inaccessible to children and pets. If Empty: Do not reuse this container. Place in trash or offer for recycling if available. If Partly Filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

## PRECAUTIONARY STATEMENTS

#### Hazards to Humans and Domestic Animals

**CAUTION:** Harmful if swallowed. Causes moderate eye irritation, Avoid contact with eyes or clothing. Wash hands thoroughly after handling and before eating or smoking. Food utensits such as spoons or measuring cups must not be used for food purposes after use in measuring pesticides.

#### **First Aid**

If Swallowed: Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person. If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice. Have the product container or label with you when calling a Poison Control Center, doctor, or going for treatment.

#### **Environmental Hazards**

This product is highly toxic to fish and aquatic invertebrates. Do not apply directly to water,

# NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

[\*If you are not satisfied with this product for any reason send your written request for a refund to the address below, together with the original dated store receipt showing the price you paid. Please allow 6-8 weeks for processing]

[Questions or comments? Call 1-800-332-5553]

Made in the USA for Chemsico, Division of United Industries Corporation P.O. Box 142642, St. Louis, MO 63114-0642

EPA Reg. No. 9688-181

EPA Est. No. 9688-MO-1

©2002

