

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Mr. Eric D. Smith Chemso Division of united Industries P.O. Box 142642 St. Louis, MO 63114

MAR 2 5 2010

Subject: Label Notification(s) for Pesticide Registration 2007-4

Dear: Mr. Smith:

Subject: Notification to Make Label Changes

EPA Registration Number: 9688-195 Date of Submission: February 19, 2010

Decision: 429782

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 dated for February 19, 2010

EPA Registration Number: 9688-195 Chemsico RTU Insecticide L

The Registration Division (RD) has conducted a review of this request for applicability Under PRN 2007-4 and finds that the label change(s) requested falls within the scope of PRN-2007-4. The label has been date-stamped "Notification" and will be placed in our records.

Please re reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on non-refillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact Melody Banks on 703 305-5413.

Sincerely,

Richard Gebken Product Manager Insecticide Branch

Registration Division (7504P)

	OPP Identifier Number
,	

Office of Pesticid Washington, D	e Programs (H7505C) C 20460 n for Pesticide:		Registration Amendment Other	OPP Identifier Number	
	Section I				=
1. Company/Product Number	2.Prod	luct Manager	3. Proposed Classifica	ation	=
9688-195		K. Nesci			
4. Company/Product (Name)	PM#		X None	Restricted	
Chemsico RTU Insecticide L		13			
5. Name and Address of Applicant (include ZIP C Chemsico, Div. Of United Industries Corp. P.O. Box 142642		pedited Review. In a my product is similar or id	accordance with FIFRA dentical in composition	. ,, ,	
St. Louis, MO 63114	FPA R	EPA Reg. No.			
Check if this is a new address		ct Name			_
	Section II				=
Amendment - Explain below Resubmission in response to Agency letter of Notification - Explain below. Explanation: Use additional page(s) if necessary. Label Notification per PR Notice PRN 2007-4, PRN 2	(For section I and Sec	Other - explain below	MA	R Z 5 2010	_
Please see cover letter for details.)	Section III				_
1. Material in Which This Product Will Be Packaged:		0.1.11.0	10 ±		_
Child-Resistant Packaging Yes * X No * Certification must be submitted Unit Packaging Yes X No If "YES," Unit package wgt	No. per If "YE container Packag	S," No. per	2. Type of Container Metal X Plastic Glass Paper Other (Sp	ecify)	-
3. Location of Net Contents Information	4. Size(s) of Retai	I Container	5. Location of Label D	Pirections	_
X Label Container	32, 128 oz		X On Label On Labeling acco	ompanying product	
6. Manner in Which Label Is Affixed To Product	Lithographed X Paper glued Stenciled		Other		-
	Section IV			0 C C	=
Contact Point (Complete items directly below for identification)		ual to be contacted, if ne	cessary, to process this	s application)	=
Name	Title		Telephone No. (incl	ude රුවේ රුode)	_
Eric D. Smith	Regulatory Affa	airs Manager	314-ॢ\$83-22ॄ55	0 0000	
Certificati I certify that the statements I have made on this for I acknowledge that any knowingly false or mislead both under applicable law.	e, and complete.c	6 c Date Application c Rescived c (Stanped)			
2. Signature		gulatory Affairs Ma	nager	(((((((((((((((((((
4. Typed Name Fric D. Smith	5. Date	e oruary 19, 2010			

3-18

Chemsico

Division of United Industries P.O. Box 142642 St. Louis, MO 63114-0642

cecee

€ 0

c

February 19, 2010

Document Processing Desk (NOTIF)
Office of Pesticide Programs
United States Environmental Protection Agency
Room S4900, One Potomac Yard
2777 S. Crystal Drive
Arlington, VA 22202-4501

Attention:

Ms. Kimberly Nesci

Product Manager Team 13

Subject:

NOTIFICATION: Label Notification per PRN 2007-4, PRN 2008-1, PRN 98-10 &

EPA's June 4, 2009 General Labeling for Pyrethroid Notification letter

Chemsico RTU Insecticide L EPA Reg. No. 9688-195

Please find the enclosed application for notification of the following registration amendments:

A. Pesticide Registration Notice (PR) 2007-4, Final Rule "Pesticide Management and Disposal; Standards for Pesticide Containers and Containment:

We have adopted the exact language set forth in PRN 2007-4.

This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirement of 40 CFR 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

B. Pesticide Registration Notice (PRN) 2008-1, Environmental Hazard General Labeling Statements on Outdoor Residential Use Products:

We have adopted the exact language set forth in PRN 2008-1.

This notification is consistent with the guidance in PR Notice 2008-1 and the requirements of EPA's regulations at 40 CFR 156.10, 40 CFR 156.80, and 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the guidance of PR

Notice 2008-1 and the requirements of 40 CFR 156.10, 40 CFR 156.80, and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

C. Environmental Hazard and General Labeling for Pyrethroid Non-Agricultural Outdoor Products per the June 4, 2009 Letter from EPA:

We have adopted the appropriate label statements to be included in the "Directions for Use" section of the label.

This notification is consistent with the guidance in the June 4, 2009 letter and the requirements of EPA's regulations at 40 CFR part 156. No other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR part 156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

D. Pesticide Registration (PR) Notice 98-10:

We have updated the label warranty statement in accordance to the EPA's October 17, 2006 Guidance on Warranty Statements.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

The following documents are enclosed in support of this submission:

- 1. Application for Pesticide (EPA Form 8570-1)
- 2. One copy of the proposed label with changes highlighted
- 3. One clean copy of the proposed label

Please call me at 1-800-242-1166, Ext. 2455 or via email: eric.smith@spectrumbrands.com, if you have questions or need further information. Thank you very much for your attention to our application.

Sincerely

Eric D. Smith

Regulatory Affairs Manager

. . . .

CHEMSICO RTU INSECTICIDE L

NOTIFICATION MAR 2 5 2010

For Outdoor Use Around the Home Only

[Protects Listed Areas:] [Protects] Lawns, Vegetables, Roses, Flowers, Trees, Shrubs • Wide Range of Control: [Controls] Ants, Aphids, Chinch Bugs, Cutworms, Flea Beetles, Mites, Sod Webworms & many others as listed . Controls tough outdoor insects • Kills Lawn and Garden Insects...including chinch bugs, European crane flies, fleas, sod webworms, aphids, Japanese beetles, whiteflies, ants, mites, deer ticks and other listed insects . Low Odor [Formula] . Kills 130+ Pests [Insects] [On Contact] • Kills over 130 Pests [Insects] [On Contact] • Works [Kills] in 24 Hours • Won't Harm Delicate Ornamentals [Flowers] [Shrubs] • Protects Delicate Ornamentals • Won't Harm Plants • Protects Plants • Use to Protect Flowers. Shrubs and Ornamentals [from harmful insects] [insect damage] • Long lasting protection [for up to 8 weeks on vinyl [siding][surfaces] • Long Lasting Formula [Protects Up to 8 Weeks on vinyl [siding][surfaces] • Kills Over 130 Insects On Contact • Keeps Killing [Protecting] for up to 8 Weeks on vinyl [siding][surfaces] Ideal for Spot Treatment ● Ready-To-Use ● New Formula ● New ● †Guaranteed Results or Your Money Back ● Water-based ● Long Lasting Formula • ‡Non-staining • Kills Bugs and Keeps them Away for 8 weeks on vinyl [siding][surfaces] • Up to 2 month control outdoors on vinyl [siding] [surface] • Kills on Contact • Kills over 130 garden] [and] [nuisance] pest/insects without harming [vegetables] [fruits] [roses] or [other outdoor plants]

Active Ingredient

နိုင်္ငို မိုင္ငံ KEEP OUT OF REACH OF CHILDREN

CAUTION See end of booklet for additional precautionary statements [Option for booklet label: See back booklet for additional pracautionary statements]

Net [Contents] 1 Qt (32 fl oz./ 946 mL)

OPTIONAL PRODUCT FACT BOX

PRODUCT FACT BOX

What it Does:

Kills Ants, Fleas, Chinch Bugs, Sod Webworms, Aphids, Beetles, Whiteflies, Mites, Deer Ticks, Japanese Beetles, European Crane Flies and Other Listed Insects

Where to Use: (icon outdoors) For Use On Vegetables, Fruits, Roses. Flowers, Shrubs, Trees and Other Outdoor Plants and Surfaces. Questions & Comments: (phone icon) (computer icon)

OPERATING INSTRUCTIONS FOR EZ SPRAY™

Call 1-800-332-5553 or visit our website at www.website.com

- 1. Remove sprayer from side holder. Gently pull tubing out. [Graphic depiction]
- Remove seal from top of cap. Unplug cap. [Graphic depiction]
- Securely snap the [green] plug into hole on cap. [Graphic depiction]
- 4. Remove plastic tab near bottom of sprayer to activate batteries. [Graphic depiction1
- 5. Twist nozzle to adjust spray from CLOSE to SPRAY to STREAM. [Graphic depiction

HOW TO USE THE EZ SPRAY

- Aim toward target site, and away from people and pets.
- Press the trigger to spray.
- Release the trigger to stop spray.

After use: 1. Twist nozzle completely to CLOSE position, 2. Secure sprayer upright in holder. 3. Failure to adjust nozzle completely to CLOSE position and properly secure sprayer in holder may result in leakage and damage to property or injury to people or animals.

To replace batteries: 1. Slide battery compartment door to unlatch and open. 2. Remove used batteries and insert four new AA batteries in correct positions as marked per diagram inside of battery compartment. Never insert the positive end where the negative end belongs and vice versa. Always use a complete set of new batteries of the same type when replacing batteries. Never mix alkaline, carbon-zinc or rechargeable batteries, 3, Securely close battery compartment door, 4. Always follow manufacturer's recommendations for use and disposal of batteries.

Additional Operating Notes: • Do not submerge in water. • Before each use inspect sprayer carefully, make sure hose is flexible and not kinked, worn or cracked, and that all connections are tight. • When storing sprayer for prolonged periods remove batteries.

STOP. READ ENTIRE LABEL BEFORE USE

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.



Do not allow children or pets into the treated area until dry.

- Do not water the treated area to the point of run-off.
- Do not make applications during rain.
- All outdoor applications must be limited to spot or crack-and-crevice treatments only except for the following permitted uses:
 - 1. Treatment to soil or vegetation around structures
 - 2. Applications to lawns, turf, and other vegetation
 - 3. Applications to building foundations, up to a maximum height of 3 feet. Other than applications to building foundations, all outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors, and eaves) are limited to spot and crack-and-crevice applications, only.
- Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.

In New York State, this product may not be applied to lawns within 100 ft of a coastal marsh, or stream that drains directly into a coastal marsh.

[OPTIONAL DIRECTIONS FOR CAPTIVE SPRAYER PRODUCT] HOW TO USE

BEFORE USE:

- 1. Shake well before each use.
- 2. Peel sticker from hip-top cap and open cap. Discard sticker.

0 0 0 000

- 3. Remove sprayer from its statebeneath the bottle handle and remove and discard plastic wrap. Pull black hose tip to completely extend tubing.
- 4. Firmly press black hose tip into opening in cap until it snaps into place.
- 5. Hold: sgrayor below the devel of the centainer and prime by pumping trigger several times until productis dispensed.
- 6. Adjust nozzle to desired setting

AFTER USE:

- 7. To store, turn sprayer nozzle off.
- 8. DO NOT disconnect hose.
- 9. Return sprayer to its slot. Hose can be pushed back into sprayer handle.

[DIRECTIONS FOR HAND SPRAYER PRODUCT]

[How to prime and care for your sprayer:

- After shaking product well, remove cap from container and replace with sprayer hose and cap assembly. Tighten securely.
- 2. Turn sprayer nozzle one half turn counter-clockwise. Hold sprayer below the level of container and prime by pumping trigger 10 15 times until product is dispensed. Adjust nozzle to fine spray or jet stream as needed.
- 3. To store, turn nozzle to "OFF" position and [store with sprayer above level of liquid in container to prevent leakage] [store sprayer on hook located near bottle handle to prevent leakage].

[DIRECTIONS FOR TRIGGER SPRAYER PRODUCT]

[HOW TO USE]

- 1. Shake well before each use.
- Adjust nozzle to narrow fan spray, to prevent excessive wetting and waste of product. Hold sprayer about 12 inches from plant. Spray just enough to cover area to be treated.]

[DIRECTIONS FOR NESTED SPRAYER PRODUCT]

[HOW TO USE

- 1. Shake well before each use.
- 2. Pull tab outward.
- 3. Rotate lock ring counter-clockwise to unlock.
- 4. Pull sprayer to uncoil tubing.
- Turn sprayer nozzle one half turn counter-clockwise. Hold sprayer below the level of container and prime by pumping trigger 10 - 15 times until product is dispensed. Adjust nozzle to fine spray or jet stream as needed.
- 6. To store [replace], turn nozzle to "OFF" position and return sprayer to bottle opening.
- 7. Drape tubing through slot in the spray handle.
- 8. Turn lock ring clockwise to lock.

‡NOTE: This product is non-staining to most home siding depending on age and cleanliness. However, before using in areas where the spray may contact home siding (vinyl siding in particular), test in an inconspicuous area and recheck in a few hours. Do not use if any staining is observed.

LAWNS

SURFACE INSECTS including ants*, armyworms, cockroaches (German and American), crickets, cutworms, earwigs, European crane flies, fleas, frit flies,

Green June beetles, lawn moths (sod webworms), millipedes, Palmetto bugs, sowbugs, mites, spittlebugs, springtails, deer ticks (which may transmit Lyme Disease), and waterbugs. Thoroughly wet down grass a few hours before applying. Apply to lawn as a thorough coverage spray. 1 gallon will treat 250 sq ft. Delay additional watering or mowing for 24 hours after application for optimum control of surface insects. Treat ants and other insects when they first appear or you notice lawn damage. Do not apply more than 10 times per location, per year.

*Allegheny mound, Argentine, Black carpenter, Cornfield, Field, Florida carpenter, Harvester, Honey, Pavement, Southern, Sugar, Nuisance.

[NUSIANCE] PESTS OUTSIDE THE HOME

As an aid in controlling ants*, centipedes, cockroaches, crickets, fleas, flies, gnats, millipedes, mosquitoes, pillbugs, scorpions, sowbugs, spiders and deer ticks.

Apply as a continuous band of insecticide around building foundation and around windows, doors, eaves, vents and other areas to greatly reduce the potential for entry by crawling pests. For easier application, remove debris and leaf litter from next to the foundation, cut back vegetation and branches that touch the foundation, and move or rake back rocks, deep mulch, or other potential pest harborage next to the foundation. Apply a 3 ft band around the structure and upwards along the foundation to 3 feet and around windows, doors, and roof overhangs. Apply as a coarse spray to thoroughly and uniformly wet the foundation and/or band area so that the insecticide will reach the soil or thatch level where pests may be active. 1 gallon will treat 250 sq ft of surface area.

OUTDOOR SURFACES USE: As an aid in controlling ants*, centipedes, cockroaches, crickets, fleas, flies, gnats, millipedes, mosquitoes, pillbugs, scorpions, sowbugs, spiders and deer ticks. Apply as a residual treatment to ornamental plants next to foundations of buildings and to surfaces of buildings, porches, screens, window frames, eaves, patios, garages and other similar areas where these pests are active. Keeps working for up to 8 weeks on vinyl [siding][surfaces].

*Allegheny mound, Argentine, Black carpenter, Cornfield, Field, Florida carpenter, Harvester, Honey, Pavement, Southern, Sugar, Nuisance.

ORNAMENTAL TREES SHRUBS AND FLOWERS

[For use on ornamental trees, shrubs and flowers such as but not limited to: Ageratum, Ash, Aster, Arborvitae, Arizona Cypress, Azaleas, Begonia, Birch, Boxwood, Box Elder, Camellias, Cherry (ornamental), Non-bearing Citrus, Chrysanthemums, Carnations, Coleus, Common Ninebark, Conifers, Douglas Fir, Elm, English wy, Euongmus, Exacum, Weeping Fig, Fir, Gladioli, Gold Bells, Hawthorn, Holly, Honeysuckle, Hypoestes, Ivy, Juniper, Lilac, Locust, Maple, Marigold, Mimosa, Mock Orange, Nannyberry, Oak, Orchid, Palm, Pansy, Pea Shrub, Petunia, Philodendron, Pine, Ornamental Plum, Poinsettia,

Poplar, Tulip Poplar, Rhododendron, Roses, Snapdragon, Snowberry, Spruce, Taxus, Willow, Zinnia.]

To control [kill] ants*, armyworms, azalea caterpillar, aphids, bagworms, black vine weevil (adult), box elder bugs, broadmites, brown softscale, budworms, California oakworm, California redscale (crawlers) cankerworms, clover mites, cockroaches, crickets, cutworms, Eastern tent caterpillar, elm leaf beetles, European sawfly, fall webworm, flea beetles, forest tent caterpillar, gypsy moth larvae, Japanese beetles (adults), June beetles (adults), lace bugs, leaf-feeding caterpillars, leafhoppers, leafminers (adults), leaf rollers, leaf skeletonizers, mealybugs, midges, oleander moth larvae, pillbug, pineneedle scale (scrawler), pine sawfly, pine shoot beetles, pinetip moths, plant bugs, root weevil, sawfly, scale insects (crawlers), spiders, spider mites, spittlebugs, striped beetles, striped oakworm, thrips, tip moth, tussock moth larvae, whiteflies.

*Allegheny mound, Argentine, Black carpenter, Cornfield, Field, Florida carpenter, Harvester, Honey, Pavement, Southern, Sugar, Nuisance.

Apply as a thorough foliar spray.

- For best results, apply early before insect populations are high.
- For scale control, treat entire plant, including stem, trunks and twigs.
- For bagworm control, apply when bagworm larvae begin to hatch.
- For best results, apply to both sides of plant leaves and all plant surfaces where insects are present.

VEGETABLES

For use on Broccoli, Brussels Sprouts, Cabbage, Cavalo Broccoli, Cauliflower, Chinese Broccoli, Chinese Cabbage, Chinese Mustard, and Kohlrabi to control [kill]: Alfalfa Looper, Cabbage Looper, Imported Cabbageworm, Southern Cabbageworm, Cutworm, Cabbage Webworm, Diamondback moth, Armyworm, Beet Armyworm, Fall Armyworm, Yellow-striped Armyworm, Corn Earworm, Flea Beetle, Japanese Beetle (Adult), Grasshopper, Leafhopper, Plant Bug, including Lygus Bug, Stink Bug, Meadow Spittlebug, Aphid, Whitefly, Thrips, Spider Mite.

For use on Corn (sweet and pop) to control [kill] Cutworm, Western Bean Cutworm, Corn Earworm, Green Cloverworm, Meadow Spittlebug, Tobacco Budworm, European Corn Borer, Southwestern Corn Borer, Stalk Borer, Hop Vine Borer, Armyworm, Beet armyworm, Western Corn Rootworm Beetle (adult), Northern Corn Rootworm Beetle (adult), Southern Corn Rootworm Beetle (adult), Mexican Corn Rootworm Beetle (adult), Bean Leaf Beetle, Cereal Leaf Beetle, Japanese Beetle (adult), Sap Beetle (adult), Stink Bug, Grasshopper, Corn Leaf Aphid, English Grain Aphid, Chinch Bug, Green Bug.

Sweet corn only: Southern Armyworm, Western Bean Cutworm, Tarnished Plant Bug, Aster Leafhopper, Aphid, Spider Mite, Corn silkfly (adult).

For use on Lettuce (head and leaf) to control [kill]: Alfalfa Looper, Cabbage Looper, Imported Cabbageworm, Cutworm, Saltmarsh Caterpillar, Green Cloverworm, Diamondback moth, Armyworm, Beet Armyworm, Fall Armyworm, Southern Armyworm, Corn Earworm, Tobacco Budworm, European Corn Borer, Flea Beetle, Japanese Beetle (Adult), Vegetable Weevil (adult), Grasshopper, Leafhopper, Plant Bug, Stink Bug, Meadow Spittlebug, Aphid, Whitefly, Spider Mite.

For use on Onion (bulb) and Garlic to control [kill]: Cutworm, Seedcorn Maggot (adult), Onion Maggot (adult), Leafminer, (adult), Armyworm, Onion Thrips, Tobacco Thrips, Western Flower Thrips, Flower Thrips, Aphid, Plant Bug, Stink Bug.

For Use on Tomato and Tomatillo to control [kill]: Cabbage Looper, Cutworm spp., Hornworm, Tomato Fruitworm, Tobacco Budworm, Tomato Pinworm, Beet Armyworm, Southern Armyworm, Yellow-striped Armyworm, Fall Armyworm, European Corn Borer, Leafminer, Colorado Potato Beetle, Flea Beetle, Grasshopper, Leafhopper, Aphid, Whitefly, Meadow Spittlebug, Stink Bug, Plant Bug.

Apply for uniform coverage. Try to hit underside of leaves [and penetrate dense foliage]. Do not apply more than 5 times per growing season to corn. For all other crops do not apply more than 9 times per growing season.

NUMBER OF DAYS TO WAIT BETWEEN THE LAST APPLICATION AND HARVEST (PHI)				
VEGETABLES	PHi			
Broccoli, Brussels sprouts, Cabbage, Cavalo Broccoli, Cauliflower, Chinese Broccoli, Chinese Cabbage, Chinese Mustard, Kohlrabi, Lettuce (Head & Leaf)	1			
Tomatoes and Tomatillos	5			
Onions (bulb), Garlic	14			
Corn (sweet and pop)	21			
PHI = Pre-Harvest Interval o c o				

STORAGE AND DISPOSAL

Store in a cook dry area away from heat of open flame. If empty: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

STORAGE AND DISPOSAL (FOR EZ SPRAY™)

Storage: Turn the nozzle to "CLOSE" position. To prevent leakage, attach sprayer to clip. Store this product only in its original container in a secure storage area away from sources of heat or open flame and in an area inaccessible to children and pets. Keep from freezing. Disposal: Nonrefillable container. Do not reuse or refill this container unless the directions for use allow a different (concentrated) product to be diluted in the container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

First Aid

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.

Environmental Hazards

This product is extremely toxic to fish and other aquatic organisms. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

[Questions or comments? Call 1-800-332-5553]

[†If you are not satisfied with this product for any reason, send your written request for a refund to the address below, together with the original dated store receipt showing the price you paid. Please allow 6-8 weeks for processing.]

Made in the USA for Chemsico, Division of United Industries Corporation PO Box 142642, St. Louis, MO 63114-0642

EPA Reg. No. 9688-195 EPA Est. No. 9688-MO-1

©2010

