



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

February 12, 2026

Christina Griffin
Regulatory Affairs
Spectrum Brands – Home and Garden Division
One Rider Trail Plaza Drive, Suite 300
Earth City, MO 63045

Subject: Label Amendment - Registration Review Mitigation for Lambda-cyhalothrin
Product Name: CHEMSICO RTU INSECTICIDE L
EPA Registration Number: 9688-195
Case Number: 473012
Application Dates: February 17, 2022

Dear Christina Griffin:

The Agency, in accordance with the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, has completed reviewing all the information submitted with your application to support the Registration Review of the above referenced product in connection with the Lambda-Cyhalothrin and Gamma-Cyhalothrin Interim Decision, and has concluded that your submission is acceptable. The label referred to above, submitted in connection with registration under FIFRA, as amended, is acceptable.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling and must be used at your next label printing. You must submit one copy of the final printed labeling before you release the product for

shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 12 months from the date of this letter. After 12 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

If you have any questions about this letter, please contact Theodore Varns by phone at 202-566-2241, or via email at varns.theodore@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read "Kevin Costello".

Kevin Costello, Branch Chief
Risk Management and Implementation Branch 2
Pesticide Re-Evaluation Division
Office of Pesticide Programs

ENCLOSURE: Stamped label

CHEMSICO RTU INSECTICIDE L**For Outdoor Use Only**

[Protects Listed Areas:] [Protects] Vegetables, Roses, Flowers, Trees, Shrubs • Ants, Aphids, Chinch Bugs, Cutworms, Flea Beetles, Mites, Sod Webworms & many others as listed • Controls tough outdoor insects • Kills Garden Insects...including chinch bugs, European crane flies, fleas, sod webworms, aphids, Japanese beetles, whiteflies, ants*, mites, deer ticks and other listed insects • Low Odor [Formula] • Kills 130+ Pests [Insects] [On Contact] • Kills over 130 Pests [Insects] [On Contact] • Works [Kills] in 24 Hours • Won't Harm Delicate Ornamentals [Flowers] [Shrubs] • Protects Delicate Ornamentals • Won't Harm Plants • Protects Plants • Use to Protect Flowers, Shrubs and Ornamentals [from harmful insects] [insect damage] • Long lasting protection [for up to 8 weeks on vinyl [siding][surfaces] • Long Lasting Formula [Protects Up to 8 Weeks on vinyl [siding][surfaces] • Kills Over 130 Insects On Contact • Keeps Killing [Protecting] for up to 8 Weeks on vinyl [siding][surfaces] • Ideal for Spot Treatment • Ready-To-Use • †Guaranteed Results or Your Money Back • Long Lasting Formula • †Non-staining • Kills Bugs and Keeps them Away for 8 weeks on vinyl [siding][surfaces] • Up to 2 month control outdoors on vinyl [siding] [surface] • Kills on Contact • Kills over 130 garden] [and] [nuisance] pest/insects without harming [vegetables] [fruits] [roses] or [other outdoor plants] • Kills [Mosquitoes], [Ants*], [Spiders], [Fleas], [Deer Ticks] [and other listed insects] [on contact]• Kills listed outdoor insects • [Treats] [Protects] [Covers] a XXX area. • Continuous Spray • Increased Pressure for (5 Minute) Continuous Spray • Up to 5 minutes of Continuous Spray • Adjustable Spray Patterns [For Spot Application][Covers Large Area] • Extended Wand for Hard-to-Reach Areas • Locking Trigger Reduces Hand Fatigue • Easy Action Pump [Sprayer] • No Assembly Required] • Reusable Battery Sprayer •Battery Powered Sprayer •Reusable Auto Trigger [Sprayer]• For Use with Reusable Auto Trigger [Sprayer] • Refill •Continuous [Adjustable] Spray [for Entire Home Protection] • Continuous Action Power Sprayer • Continuous Power Trigger [Spray] • Press and Hold Technology• EZSpray • Comfort Power Sprayer [Trigger] •Reduces[No] Hand Fatigue •No pumping [no squeezing], just press to spray • Batteries [not] included • Includes [X] AA Batteries • For use around [foundations], [porches], [wood fences], & [decks]

Active Ingredient	
Lambda-Cyhalothrin	0.002%
Other Ingredients	99.998%

KEEP OUT OF REACH OF CHILDREN

CAUTION See end of booklet for additional precautionary statements [Option for booklet label: See back booklet for additional precautionary statements]

Net [Contents] 1 Qt (32 fl oz./ 946 mL)

[Bracketed Text] = Optional language

OPTIONAL PRODUCT FACT BOX**PRODUCT FACT BOX****What it Does:**

Kills Ants, Fleas, Chinch Bugs, Sod Webworms, Aphids, Beetles, Whiteflies, Mites, Deer Ticks, Japanese Beetles, European Crane Flies and Other Listed Insects

Where to Use: (icon outdoors) For Use On Vegetables, Fruits, Roses, Flowers, Shrubs, Trees and Other Outdoor Plants and Surfaces. [For use around decks, patios, porches, foundations & wood fences]

Questions & Comments: (phone icon) (computer icon)

*Allegheny mound, Argentine, Black carpenter, Cornfield, Field, Florida carpenter, Harvester, Honey, Pavement, Southern, Sugar, Nuisance.

OPERATING INSTRUCTIONS FOR EZ SPRAY™

1. Remove sprayer from side holder. Gently pull tubing out. [Graphic depiction]
2. Remove seal from top of cap. Unplug cap. [Graphic depiction]
3. Securely snap the [green] plug into hole on cap. [Graphic depiction]
4. Remove plastic tab near bottom of sprayer to activate batteries. [Graphic depiction]
5. Twist nozzle to adjust spray from CLOSE to SPRAY to STREAM. [Graphic depiction]

HOW TO USE THE EZ SPRAY

- Aim toward target site, and away from people and pets.
- Press the trigger to spray.
- Release the trigger to stop spray.

ACCEPTED

Feb 12, 2026

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under
EPA Reg. No. 9688-195

After use: 1. Twist nozzle completely to CLOSE position. 2. Secure sprayer upright in holder. 3. *Failure to adjust nozzle completely to CLOSE position and properly secure sprayer in holder may result in leakage and damage to property or injury to people or animals.*

To replace batteries: 1. Slide battery compartment door to unlatch and open. 2. Remove used batteries and insert four new AA batteries **in correct positions** as marked per diagram inside of battery compartment. Never insert the positive end where the negative end belongs and vice versa. **Always** use a complete set of new batteries of the same type when replacing batteries. **Never** mix alkaline, carbon-zinc or rechargeable batteries. 3. Securely close battery compartment door. 4. **Always** follow manufacturer's recommendations for use and disposal of batteries.

Additional Operating Notes: • Do not submerge in water. • Before each use inspect sprayer carefully, make sure hose is flexible and not kinked, worn or

cracked, and that all connections are tight. • When storing sprayer for prolonged periods remove batteries.

STOP. READ ENTIRE LABEL BEFORE USE

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.



Do not allow children or pets into the treated area until dry.

Do not apply directly to residential lawns and turf in residential settings (e.g., homes, parks, schools, athletic fields or any other area frequented by the general public).

All outdoor spray applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:

1. Application to pervious surfaces such as soil, and vegetation;
2. Perimeter band treatments of 7 feet wide or less from the base of a man-made structure to pervious surfaces (e.g., soil, mulch, or groundcover that abuts the perimeter of the treated structure);
3. Applications to underside of eaves, soffits, doors, or windows permanently protected from rainfall by a covering, overhang, awning, or other structure;
4. Applications around potential exterior pest entry points into man-made structures such as doorways and windows, when limited to a band not to exceed one inch;
5. Applications to vertical surfaces (such as the side of a man-made structure) directly above impervious surfaces (e.g., driveways, sidewalks, etc.), up to 2 feet above ground level;
6. Applications to vertical surfaces directly above pervious surfaces, such as soil, mulch or vegetation) only if the pervious surface does not drain into ditches, storm drains, gutters, or surface waters.

Spot treatments must not exceed two square feet in size (for example, 2 ft. by 1 ft. or 4 ft. by 0.5 ft.).

For soil or foliar applications, do not apply by ground within 25 feet of lakes, reservoirs, rivers, permanent streams, marshes or natural ponds, estuaries and commercial fish farm ponds.

Do not make applications during rain. Avoid making applications when rainfall is expected before the product has sufficient time to dry (minimum 4 hours).

Rainfall within 24 hours after application may cause unintended runoff of pesticide application.

Do not apply the product into fish pools, ponds, streams, or lakes. Do not apply directly to sewers or storm drains, or to any area like a drain or gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur.

Do not allow the product to enter any drain during or after application.

Do not apply directly to impervious horizontal surfaces such as sidewalks, driveways, and patios except as a spot or crack-and-crevice treatment.

Do not apply or irrigate to the point of runoff.

Treat surfaces to ensure thorough coverage but avoid runoff.

To treat insects harbored in voids and cracks-and-crevices, applications must be made in such a manner to limit dripping and avoid runoff onto untreated structural surfaces and plants.

In New York State, this product may not be applied within 100 ft of a coastal marsh, or stream that drains directly into a coastal marsh.

[OPTIONAL DIRECTIONS FOR CAPTIVE SPRAYER PRODUCT]

HOW TO USE

BEFORE USE:

1. Shake well before each use.
2. Peel sticker from flip-top cap and open cap. Discard sticker.
3. Remove sprayer from its slot beneath the bottle handle and remove and discard plastic wrap. Pull black hose tip to completely extend tubing.
4. Firmly press black hose tip into opening in cap until it snaps into place.
5. Hold sprayer below the level of the container and prime by pumping trigger several times until product is dispensed.
6. Adjust nozzle to desired setting.

AFTER USE:

7. To store, turn sprayer nozzle off.
8. DO NOT disconnect hose.
9. Return sprayer to its slot. Hose can be pushed back into sprayer handle.

[DIRECTIONS FOR HAND SPRAYER PRODUCT]

[How to prime and care for your sprayer:

1. After shaking product well, remove cap from container and replace with sprayer hose and cap assembly. Tighten securely.
2. Turn sprayer nozzle one half turn counter-clockwise. Hold sprayer below the level of container and prime by pumping trigger 10 - 15 times until product is dispensed. Adjust nozzle to fine spray or jet stream as needed.
3. To store, turn nozzle to "OFF" position and [store with sprayer above level of liquid in container to prevent leakage] [store sprayer on hook located near bottle handle to prevent leakage].

[DIRECTIONS FOR TRIGGER SPRAYER PRODUCT]

[HOW TO USE

1. Shake well before each use.
2. Adjust nozzle to narrow fan spray, to prevent excessive wetting and waste of product. Hold sprayer about 12 inches from plant. Spray just enough to cover area to be treated.]

[DIRECTIONS FOR NESTED SPRAYER PRODUCT]

[HOW TO USE

1. Shake well before each use.
2. Pull tab outward.
3. Rotate lock ring counter-clockwise to unlock.
4. Pull sprayer to uncoil tubing.
5. Turn sprayer nozzle one half turn counter-clockwise. Hold sprayer below the level of container and prime by pumping trigger 10 - 15 times until product is dispensed. Adjust nozzle to fine spray or jet stream as needed.
6. To store [replace], turn nozzle to "OFF" position and return sprayer to bottle opening.
7. Drape tubing through slot in the spray handle.
8. Turn lock ring clockwise to lock.

†NOTE: This product is non-staining to most home siding depending on age and cleanliness. However, before using in areas where the spray may contact home siding (vinyl siding in particular), test in an inconspicuous area and recheck in a few hours. Do not use if any staining is observed.

[DIRECTIONS FOR AUTO TRIGGER [SPRAYER]]

HOW TO USE

1. Shake well before use.
2. Remove plastic tab near top of sprayer to activate batteries [graphic depiction]
3. Twist nozzle to adjust spray from CLOSE to SPRAY or STREAM. [graphic depiction]
4. [Press the trigger to spray]. Spray just enough to cover area to be treated. Avoid contamination of food, feedstuffs and domestic water supplies. All food-processing

surfaces and utensils should be covered during treatment or thoroughly washed before use. Remove pets and birds and cover fish aquariums before spraying.

5. Release the trigger to stop spray.

Keep the reusable auto trigger [sprayer] for use on compatible refills.

[EASY ACTION PUMP [SPRAYER] Directions] [HOW TO USE THE EASY ACTION PUMP [SPRAYER]]

[1. For the initial use, remove the tie that is securing the handle to the base of the pump.

2. **REMOVE THE WAND** from the holster and **PULL THE HOSE** from the storage compartment.

3. Make sure the sprayer wand is securely tightened to the spray handle. (Graphical representation.)

4. **TURN THE PUMP HANDLE CLOCKWISE** to tightly seal the pump to the bottle and unlock the pump handle for pumping. (Graphical representation)

5. **RAISE THE PUMP HANDLE FROM THE BOTTLE AND PUMP** until you begin to feel resistance. (Graphical representation)

6. Secure the pump handle for carrying by pushing the handle into the base of the pump and turn the handle counterclockwise one quarter turn to lock. (Graphical representation)

7. **BEGIN SPRAYING** by pushing down on the spray handle trigger. (Graphical representation)

8. **ROTATE THE NOZZLE AT THE TIP** of the wand to adjust the spray from a direct spray to a broadcast mist. (Graphical representation)

9. For continuous spray, push the trigger down and slide it forward to lock. **SLIDE THE TRIGGER BACK TO RELEASE** it from the lock position.

Note: If sprayer does not function properly, remove nozzle cover and check nozzle and holes in rubber component for obstructions. Replace nozzle cover and use as instructed above.]

[NUISANCE] PESTS OUTSIDE THE HOME

To kill ants*, centipedes, cockroaches, crickets, fleas, flies, gnats, millipedes, mosquitoes, pillbugs, scorpions, sowbugs, spiders and deer ticks.

Apply as a continuous band of insecticide around building foundation and around windows, doors, eaves, vents and other areas to greatly reduce the potential for entry by crawling pests. For easier application, remove debris and leaf litter from next to the foundation, cut back vegetation and branches that touch the foundation, and move or rake back rocks, deep mulch, or other potential pest harborage next to the foundation. Apply a 3 ft band around the structure and upwards along the foundation to 3 feet and around windows, doors, and roof overhangs. Apply as a coarse spray to thoroughly and uniformly wet the foundation and/or band area so that the insecticide will reach the soil or thatch level where pests may be active. 1 gallon will treat 250 sq ft of surface area.

OUTDOOR SURFACES USE: To kill ants*, centipedes, cockroaches, crickets, fleas, flies, gnats, millipedes, mosquitoes, pillbugs, scorpions, sowbugs, spiders and deer ticks. Apply as a residual treatment to ornamental plants next to foundations of buildings and to surfaces of decks, buildings, porches, screens, window frames, eaves, patios, garages and other similar areas where these pests are active. Keeps working for up to 8 weeks on vinyl [siding][surfaces].

[CAMPsite PEST CONTROL]

To kill ants*, centipedes, cockroaches, crickets, fleas, flies, gnats, millipedes, mosquitoes, pillbugs, scorpions, sowbugs, spiders and deer ticks.

Campsite Treatment:

Apply as a continuous band of insecticide around camping area to greatly reduce the potential for entry by crawling pests. For best results, remove debris and leaf litter from the treatment area. Apply a 3 ft band around the area. Apply as a coarse spray to thoroughly and uniformly wet the camping area so that the insecticide will reach the soil or thatch level where pests may be active.

*Allegheny mound, Argentine, Black carpenter, Cornfield, Field, Florida carpenter, Harvester, Honey, Pavement, Southern, Sugar, Nuisance.

ORNAMENTAL TREES, SHRUBS AND FLOWERS

[For use on ornamental trees, shrubs and flowers such as but not limited to:

Ageratum, Ash, Aster, Arborvitae, Arizona Cypress, Azaleas, Begonia, Birch, Boxwood, Box Elder, Camellias, Cherry (ornamental), Non-bearing Citrus, Chrysanthemums, Carnations, Coleus, Common Ninebark, Conifers, Douglas Fir, Elm, English Ivy, Euonymus, Exacum, Weeping Fig, Fir, Gladioli, Gold Bells, Hawthorn, Holly, Honeysuckle, Hypoestes, Ivy, Juniper, Lilac, Locust, Maple, Marigold, Mimosa, Mock Orange, Nannyberry, Oak, Orchid, Palm, Pansy, Pea Shrub, Petunia, Philodendron, Pine, Ornamental Plum, Poinsettia, Poplar, Tulip Poplar, Rhododendron, Roses, Snapdragon, Snowberry, Spruce, Taxus, Willow, Zinnia.]

To kill ants*, armyworms, azalea caterpillar, aphids, bagworms, black vine weevil (adult), box elder bugs, broadmites, brown softscale, budworms, California oakworm, California redscale (crawlers) cankerworms, clover mites, cockroaches, crickets, cutworms, Eastern tent caterpillar, elm leaf beetles, European sawfly, fall webworm, flea beetles, forest tent caterpillar, gypsy moth larvae, Japanese beetles (adults), June beetles (adults), lace bugs, leaf-feeding caterpillars, leafhoppers, leafminers (adults), leaf rollers, leaf skeletonizers, mealybugs, midges, oleander moth larvae, pillbug, pineneedle scale (scrawler), pine sawfly, pine shoot beetles, pinetip moths, plant bugs, root weevil, sawfly, scale insects (crawlers), spiders, spider mites, spittlebugs, striped beetles, striped oakworm, thrips, tip moth, tussock moth larvae, whiteflies.

*Allegheny mound, Argentine, Black carpenter, Cornfield, Field, Florida carpenter, Harvester, Honey, Pavement, Southern, Sugar, Nuisance.

Apply as a thorough foliar spray.

- For best results, apply early before insect populations are high.
- For scale control, treat entire plant, including stem, trunks and twigs.
- For bagworm control, apply when bagworm larvae begin to hatch.
- For best results, apply to both sides of plant leaves and all plant surfaces where insects are present.

VEGETABLES

Do not apply more than 5 times per growing season to corn. For all other crops do not apply more than 9 times per growing season.

For use on Broccoli, Brussels Sprouts, Cabbage, Cavallo Broccoli, Cauliflower, Chinese Broccoli, Chinese Cabbage, Chinese Mustard, and Kohlrabi to control [kill]: Alfalfa Looper, Cabbage Looper, Imported Cabbageworm, Southern Cabbageworm, Cutworm, Cabbage Webworm, Diamondback moth, Armyworm, Beet Armyworm, Fall Armyworm, Yellow-striped Armyworm, Corn Earworm, Flea Beetle, Japanese Beetle (Adult), Grasshopper, Leafhopper, Plant Bug, including Lygus Bug, Stink Bug, Meadow Spittlebug, Aphid, Whitefly, Thrips, Spider Mite.

For use on Corn (sweet and pop) to control [kill] Cutworm, Western Bean Cutworm, Corn Earworm, Green Cloverworm, Meadow Spittlebug, Tobacco Budworm, European Corn Borer, Southwestern Corn Borer, Stalk Borer, Hop Vine Borer, Armyworm, Beet armyworm, Western Corn Rootworm Beetle (adult), Northern Corn Rootworm Beetle (adult), Southern Corn Rootworm Beetle (adult), Mexican Corn Rootworm Beetle (adult), Bean Leaf Beetle, Cereal Leaf Beetle, Japanese Beetle (adult), Sap Beetle (adult), Stink Bug, Grasshopper, Corn Leaf Aphid, English Grain Aphid, Chinch Bug, Green Bug.

Sweet corn only: Southern Armyworm, Western Bean Cutworm, Tarnished Plant Bug, Aster Leafhopper, Aphid, Spider Mite, Corn silkfly (adult).

For use on Lettuce (head and leaf) to control [kill]: Alfalfa Looper, Cabbage Looper, Imported Cabbageworm, Cutworm, Saltmarsh Caterpillar, Green Cloverworm, Diamondback moth, Armyworm, Beet Armyworm, Fall Armyworm, Southern Armyworm, Corn Earworm, Tobacco Budworm, European Corn Borer, Flea Beetle, Japanese Beetle (Adult), Vegetable Weevil (adult), Grasshopper, Leafhopper, Plant Bug, Stink Bug, Meadow Spittlebug, Aphid, Whitefly, Spider Mite.

For use on Onion (bulb) and Garlic to control [kill]: Cutworm, Seedcorn Maggot (adult), Onion Maggot (adult), Leafminer, (adult), Armyworm, Onion Thrips,

Tobacco Thrips, Western Flower Thrips, Flower Thrips, Aphid, Plant Bug, Stink Bug.

For Use on Tomato and Tomatillo to control [kill]: **Cabbage Looper, Cutworm spp., Hornworm, Tomato Fruitworm, Tobacco Budworm, Tomato Pinworm, Beet Armyworm, Southern Armyworm, Yellow-striped Armyworm, Fall Armyworm, European Corn Borer, Leafminer, Colorado Potato Beetle, Flea Beetle, Grasshopper, Leafhopper, Aphid, Whitefly, Meadow Spittlebug, Stink Bug, Plant Bug.**

Apply for uniform coverage. Try to hit underside of leaves [and penetrate dense foliage]. **Do not apply more than 5 times per growing season to corn. For all other crops do not apply more than 9 times per growing season.**

NUMBER OF DAYS TO WAIT BETWEEN THE LAST APPLICATION AND HARVEST (PHI)	
VEGETABLES	PHI
Broccoli, Brussels sprouts, Cabbage, Cavallo Broccoli, Cauliflower, Chinese Broccoli, Chinese Cabbage, Chinese Mustard, Kohlrabi, Lettuce (Head & Leaf)	1
Tomatoes and Tomatillos	5
Onions (bulb), Garlic	14
Corn (sweet and pop)	21

PHI = Pre-Harvest Interval

STORAGE AND DISPOSAL

Store in a cool dry area away from heat or open flame. **If empty:** Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling, if available. **If partly filled:** Do not pour or dispose down-the-drain or sewer. Call your local solid waste agency for disposal instructions.

STORAGE AND DISPOSAL (FOR EZ SPRAY™)

Storage: Turn the nozzle to "CLOSE" position. To prevent leakage, attach sprayer to clip. Store this product only in its original container in a secure storage area away from sources of heat or open flame and in an area inaccessible to children and pets. Keep from freezing. **Disposal:** Nonrefillable container. Do not reuse or refill this container unless the directions for use allow a different (concentrated) product to be diluted in the container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Do not pour or dispose down-the-drain or sewer. Call your local solid waste agency for disposal instructions.

[EASY ACTION PUMP [SPRAYER]]

Pesticide Storage: Slowly turn the pump handle counterclockwise to loosen the pump mechanism from the bottle to release pressure. Turn the handle back clockwise to seal the unit for storage. Turn the handle counterclockwise one

quarter turn to lock the handle. Push the hose back into the storage compartment. Place the wand back in the holster. Store this product in its original container in a secure storage area. **Pesticide Disposal:** **If empty:** Nonrefillable container. Do not reuse or refill this container unless the directions for use allow a different (concentrated) product to be diluted in the container. Place in trash or offer for recycling if available. **If partly filled:** Do not pour or dispose down-the-drain or sewer. Call your local solid waste agency for disposal instructions.

STORAGE AND DISPOSAL (For use with Auto Trigger [Sprayer])

Pesticide Storage: Store in original container in a cool, dry area away from heat or open flame and in an area inaccessible to children and pets. Keep from freezing.

Pesticide Disposal: Reusable Auto Trigger [Sprayer]: Do not discard. Keep the Auto Trigger [Sprayer] for use on Chemsico RTU Insecticide L. **If Empty:** Non-refillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. **If partly filled:** Do not pour or dispose down-the-drain or sewer. Call your local solid waste agency for disposal instructions.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

First Aid

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.

Environmental Hazards

This product is extremely toxic to fish and other aquatic organisms. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

[Questions or comments? Call 1-800-332-5553]

[†If you are not satisfied with this product for any reason, send your written request for a refund to the address below, together with the original dated store receipt showing the price you paid. Please allow 6-8 weeks for processing.]

Made in the USA for Chemsico,
A Division of United Industries Corporation
PO Box 142642, St. Louis, MO 63114-0642

EPA Reg. No. 9688-195
EPA Est. No. 9688-MO-1

©2022