



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON D C 20460

OFFICE OF PREVENTION PESTICIDES AND TOXIC SUBSTANCES

OCT 1 7 2007

Ms Cheryl H Prinster
Product Registration
Chemsico
Division of United Industries Corp
PO Box 142542
St Louis, Missouri 63114-0642

SUBJECT Application for Pesticide Notification (PRN 98-10)

Request Alternate Brand Name "Ultra-Kıll Vegetatıon Kıller Concentrate"

EPA Reg No 9688-198

Application Dated September 11, 2007

Dear Ms Prinster

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated 09/11/07 for the above product. The Registration Division (RD) has conducted a preliminary screen of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Owen F Beeder of my staff at 703-308-8899

Sincerely, Thereso is Somebre

Linda Arrington

Notifications & Minor Formulations Team Leader

Registration Division (7505P)

Office of Pesticide Programs

United States Environmental Protection Agency

	Registratio Amendmen
×	Other

OPP Identifier Number

Office of Pesticide Programs (H75 Washington DC 20460	05C)	Registration Amendment	
Application for Pest	ıcıde	× Other	
Section			
1 Company/Product Number	2 Product Manager	3 Proposed Classific	ation
9688-198	J Tompkins		_
4 Company/Product (Name)	PM#	None	Restricted
Chemsico Herbicide Concentrate DP	25		
5 Name and Address of Applicant (Include ZIP Code) Chemsico	(b)(ı) my product ıs sımılar	In accordance with FIFRA or identical in composition	, ,, ,
Division of United Industries Corporation PO Box 142642	to		
St Louis Missouri 63114 0642	EPA Reg No		
Check if this is a new address	Product Name		
Section	11		
Amendment Explain below Resubmission in response to Agency letter dated X Notification Explain below	Final printed label in r ME TOO Applicat Other explain below	esponse to Agency letter date	ed
Explanation Use additional page(s) if necessar	ry (For section I and Section I	1)	
Notification of Alternate Brand Name per PR Notice 98 10			
Ultra Kıll Vegetatıon Kıller Concentrate			
Section	III		
1 Material in Which This Product Will Be Packaged Child Resistant Packaging Unit Packaging	Water Soluble Packaging	2 Type of Container	
Yes Yes	Yes	Metal	
No No	No No	Plastic	
		Glass	
If YES No per	If YES No per	Paper	
* Certification must be Unit package wgt container submitted	Package wgt container	Other (Sp	ecify)
	of Retail Container	5 Location of Label D	Directions
Contract		On Label	
Label Container		On Labeling acco	ompanying product
6 Manner in Which Label Is Affixed To Product Lithograp Paper glu Stenciled	ed		
Section	IV		
1 Contact Point (Complete items directly below for identification of th	e individual to be contacted if		 _
Name Title		Telephone No (incl	ude Area Code)
	y Specialist	1 800 242 1166 E	
Certification I certify that the statements I have made on this form and all attail I acknowledge that any knowingly false or misleading statement both under applicable law	may be punishable by fine or i		6 Date Application Pcc3 vod (Stamped)
2 Signature	3 Title	((
Chythant	Regulatory Specialist	C	(
4 Typed Name	5 Date		((
Cheryl H Prinster	September 11 2007	•	SIG

<u>United Industries Corp</u>

September 11, 2007

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504 P)
United States Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202 4501

Attention

Jım Tompkıns

Product Manager 25

Subject

Notification of Alternate Brand Name

Chemsico Herbicide Concentrate DP

EPA Reg No 9688-198

Dear Mr Tompkins

Enclosed please find our submission to add the following alternate brand name for the subject product

Ultra-Kill Vegetation Killer Concentrate

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152 46 and no other changes have been made to the labeling or the confidential statement of formula of this product I understand that it is a violation of 18 U S C Sec 1001 to willfully make any false statement to EPA I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152 46 this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA

Enclosed is an EPA application form and a copy of the product label Please call me at 1-800-242 1166, Ext 2724 you have questions or need further information. Thank you very much for your attention to our application.

Sincerely,

Cheryl H Prinster Regulatory Specialist



PRECAUCIONES IMPORTANTES SOBRE EL USO:

- NO aplique sobre las conas de la naiz de árbolas y arbustos deseables.
 NO aplique a cubresuelos descrativos con conteza o piedras donde la fierra esté cubierta con tela plástica ni en decinves porque puede pronocar essuminiento y/o tionicación (atilique solamente a soperificies niveladas). En lugares con ferrenos may anoflocos, la acción residual puede superar el año.

 • MO lo aprique a una distancia menor al docte de la distancia que haye entre el tronco de un árbol y la
- No lo aplique al lado de una cerca si al otro lado hay plantas deseables o si se piensa plantar en el
- Conte verificalmente les ratics configues a la zona de la raiz de plantas deseables.
 No aplique este producto de modo que entre en contacto con personas o mascolas, ya sea directamente o por arrische. Solamente las personas que apliquen este producto peueden permanear

ALMACENAMIENTO Y ELIMINACIÓN

anto del pesticida: No contamine el agua ni tos alimentos para personas o animales por racenamiento o la eliminación. Guarde el pesticida sin difuir en el envase original. No

u ofrécado para recidar si existe esa opción. Si está parcialmente vació: Llame a su servicio de eliminación de desechos más cercano para obtener instrucciones de eliminación. Nunca tire el inación del envase del pesticida: Si está vacío: No vuelva a utilizar el envase. Tirelo en la basura producto restante por un drenaje interno ni externo.

PRECAUCIONES

PRECAUCIÓN. Nocivo si se inhala o se absorbe por la piel. Evite respirar la niebla del rocio. Evite el

do: Saque a la persona al aire fresco. Si no respira, llame al 911 o a una ambulancia. Luego

administrete respiración afficial, preferentemente boxa a boxa, si es possible. Lame a un centro de control de enveneramientos o a vin medino para recibir más respinychosos de tratamiento. Si entra en conflacto com la piet c la roq.2. Outrace la cupo contamiz, ada. Lave immelitalmente la piet con abundante agua durante 15-cú númicos. Lame a ini centro de cyntrol de enveneramientos o a un médico para recibir instrucciones de tratamienta

Chambo fame a un centro de control C. enverenant...n.C.s o a.c. c.d.C.o., o intente obtener trabamiento, lenga à trimon el enveso de direjaza del productio. **Resegoso parare el medio ambiento Resegoso parare el medio ambiento**(ho aptique direjamente à aqua. No contiamne el aqua caparó elimie as aquas de bevalo del equipo. NOTK. El cor yandre asum: yada la res; varsabilitada en-sasa de no seguir las instrur-innee-sobre NOTK. seguridad y c.odo C. emp.20.

PROOF OF PURCHASE ¿Pregratas o comertarios? Llame al 1-800-329-5553.

que elimina la vegetación Herbicida concentrado

Prevents Plant Growth 😲 ONE VEAR!

▷ SAME DAY RESULTS

▶ FOR USE ON DRIVEWAYS, PATIOS, AROUND BUILDINGS & GRAVELED PATHIWAYS & other listed sites





MPORTANT USE PRECAUTIONS:

- To avoid damage to desirable plants, apply when it is not windy. Windy conditions may cause inadvertent drifting to desirable plants and grass
- DO NOT apply over the root zones of desirable trees and shrubs.

 DO NOT apply to decorative rock or bark groundcovers where the soil is covered with plastic fabric or on slopes because runoff and/or leaching may result (apply only to evel surfaces). In heavy clay soil locations, residual activity may exceed one year
 - Do not apply next to a fence if desirable plants are growing on the other side or if DO NOT apply closer than twice the distance from the trunk of a tree to the dripline.
- Vertically cut through any roots adjacent to root zone of desirable plants. future plantings are planned.
- Do not apply this product in a way that will contact any person or pet, either directly through drift. Only persons applying this product may be in the area during polication

STORAGE AND DISPOSAL

esticide Container Disposal: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for esticide Storage: Do not contaminate water, food, or feed by storage or disposal disposal instructions. Never place unused product down any indoor or outdoor drain Store undiluted pesticide in original container. Do not store diluted pesticide solution

PRECAUTIONARY STATEMENTS

Humans and Domestic Animals

CAUTION. Harmful if inhaled or absorbed through the skin. Avoid breathing spray mist

lyoid contact with skin, eyes, or clothing.

Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a Poison Control Center or doctor for further treatment advice.

Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment.

Environmental Hazards

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate. IOTICE: Buyer assumes all responsibility for safety and use not in accordance with

Questions or Comments? Call 1-800-332-5553

MADE IN THE Manufactured by Chansabo, Div. of United Industries Corp. Pp. Box 142642, St. Louis, MD 63114-0642

EPA Est. Nos. 39754-WI-1(R) 9688-MO-1(U), 79533-WI-1(EI), 39609-MO-1(BM) EPA Reg. No. 9688-198

Circled letter is first letter of ot number. © 2007-JIC 17-12507

STOP READ ENTIRE LABEL BEFORE USE

RECTIONS

t is a violation of Federal law to use this product in a manner inconsistent with its labeling. For outdoor use around the home only

Keep children and pets off treated areas until these areas are dry.

GENERAL INFORMATION

and will kill almost all vegetation down to the roots and prevent plant regrowth. When applied to the soil this product can inhibit plant growth for up to one year. Residual control increases as rates are increased. Ultra-Kiil" Vegetation Killer Concentrate is a nonselective product intended for use after dilution with water

- Use around the home where no plant growth is desired.
- This product is intended for bare ground vegetation control in driveways, sidewalks, brick walks, paths, patios, parking areas, play areas, along fences and curbs, around buildings and graveled pathways where plant growth has come through these surfaces.

Do not use on lawns, flower beds or vegetable gardens. This product should not be applied over the root zones of desirable trees or shrubs. Do not apply in sloped areas where runoff may adversely affect desirable plants. The annual maximum application rate is 0.046 lb prometon per 100 sq ft.

soil is dry, water lightly before treatment. Apply this product directly to weeds and grass. Thoroughly wet weeds but do not soak as runoff may occur. Two days following application, lightly water the treated area. For Best Results: Although this product has considerable activity through foliar contact, much of its activity is through roots, therefore, its effectiveness is dependent on rainfall to move it into the root zone. Very conditions and lack of sufficient rainfall may result in poor weed control. For best results, if the This will aid in the killing and prevention of weeds through root absorption. dry soil

WHEN TO APPLY

- For best results, apply to bare ground or when weed growth is just starting.
- Weeds taller than 4 inches should be hoed or cut to 1 inch in height before treatment or it may be necessary to make a second application.
- A second application may also be necessary to control deep-rooted perennial weeds. In areas of heavy rainfall, repeat application may be required every six months.
- Application on sunny days with the temperature above 60°F will result in faster control of existing weeds.

sq tt 1 pt (16 ft 02) 2 gal	
1 2077	100 sq ft
sq ft 1.5 gal	75 sq ft
sq ft 8 fl oz 1 gal	50 sq ft
sqft 4floz 3qt	25 sq ft
as to Amount of Product Suggested Amount of reated to Use Water to Use	Area to Be Treated

the area (refer to the suggested amount of water to use in above table). When using a watering can, triple rinse and pour rinsewater on area treated once application is complete. Mix only the quantity needed and Apply using a watering can or other watering or spraying device in sufficient water to get good coverage of use immediately. Do not store diluted solution.

SPRAY DRIFT MANAGEMENT:

Do not allow spray to drift from the application site and contact people, structures people occupy at any time and the associated property, parks and recreation areas, nontarget crops, aquatic and wetland areas woodlands, pastures, rangelands or animals.

PERSONAL PROTECTIVE EQUIPMENT

When mixing and applying this product, wear the following:

- Long-sleeved shirt and long pants Shoes and socks
- Chemical resistant gloves made of waterproof materials, such as butyl rubber, nitrile rubber or neoprene rubber (thickness ≥14 mils)

ALTO LEA TODA LA ETIQUETA ANTES DE USAR EL PRODUCTO.

Se considera una violación a la ley federal usar este producto con otros fines que los indicados en la etiqueta. *Sólo para usar al air*e



INFORMACIÓN GENERAL

que mata casi toda la vegelación hasta las raices y evita el nuevo crecimiento de las plantas. Cuando se aplica a la tierra, este producto El herbicida concentrado para elimina la vegetación Ultra-Kill" es un producto no selectivo que se debe usar después de diluirio con aqua puede inhibir el crecimiento de las plantas durante hasta por un año. El control residual aumenta a medida que aumentan las dosis.

- Úselo alrededor de la casa donde no se desee que crezcan plantas.
- Este producto está destinado al control de la vegetación en la tierra desnuda en caminos de entrada de automóviles, aceras, sendas de ladrillo, senderos, paticos, áreas de estacionamiento, áreas de juego, a lo largo de cercas y aceras, alrededor edificios y senderos de grava donde el crecimiento de la vegetación ha surgido en estas superficies.

No lo use en cáspedes, lechos de flores ni huertas. Esto producto no se debe aplicar sobre las zonas de las raíces de árboles u arbustos deseables. No aplique en áreas con decives donde el arrastre pueda afectar de manera adversa a las plantas deseables. La dosis de aplicación máxima anual es 0.046 lb. de prometon por 100 pies cuadrados. Para obtener mejores resultados. Aunque este producto tiene considerable acción a través del contacto foliar, la mayor parte de mejores resultados, si la tierra está seca, riegue ligeramente antes del tratamiento. Aplíque este producto directamente a malezas y pasto. Moje bien las malezas pero no las empape ya que puede ocurrir escurrimiento. Dos días después de la aplicación, negue su acción es a través de las raíces; en consecuencia, s**u eficacia depende de que la lluvia lo desplace hacia la zona de la raíz** La tierra muy seca y la escasez de lluvias pueden tener como resultado un control insuficiente de las malezas. Para obtene igeramente el área tratada. Esto ayudará a la eliminación y prevención de malezas por medio de la absorción de la raíz.

CUÁNDO APLICAR

- Para obtener mejores resultados, aplique a la tierra desnuda o cuando la maleza esté empezando a crecer.
- Las malezas que tengan una altura mayor a 4 pulgadas se deben limpiar con azada o cortar hasta 1 pulgada de altura antes del tratamiento, o puede que sea necesario efectuar una segunda aplicación
- También puede ser necesaria una segunda aplicación para controlar malezas perennes de raíces profundas. En áreas de lluvias fuertes, puede ser preciso repetir la aplicación cada 6 meses.
- La aplicación en días soleados con temperaturas superiores a 60° tendrá como resultado el control más rápido de las malezas

1 galon 1.5 galones 2 galones	12 onzas liquidas 1 pt (16 onzas liquidas)	75 pies² 100 pies²
1 galón	8 onzas líquidas	50 pies²
3 cuartos de galón	4 onzas líquidas	25 pies²
agua a usar	producto a usar	tratar
Cantidad sugerida de	Cantidad de	Área a

Aplique con una regadera u otro aparato para regar o rociar con agua suficiente para cubrir bien el área (consulte la cantidad de agua que se recomienda usar en la tabla de arriba). Cuando use una regadera, enjuague tres veces y vierta el agua de riego en el area tratada cuando haya terminado la aplicación. Mezole solamente la cantidad necesaria y use de inmediato. No guarde la solución diluida

MANEJO DEL ARRASTRE DEL ROCÍO

No permita el arrastre del roció desde el sitio de aplicación ni que entre en contacto con personas, construcciones que ocupen personas en algún momento y la propiedad vinculada, parques y áreas recreativas, cultivos que no sean el objetivo del tratamiento, zonas acuáficas y pantanosas, bosques, pasturas, tierras de pastoreo ni animales.

EQUIPO DE PROTECCIÓN PERSONAL

Cuando mezcle y aplique este producto, use lo siguiente:

- Camisa de mangas largas y pantalones largos
- Guantes resistentes a los productos químicos fabricados con materiales impermeables, como caucho butilico o neopreno Zapatos y calcetines (de ≥14 mils de espesor)