9488 - 200	10/30/2000	2	i i
GMITED STATES	<ul> <li>U.S. ENVIRONMENTAL PROTECTION AGE Office of Pesticide Programs Registration Division (H7505C) 401 "M" S1., S.W.</li> </ul>	NCY EPA Reg Number. 9688-260	Date of issuance: OCT 3 0 2002
Non Republic Contraction		Term of issuance:	Unconditional
L	NOTICE OF PESTICIDE:		
	<u>x</u> Registration	Name of Pesticide Pro	
(under FIFRA, as amend	Reregistration	Formula C	sect Granules
	Registrent (include 21P Code):		
•	ision of United Industries Corp.	·	
P.O. Box 1426	-	· •	
St. Louis, MO	03114	- <b> </b>	· • • • • •
	to be construed as an endorsement or recommendation of this pro		
the registration of a pro- This pr pesticide is peo- eliminate the r additional data submission of 1. Revise 2. Submit Please A stam	tion, may at any time suspend or cancel the registration of a pesti- bact under this Act is not to be construed as giving the registrant a oduct is unconditionally registered in ac- pistered, however, it is not regarded as pe- need for continual reassessment of pestic are required to maintain in effect an exi- such data under FIFRA section (3). the EPA Registration Number to read " two (2) copies of your final printed lab- refer to the A-79 enclosure for a further ped copy of the label is enclosed for your	cide in accordance with the Act. The accepta right to exclusive use of the name or to its us accordance with FIFRA sec. ermanently acceptable. Reg ides. If the Agency determ isting registration, the Ager EPA Reg. No. 9688-200". (32.64) el before you release the pro- description of final printed ur records. If you have any	nce of any name in connection with e if it has been covered by others. 3(c)(5). Once a gistration does not ines that, at any time, ncy will require oduct for shipment. labeling.
the registration of a pro- This pr pesticide is peo- eliminate the r additional data submission of 1. Revise 2. Submit Please A stam	ntion, may at any time suspend or cancel the registration of a pesti- hact under this Act is not to be construed as giving the registrant a oduct is unconditionally registered in ac- istered, however, it is not regarded as po- eed for continual reassessment of pestic are required to maintain in effect an exi- such data under FIFRA section (3). the EPA Registration Number to read " two (2) copies of your final printed lab- refer to the A-79 enclosure for a further ped copy of the label is enclosed for you ase contact Susan Stanton of my team a	cide in accordance with the Act. The accepta right to exclusive use of the name or to its us accordance with FIFRA sec. ermanently acceptable. Reg ides. If the Agency determ isting registration, the Ager EPA Reg. No. 9688-200". (32.64) el before you release the pro- description of final printed ur records. If you have any	nce of any name in connection with e if it has been covered by others. 3(c)(5). Once a gistration does not ines that, at any time, ncy will require oduct for shipment. labeling.
This pr pesticide is reg eliminate the r additional data submission of 1. Revise 2. Submit Please A stam this action, ple	nion, may at any time suspend or cancel the registration of a pasti- hact under this Act is not to be construed as giving the registrant a oduct is unconditionally registered in ac- istered, however, it is not regarded as po- eed for continual reassessment of pestic are required to maintain in effect an exi- such data under FIFRA section (3). the EPA Registration Number to read " two (2) copies of your final printed lab- refer to the A-79 enclosure for a further ped copy of the label is enclosed for you asse contact Susan Stanton of my team a Si are required to maintain of my team a such data under FIFRA section (3).	cide in accordance with the Act. The acceptance with FIFRA sec. accordance with FIFRA sec. ermanently acceptable. Reguides. If the Agency deterministing registration, the Agency EPA Reg. No. 9688-200". (active) el before you release the pro- description of final printed ur records. If you have any t (703) 305-5218.	nce of any name in connection with t if it has been covered by others. 3(c)(5). Once a gistration does not ines that, at any time, ncy will require oduct for shipment. labeling. questions regarding
the registration of a pro- This pr pesticide is peo- eliminate the r additional data submission of 1. Revise 2. Submit Please A stam	nion, may at any time suspend or cancel the registration of a positive hart under this Act is not to be construed as giving the registrant a oduct is unconditionally registered in ac- istered, however, it is not regarded as po- need for continual reassessment of pestic after registred to maintain in effect an exi- such data under FIFRA section (3). the EPA Registration Number to read " two (2) copies of your final printed labor refer to the A-79 enclosure for a further ped copy of the label is enclosed for you ase contact Susan Stanton of my team a Si in a contact susan stanton of my team a si in a contact susan stanton of my team a si in a contact susan stanton of my team a si in a contact susan stanton of my team a si in a contact susan stanton sub	cide in accordance with the Act. The accepta right to exclusive use of the name or to its us accordance with FIFRA sec. ermanently acceptable. Rep ides. If the Agency determ isting registration, the Agen EPA Reg. No. 9688-200". accord el before you release the pro- description of final printed ur records. If you have any t (703) 305-5218. incerely, feorge T. LaRocca roduct Manager (13) insecticide Branch	nce of any name in connection with t if it has been covered by others. 3(c)(5). Once a gistration does not ines that, at any time, ncy will require oduct for shipment. labeling. questions regarding

1 1

)

#### FRONT PANEL

# CHEMSICO Insect Granules Formula C

[See Appendix for Optional Marketing Claims]

# ACCEPTED

OCT 30 2002

Under the Federal Insecticide, Fundation, and Bodenticide Act, as amended, for the posticide registered under BPA Reg. No. 9688-200

Active Ingredient:	
Cyfluthrin	0.1%
Other Ingredients:	

# KEEP OUT OF REACH OF CHILDREN

CAUTION See back panel for additional precautionary statements

NET WEIGHT: 2 LB. (907 g) or 10 LB. (4.5 kg)

BACK PANEL

What it does:

#### PRODUCT FACTS

Helps protect your home from Invading Ants. Also Kills Spiders, Roaches, Fleas, Ticks and other Listed Insects [Kills Fleas, Ants, Crickets, Ticks, Chinch Bugs, Armyworms, Billbugs, Cutworms, Earwigs, Sod webworms and Other Listed Insects]

#### Where to Use: (icon outdoors)

Outdoors, as a Barrier Band Treatment [Outdoors, on Lawns and as a Barrier Band Treatment around House Foundation]

Questions & Comments: (icon phone) (icon computer)

Call 1-800-332-5553 or Visit our Website at www.website.com

**USE TO CONTROL [KILL]** Annual Bluegrass weevil adults (hyperodes), Ants, Armyworms, Billbugs (adults), Black turfgrass *Ataenius* (adults), Centipedes, Chiggers, Chinchbugs, Cockroaches, Crickets, Cutworms, Digger wasps (Cicada killer), Earwigs, Fleas, Grasshoppers, Hyperodes weevit (adults), Leafhoppers, Mealybugs, Millipedes, Mole Crickets, Mosquitoes, Pillbugs, Scorpions, Sod webworms (lawn moths), Sowbugs, Spiders, Ticks

# STOP. READ ENTIRE LABEL BEFORE USE.

# **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. *For outdoor residential use only.* 



Do not allow people or pets to contact treated area until it has been watered and allowed to dry.

# **BEFORE YOU USE**

- Do not apply near fish pools, ponds, streams or lakes.
- Food utensils such as teaspoons should not be used for food purposes after use with insecticides.
- Do not apply liquid sprays containing Cyfluthrin in addition to this product.

# THREE EASY STEPS TO USE THIS PRODUCT

Step 1: Determine size of the job, measure the area to be treated.

**Step 2:** Use spreader setting chart to determine appropriate setting for your spreader.

**Step 3:** Treat as directed in rate chart. Thorough coverage is important. Water in granules where indicated.

#### TO CONTROL HOUSEHOLD PESTS BEFORE THEY COME INDOORS

PEST	HOW MUCH TO APPLY	HOW TO APPLY
Ants, Centipedes, Cockroaches, Crickets, Digger Wasps, Millipedes, Pillbugs, Scorpions, Sowbugs, Spiders	<sup>1</sup> / <sub>3</sub> to <sup>1</sup> / <sub>2</sub> cup per 45 to 50 sq. ft. (2 to 3 ft. band) [2 lbs. per 1000 sq. ft.] Covers 1000 sq. ft. (a band 2 ft. wide and 500 feet long.) [2 lb. container] Treats perimeter of 16 ft. by 30 ft.	Around the House To keep pests away from your home, apply granules in a band 2 to 3 ft. wide around and up to the building.
Ants, Digger wasps (Cicada killer)	structure 1 to 2 tsp. per mound or wasp burrow	TIP: A hand-held spreader makes this easy. For Ant Mounds or Wasp Burrows Sprinkle 1 to 2 teaspoons of granules over the ant mound or wasp burrow. Treat wasps at night after they are back in their nest.

#### TO CONTROL LAWN PESTS

PEST	HOW MUCH TO APPLY	HOW TO APPLY
Ants, Hyperodes Weevil (adults),		
Armyworms, Billbugs (adult), Black	Apply 2 lbs. per 1000 sq. ft. (This [10	Use rotary or drop type spreader to apply granules evenly over the lawn. To
Turfgrass Ataenius (adults), Chiggers,	lb.] bag covers 5000 sq. ft). Adjust	be sure you cover the entire area uniformly, first treat the border of the lawn
Chinchbugs, Cutworms, Fleas,	your spreader to the proper setting.	then fill in the center. Make parallel passes, walking at a steady pace to
Grasshoppers, Leafhoppers, Mealybugs,	See the table below.	ensure even distribution of the granules.
Mole Crickets, Sod Webworms (lawn		Ŭ
moths), Ticks		Water thoroughly within a day after applying.
Tip: For best control of mole crickets, an	ply during the period when their eggs	are hatching. Contact your County Extension Service for the ideal dates to
apply in your areas.		

FOR BEST RESULTS: Water in thoroughly after applying. Do not mow until the granules are thoroughly watered in. Many lawn pests cause damage by eating roots or tunneling through the turf. To prevent damage, apply this product early...when pests are still young and easier to kill.

#### TO CONTROL GARDEN PESTS on Carrots, Peppers, Potatoes, Radishes, Sweet Corn, Tomatoes

PEST	HOW MUCH TO APPLY	HOW TO APPLY
Armyworms, Cutworms, Grasshoppers, Stinkbugs	Apply 2 lbs. per 1000 sq. ft. [This [10 lb.] bag covers 5000 sq. ft]. Adjust your spreader to the proper setting. See the table below. [This 2 lb. [can] covers 1000 sq. ft. which is the same as a band 10 feet wide and 100 feet long.] Do not apply more than one time per season. Do not apply liquid sprays containing Cyfluthrin in addition to this product.	Apply granules evenly over the garden. Water thoroughly within a day after applying.

Note: The spreader settings listed [below] are approximate. Accurately weigh a few pounds into your spreader and apply to a measured area. Then adjust spreader setting, if necessary, in order to assure correct rate of application.

#### SPREADER SETTINGS (2 LBS. PER 1,000 SQ. FT.)

SPREADER	SETTING to deliver 2 lbs. per 1000 sq. ft.
Vigoro Drop	
Vigoro Rotary	
Sta-Green Drop	
Sta-Green Rotary	] (
Bandini	
Ev-N-Spread Rotary	
Ortho Drop	To be determined.
Ortho Rotary	
Precision Drop	]
Precision Rotary	
Quaker Rotary	
Republic EZ Drop	
Republic EZ Grow	1 1
Scotts Drop	
Scotts Accugreen	
Scotts Evengreen	]
Scotts Speedy Green	
True Temper Rotary	

- Settings are approximate. The condition of your spreader and the speed at which you walk and uneven terrain may affect the rate of application. Calibrate your spreader according to manufacturers directions.
- Tip: 1000 sq. ft. = 20 ft. x 50 ft.
- Do not use a spreader that applies granules in narrow, concentrated or uneven bands. Be sure the spreader works properly and spreads granules evenly.

# **OPTIONAL DIRECTIONS**

# BAND TREATMENT AROUND HOUSE

#### **General Directions**

The following pests are commonly found around or near foundations of houses as well as in lawns. Some of these pests may enter the home. Apply a 2 to 3 foot band of granules next to the house's foundation.

#### INSECTS:

Ants, Fleas, Ticks, Clover mites, Crickets, Earwigs, Millipedes, Sowbugs (Pillbugs)

RATE: 1/3 to 1/2 cup per 45 to 50 sq. ft. (2-3 ft. band)

HOW TO USE: Distribute granules evenly. Water lightly after application.

# SPOT TREATMENT FOR ANTS

RATE: Apply 1 1/2 teaspoons over and around each ant hill.

HOW TO USE: Water lightly after application.

1

# STORAGE AND DISPOSAL

**Storage:** Store in original container in a cool, dry place, out of reach of children, preferably a locked storage cabinet. **Disposal:** If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

### **PRECAUTIONARY STATEMENTS**

#### Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

#### FIRST AID

If Swallowed: Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person. If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first

5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment.

#### **Environmental Hazards**

This pesticide is toxic to fish. Do not apply directly to water. Do not contaminate water when cleaning equipment or disposing of equipment washwater.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

#### [Questions or comments? Call 1-800-332-5553]

[\*If you are not satisfied with this product for any reason send your written request for a refund to the address below, together with the original dated store receipt showing the price you paid. Please allow 6-8 weeks for processing]

Made in the USA for Chemsico, Division of United Industries Corporation P.O. Box 142642, St. Louis, MO 63114-0642

EPA Reg. No. 9688-

EPA Est. No. 9688-MO-1

©2002

5/10

# ALTERNATE TABULAR LABEL FORMAT

# CHEMSICO Insect Granules Formula C

BACK PANEL

QUICK FACTS		
<ul> <li>Easy to Use Gran</li> </ul>	ules	
<ul> <li>Kills Pests Outdoo</li> </ul>	ors in Lawns, Gardens, and A	round Homes
<ul> <li>For use with Lawn</li> </ul>	or Hand-held Spreaders	
Kills Ants Outdoor	s In Lawns, Gardens, and Ar	ound Home
Effective as a Spo	t Treatment for Ant Mounds	
Kills	Annual Bluegrass weevil adults (hyperodes), Ants, Armyworms, Billbugs (adults), Black turfgrass Ataenius (adults), Centipedes, Chiggers, Chinchbugs, Cockroaches, Crickets, Cutworms, Digger wasps (Cicada killer), Earwigs,	Fleas, Grasshoppers, Hyperodes weevil (adults), Leafhoppers, Mealybugs, Millipedes, Mole Crickets, Mosquitoes, Pillbugs, Scorpions, Sod webworms (lawn moths), Sowbugs, Spiders, Ticks
COVERAGE	Covers 5,000 sq. ft.	I
WHERE TO USE	Lawns, Gardens and Aroun	d House foundations
WHEN TO USE	When Insects or damage fir	
HOW MUCH TO	See Directions	}
USE		
	•	, call toll-free 1-zzz-zzzz or visit us
	on-line at www.website.com	<u>ا</u>

# STOP. READ ENTIRE LABEL BEFORE USE.

# DIRECTIONS FOR USE

1

STOP

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For outdoor residential use only.

2.474

Cylluthrin	
Other Ingredients:	

# KEEP OUT OF REACH OF CHILDREN

**CAUTION** See back panel for additional precautionary statements

NET WEIGHT: 2 LB. (907 g) or 10 LB. (4.5 kg)

Active Ingredient:

~ ~ ~ .

Do not allow people or pets to contact treated area until it has been watered and allowed to dry.

BEFORE YOU USE	<ul> <li>Read and follow these directions when using:</li> <li>Do not apply near fish pools, ponds, streams or lakes.</li> <li>Food utensils such as teaspoons and measuring cups should not be used for food purposes after use with this insecticide.</li> </ul>
CONTINUED ON	NEXT PAGE

2

HOW TO	PEST				
USE	Ants Ci	rickets	Pillbugs		
	Centipedes Di	igger Wasps	Scorpions		
	Cockroaches M	illipedes	Sowbugs		
			Spiders		
		HOW MUCH TO APPLY			
	1/3 to 1/2 cup per 45 t		to 3 ft. band)		
	[2 lbs. per 1000 sq. 1				
		a band 2 ft. w	ide and 500 ft. long.) (2 lb.		
	container)				
	Treats perimeter of	16 ft. by 30 ft.	structure		
	HOW TO APPLY				
	Around the House				
	10 keep these pests	away from yo	our home, apply granules in a band		
		2 to 3 ft, wide around and up to the building.			
	Tip: A hand-held spreader makes this easy.				
	PEST				
		HOW MUCH TO APPLY			
	1 to 2 tsp. per mound	d or wasp bur	0W		
	HOW TO APPLY	HOW TO APPLY			
	For Ant Mounds or V				
		Sprinkle 1 to 2 teaspoons of granules over the ant mound or wasp			
	burrow. Treat wasps at night, after they are back in their nest.				
TO CONTRO	DL LAWN PESTS				
нож то	PEST		······································		
USE	Ants	Cutw	orms		
	Hyperodes Weevil (a	idults)   Fleas	5		
	Armyworms		shoppers		
	Billbugs (adult)		noppers		
	Black Turfgrass Atae	nius Meal	ybugs		
	(adults)	Mole	Crickets		
	Chiggers	Sod	Webworms (lawn moths)		
	Chinchbugs	Ticks	; ;		
		HOW MUCH TO APPLY			
	Apply 2 lbs. per 1000 sq. ft. (This bag covers 5000 sq. ft). Adjust your				
	spreader to the property	spreader to the proper setting. See the table below.			
	[This 2 lb. [can] covers 1000 sq. ft. which is the same as a band 10 ft.				
	wide and 100 ft. long	1			

	HOW TO APPLY Use rotary or drop type spreader to apply granules evenly over the lawn. To be sure you cover the entire area uniformly, first treat the border of the lawn then fill in the center. Make parallel passes, walking at a steady pace to ensure even distribution of the granules.
	Water thoroughly within a day after applying.
	TIP: For best control of mole crickets, apply during the period when their eggs are hatching. Contact your County Extension Agent for the ideal dates to apply in your area.
FOR BEST RESULTS	Water in thoroughly after applying. Do not mow until the granules are thoroughly watered in. Many lawn pests cause damage by eating roots or tunneling through turf. To prevent damage, apply this product early – when pests are still young and easier to kill.

HOW TO USE	PEST		
	Armyworm	s Gras	shoppers
	Cutworms	Stink	bugs
	HOW MUCH TO APPLY		
,	sq. ft]. Adju table below the same a not apply n	ust your spread y. This 2 lb. [ca is a band 10 fe nore than one	ft. [This [10 lb.]bag covers 5000 der to the proper setting. See the an] covers 1000 sq. ft. which is set wide and 100 feet long. Do time per season. Do not apply Cyfluthrin in addition to this
	product.		
	product.	LE	Sweet Corn
	product. VEGETAB Carrots	LE	Sweet Corn
	product. VEGETAB Carrots	LE Potatoes Radishes	Sweet Corn

SPREADER	SETTING to deliver 2 lbs. per 1000 sq. ft.
Vigoro Rotary	
Sta-Green Drop	
Sta-Green Rotary	To be determined.
Bandini	To be determined.
Ev-N-Spread Rotary	
Ortho Drop	
Ortho Rotary	
Precision Drop	
Precision Rotary	
Quaker Rotary	
Republic EZ Drop	
Republic EZ Grow	
Scotts Drop	
Scotts Accugreen	
Scotts Evengreen	
Scotts Speedy Green	
True Temper Rotary	
	e condition of your spreader and the
speed at which you walk and	uneven terrain may affect the rate of

#### SPREADER SETTINGS (2 LBS. PER 1,000 SQ. FT.)

 Settings are approximate. The condition of your spreader and the speed at which you walk and uneven terrain may affect the rate of application. Calibrate your spreader according to manufacturers directions.

- Tip: 1000 sq. ft. = 20 ft. x 50 ft.
- Do not use a spreader that applies granules in narrow, concentrated or uneven bands. Be sure the spreader works properly and spreads granules evenly.

# STORAGE AND DISPOSAL

**Storage:** Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet.

**Disposal: If empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

# PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals

### CAUTION

- Harmful if swallowed.
- Causes moderate eye irritation.
- Avoid contact with eyes or clothing.
- Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

	FIRST AID	
If Swallowed	<ul> <li>Call a Poison Control Center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by a Poison Control Center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>	
lf in Eyes	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a Poison Control Center or doctor for treatment advice.</li> </ul>	

Environmental Hazards
This pesticide is toxic to fish. Do not apply directly to water. Do not contaminate water when cleaning equipment or disposing of washwater.

# NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

[Questions or comments? Call 1-800-332-5553]

[\*If you are not satisfied with this product for any reason send your written request for a refund to the address below, together with the original dated store receipt showing the price you paid. Please allow 6-8 weeks for processing]

1

.

Made in the USA by Chemsico, Division of United Industries Corporation P.O. Box 142642, St. Louis, MO 63114-0642

14

EPA Reg. No. 9688-

EPA Est. No. 9688-MO-1 ©2002

#### APPENDIX

CHEMSICO INSECT GRANULES FORMULA C OPTIONAL MARKETING CLAIMS FOR BOTH FORMATS

- Ready-To-Use
- Easy to Use Granules
- Kills Insects
- Kills Ants [On Contact]
- Kills Nuisance Pests Outdoors [On Contact]
- Kills Ants Fast
- Kills 28 Outdoor Pests in Lawns & Around Home
- Quickly Kills Outdoor Pests [On Contact]
- Kills Lawn Pests
- · Also stops spiders, ticks, fleas, cockroaches and other pests
- Kills Pests Outdoors in Lawns, Gardens, and Around Homes
- Kills Ants Outdoors in Lawns, Gardens, and Around Homes
- Keeps killing for up to 4 weeks [30 days] [1 month]
- Kills on contact
- Up to 4 week [30 days] [1 month] control
- Helps Protect your home from invading pests [ants]
- · Also stops [kills] spiders, roaches, ants, fleas, and ticks
- Kills: Fleas, Ants, Crickets, Ticks, Chinch Bugs, Armyworms, Billbugs, Cutworms, Earwigs, Sod Webworms and other listed insects
- Kills 28 kinds [types] of insects [pests]
- Long Lasting.....Keeps on Killing for Weeks
- · Long Lasting 30 Day [4 week] [1 month] Protection
- Stops Ants Outdoors-Before They Come Inside
- Effective Home Barrier Treatment
- Treats up to 5,000 sq. ft.
- \*Guaranteed Results or Your Money Back