9666 - 200 Please read Instruction on reverse before completing form.

| 2 | 4 | 2003 Form Approved. | | | | | |
|---|---|------------------------|---------|------------|----------|---------|---------|
| | | Form Approved. | OMB No. | 2070-0060. | Approval | expires | 11-30-9 |

| 1 | Ì | 10 |
|---|---|----|
| t | | _ |

| Please read Instruction on reverse before completing form. | Form Approved. OMB | No. 2070-0060. Approval expires 11-30-93 |
|--|--|---|
| United States Environmental | | OPP Identifier Number |
| Office of Pesticide Progr Washington, DO | <u></u> | Registration Amendment |
| Office of Pesticide Progr Washington, DC Application for Po | | Other |
| 7 — | | |
| | Section I | |
| 1. Company/Product Number | 2. EPA Product Manager | 3. Proposed Classification |
| 9688-200 | G. LaRocca | |
| 4. Company/Product (Name) | PM# | X None Restricted |
| Chemsico Insecticide Granules Formula C | 13 | |
| 5. Name and Address of Applicant (Include ZIP Code) | | accordance with FIFRA Section 3(c)(3)(b) or identical in composition and labeling |
| Chemsico, Division of United Industries Corp. P.O. Box 142642 | to: | |
| St. Louis, MO 63114 | EPA Reg. No. | |
| Check if this is a new address | Product Name | |
| | Section II | |
| | | |
| Amendment - Explain below | = | bels in response to tter |
| Amonamoni explain balow | dated | Oct. 30, 2002 |
| Resubmission in response to Agency letter dated | "Me Too" App | NOTIFICATION |
| X Notification - Explain below | Other - Explain | |
| Explanation: Use additional page(s) if necessary. (For Se | ection I and Section II.) | DE 0 7003 |
| Final printed labeling and Notification per PR Notice 98-10 current accepted label, and addition of similar application is | | hich is a variation on a statement on |
| current accepted label, and addition of similar application i | nethod to Directions for Use. | |
| | Section III | |
| Material This Product Will Be Packaged In: | | |
| Child-Resistant Packaging Unit Packaging | Water Soluble Packaging | 2. Type of Container |
| Yes* Yes | Yes | Metal |
| No No | No | Plastic Glass |
| If "Yes", No. per | It"Yes", No. per | Paper |
| *Certification must be submitted. Unit Package containe wgt. r | Package wgt. containe | Other |
| | | (Specify) |
| 3.Location of Net Contents Information 4. Size(s) | of Retail Container 5. Loc | cation of Label Directions |
| 3.Location of Net Contents information 4. Siza(s) | of Retail Container 5. Loc | , , |
| Label Container | | On Label On Labeling accompanying product |
| 6. Manner In Which Label is Affixed to Product | Other | |
| | Lithograph Paper glued | () |
| | Stenciled | |
| | Section IV | |
| 1. Contact Point (Complete items directly below for identificati | on of individual to be contacted, if n | ecessary, to process this application.) |
| Name | Title | Telephone No. (Include Area Code) |
| Kathie J. Tryson | Director, Pesticide Regulatory Affa | irs 800-242-1166, ext. 2752 |
| Certificati | on | 6. Date Application |
| I certify that the statements I have made on this form a | and all attachments thereto are to | rue, accurate and *Received |
| complete. I acknowledge that any knowingly false or mislea | ding statement may be punish | able by fine or (Stamped) |
| imprisonment or both under applicable law. | | |
| 2. Signature | 3. Title | |
| 12/11/ | | Sferien et |
| Malle mym | Director, Pesticide Regulatory A | IIIII |
| 4. Typed Name | 5. Date | • |
| Kathie J. Tryson | November 19, 2003 | **** |

FRONT PANEL

CHEMSICO Insect Granules Formula C

[See Appendix for Optional Marketing Claims]

Active Ingredient:

KEEP OUT OF REACH OF CHILDREN

CAUTION See back panel for additional precautionary statements

NET WEIGHT: 2 LB. (907 g) or 10 LB. (4.5 kg)

NOTIFICATION

BACK PANEL

PRODUCT FACTS

What it does:

Helps protect your home from Invading Ants. Also Kills Spiders, Roaches, Fleas, Ticks and other Listed Insects [Kills Fleas, Ants, Crickets, Ticks, Chinch Bugs, Armyworms, Billbugs, Cutworms, Earwigs, Sod webworms and Other Listed Insects]

Where to Use: (icon outdoors)

Outdoors, as a Barrier Band Treatment [Outdoors, on Lawns and as a Barrier Band Treatment around House Foundation]

Questions & Comments: (icon phone) (icon computer)
Call 1-800-332-5553 or Visit our Website at www.website.com

USE TO CONTROL [KILL] Annual Bluegrass weevil adults (hyperodes), Ants, Armyworms, Billbugs (adults), Black turfgrass *Ataenius* (adults), Centipedes, Chiggers, Chinchbugs, Cockroaches, Crickets, Cutworms, Digger wasps (Cicada killer), Earwigs, Fleas, Grasshoppers, Hyperodes weevil (adults), Leafhoppers, Mealybugs, Millipedes, Mole Crickets, Mosquitoes, Pillbugs, Scorpions, Sod webworms (lawn moths), Sowbugs, Spiders, Ticks

STOP. READ ENTIRE LABEL BEFORE USE.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For outdoor residential use only.

Do not allow people or pets to contact treated area until it has been watered and allowed to dry.

BEFORE YOU USE

- · Do not apply near fish pools, ponds, streams or lakes.
- Food utensils such as teaspoons should not be used for food purposes after use with insecticides.
- Do not apply liquid sprays containing Cyfluthrin in addition to this product.

THREE EASY STEPS TO USE THIS PRODUCT

Step 1: Determine size of the job, measure the area to be treated.

Step 2: Use spreader setting chart to determine appropriate setting for your spreader. [Alternate for sprinkler can: Break the seal and open the pop-top cap.]

Step 3: Treat as directed in rate chart. There us however are is important. Weter in

Step 3: Treat as directed in rate chart. Thorough coverage is important. Water in granules where indicated. [Alternate for sprinkler can: Evenly sprinkle granules as directed in rate chart.]

TO CONTROL HOUSEHOLD PESTS BEFORE THEY COME INDOORS

| PEST | HOW MUCH TO APPLY | HOW TO APPLY |
|--|---|---|
| | 1/3 to 1/2 cup per 45 to 50 sq. ft. (2 to 3 ft. band) [2 lbs. per 1000 sq. ft.] | Around the House |
| Ants, Centipedes, Cockroaches, Crickets, Digger Wasps, Millipedes, Pillbugs, Scorpions, Sowbugs, Spiders | Covers 1000 sq. ft. (a band 2 ft. wide and 500 feet long.) [2 lb. container] Treats perimeter of 16 ft. by 30 ft. | To keep pests away from your home, apply granules in a band 2 to 3 ft. wide around and up to the building. |
| | structure | TIP: A hand-held spreader makes this easy. |
| | | For Ant Mounds or Wasp Burrows |
| Ants, Digger wasps (Cicada killer) | 1 to 2 tsp. per mound or wasp burrow | Sprinkle 1 to 2 teaspoons of granules over the ant mound or wasp burrow. Treat wasps at night after they are back in their nest. |

TO CONTROL LAWN PESTS

| PEST | HOW MUCH TO APPLY | HOW TO APPLY |
|--|---|---|
| Ants, Hyperodes Weevil (adults), | | |
| Armyworms, Billbugs (adult), Black | Apply 2 lbs. per 1000 sq. ft. (This [10 | Use rotary or drop type spreader to apply granules evenly over the lawn. To |
| Turfgrass Ataenius (adults), Chiggers, | lb.] bag covers 5000 sq. ft). Adjust | be sure you cover the entire area uniformly, first treat the border of the lawn |
| Chinchbugs, Cutworms, Fleas, | your spreader to the proper setting. | then fill in the center. Make parallel passes, walking at a steady pace to |
| Grasshoppers, Leafhoppers, Mealybugs, | See the table below. | ensure even distribution of the granules. |
| Mole Crickets, Sod Webworms (lawn | | |
| moths), Ticks | | Water thoroughly within a day after applying. |

Tip: For best control of mole crickets, apply during the period when their eggs are hatching. Contact your County Extension Service for the ideal dates to apply in your areas.

FOR BEST RESULTS: Water in thoroughly after applying. Do not mow until the granules are thoroughly watered in. Many lawn pests cause damage by eating roots or tunneling through the turf. To prevent damage, apply this product early...when pests are still young and easier to kill.

TO CONTROL GARDEN PESTS on Carrots, Peppers, Potatoes, Radishes, Sweet Com, Tomatoes

| PEST | HOW MUCH TO APPLY | HOW TO APPLY |
|---|---|--|
| Armyworms, Cutworms, Grasshoppers, Stinkbugs | Apply 2 lbs. per 1000 sq. ft. [This [10 lb.] bag covers 5000 sq. ft]. Adjust your spreader to the proper setting. See the table below. [This 2 lb. [can] covers 1000 sq. ft. which is the same as a band 10 feet wide and 100 feet long.] Do not apply more than one time per season. Do not apply liquid sprays containing Cyfluthrin in addition to this product. | Apply granules evenly over the garden. Water thoroughly within a day after applying. |

Note: The spreader settings listed [below] are approximate. Accurately weigh a few pounds into your spreader and apply to a measured area. Then adjust spreader setting, if necessary, in order to assure correct rate of application.

SPREADER SETTINGS (2 LBS. PER 1,000 SQ. FT.)

| SPREADER | SETTING to deliver 2 lbs. per 1000 sq. ft. |
|---------------------|---|
| Vigoro Drop | |
| Vigoro Rotary | |
| Sta-Green Drop | |
| Sta-Green Rotary | |
| Bandini | |
| Ev-N-Spread Rotary |] |
| Ortho Drop | To be determined. |
| Ortho Rotary | |
| Precision Drop | |
| Precision Rotary | |
| Quaker Rotary |] |
| Republic EZ Drop | |
| Republic EZ Grow | |
| Scotts Drop | |
| Scotts Accugreen | |
| Scotts Evengreen | |
| Scotts Speedy Green | |
| True Temper Rotary | |

- Settings are approximate. The condition of your spreader and the speed at which
 you walk and uneven terrain may affect the rate of application. Calibrate your
 spreader according to manufacturers directions.
- Tip: 1000 sq. ft. = 20 ft. x 50 ft.
- Do not use a spreader that applies granules in narrow, concentrated or uneven bands. Be sure the spreader works properly and spreads granules evenly.

OPTIONAL DIRECTIONS

BAND TREATMENT AROUND HOUSE

General Directions

The following pests are commonly found around or near foundations of houses as well as in lawns. Some of these pests may enter the home. Apply a 2 to 3 foot band of granules next to the house's foundation.

INSECTS:

Ants, Fleas, Ticks, Clover mites, Crickets, Earwigs, Millipedes, Sowbugs (Pillbugs)

RATE: 1/3 to 1/2 cup per 45 to 50 sq. ft. (2-3 ft. band)

HOW TO USE:

Distribute granules evenly. Water lightly after application.

SPOT TREATMENT FOR ANTS

RATE:

Apply 1 1/2 teaspoons over and around each ant hill.

HOW TO USE:

Water lightly after application.

[Alternate for sprinkler can: Evenly sprinkle granules over and around each ant hill. Water lightly after application.]

STORAGE AND DISPOSAL

Storage: Store in original container in a cool, dry place, out of reach of children, preferably a locked storage cabinet. **Disposal: If empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

FIRST AID

If Swallowed: Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give anything by mouth to a n unconscious person. If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first



5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment.

Environmental Hazards

This pesticide is toxic to fish. Do not apply directly to water. Do not contaminate water when cleaning equipment or disposing of equipment washwater.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

[Questions or comments? Call 1-800-332-5553]

[*If you are not satisfied with this product for any reason send your written request for a refund to the address below, together with the original dated store receipt showing the price you paid. Please allow 6-8 weeks for processing]

Made in the USA for Chemsico, Division of United Industries Corporation P.O. Box 142642, St. Louis, MO 63114-0642

EPA Reg. No. 9688-200

EPA Est. No. 9688-MO-1

©2003

CHEMISICO Insect Granules Formula C

EPA Reg. No. 9688-200

Fn:9688-200-N1-FPL.doc

11/19/03

ALTERNATE TABULAR LABEL FORMAT

CHEMSICO Insect Granules Formula C

Active Ingredient:

KEEP OUT OF REACH OF CHILDREN

CAUTION See back panel for additional precautionary statements

NET WEIGHT: 2 LB. (907 g) or 10 LB. (4.5 kg)

BACK PANEL

QUICK FACTS

- Easy to Use Granules
- Kills Pests Outdoors in Lawns, Gardens, and Around Homes
- For use with Lawn or Hand-held Spreaders
- · Kills Ants Outdoors In Lawns, Gardens, and Around Home

Effective as a Spot Treatment for Ant Mounds

| Kills | Annual Bluegrass weevil adults (hyperodes), Ants, Armyworms, Billbugs (adults), Black turfgrass Ataenius (adults), Centipedes, Chiggers, Chinchbugs, Cockroaches, Crickets, Cutworms, Digger wasps (Cicada killer), Earwigs, | Fleas, Grasshoppers, Hyperodes weevil (adults), Leafhoppers, Mealybugs, Millipedes, Mole Crickets, Mosquitoes, Pillbugs, Scorpions, Sod webworms (lawn moths), Sowbugs, Spiders, Ticks |
|-----------------|--|--|
| COVERAGE | Covers 5,000 sq. ft. | |
| WHERE TO USE | Lawns, Gardens and Aroun | d House foundations |
| WHEN TO USE | When Insects or damage fir | st appear |
| HOW MUCH TO USE | See Directions | |
| | For questions or comments on-line at www.website.com | , call toll-free 1-zzz-zzzz or visit us n |

STOP, READ ENTIRE LABEL BEFORE USE.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For outdoor residential use only.



Do not allow people or pets to contact treated area until it has been watered and allowed to dry.

BEFORE YOU USE

Read and follow these directions when using:

- Do not apply near fish pools, ponds, streams or lakes.
- Food utensils such as teaspoons and measuring cups should not be used for food purposes after use with this insecticide.

CONTINUED ON NEXT PAGE



| TO CONTRO | OL HOUSEHOLD PESTS BEF | ORE THEY COME INDOORS | |
|---------------|---|--|--|
| HOW TO USE | container) Treats perimeter of 16 ft. by HOW TO APPLY Around the House | Sowbugs Spiders ft. (2 to 3 ft. band) 2 ft. wide and 500 ft. long.) (2 lb. 30 ft. structure om your home, apply granules in a band | |
| | Tip: A hand-held spreader makes this easy. PEST Ants Digger wasps (Cicada killer) HOW MUCH TO APPLY 1 to 2 tsp. per mound or wasp burrow HOW TO APPLY For Ant Mounds or Wasp Burrows Sprinkle 1 to 2 teaspoons of granules over the ant mound or wasp burrow. Treat wasps at night, after they are back in their nest. | | |
| TO CONTRO | DL LAWN PESTS | | |
| HOW TO USE | PEST Ants Hyperodes Weevil (adults) Armyworms Billbugs (adult) Black Turfgrass Ataenius (adults) Chiggers Chinchbugs | Cutworms Fleas Grasshoppers Leafhoppers Mealybugs Mole Crickets Sod Webworms (lawn moths) Ticks | |
| | spreader to the proper settir | (This bag covers 5000 sq. ft). Adjust your ng. See the table below. | |

| | HOW TO APPLY Use rotary or drop type spreader to apply granules evenly over the lawn. To be sure you cover the entire area uniformly, first treat the border of the lawn then fill in the center. Make parallel passes, walking at a steady pace to ensure even distribution of the granules. |
|---------------------|---|
| | Water thoroughly within a day after applying. |
| | TIP: For best control of mole crickets, apply during the period when their eggs are hatching. Contact your County Extension Agent for the ideal dates to apply in your area. |
| FOR BEST RESULTS | Water in thoroughly after applying. Do not mow until the granules are thoroughly watered in. Many lawn pests cause damage by eating roots or tunneling through turf. To prevent damage, apply this product early – when pests are still young and easier to kill. |

| HOW TO USE | PEST | | | |
|------------|--|--|--|--|
| | Armyworms | Grass | shoppers | |
| | Cutworms | Stink | bugs | |
| | HOW MUCH TO APPLY | | | |
| | Apply 2 lbs. per 1000 sq. ft. [This [10 lb.]bag covers 5000 | | | |
| | sq. ft]. Adjust your spreader to the proper setting. See the | | | |
| | table below. This 2 lb. [can] covers 1000 sq. ft. which is | | | |
| | the come or o | | | |
| | | a band 10 fe | et wide and 100 feet long. Do | |
| | not apply mor | a band 10 fe e than one t | et wide and 100 feet long. Do time per season. Do not apply | |
| | not apply mor | a band 10 fe e than one t | et wide and 100 feet long. Do | |
| | not apply mor liquid sprays of | a band 10 fe te than one to containing C | et wide and 100 feet long. Do time per season. Do not apply | |
| | not apply mor liquid sprays of product. | a band 10 fe te than one to containing C | et wide and 100 feet long. Do time per season. Do not apply | |
| | not apply mor liquid sprays of product. VEGETABLE Carrots | a band 10 fe re than one t containing C | et wide and 100 feet long. Do time per season. Do not apply syfluthrin in addition to this | |
| | not apply mor liquid sprays of product. VEGETABLE Carrots | a band 10 fe te than one to containing C Potatoes Radishes | et wide and 100 feet long. Do time per season. Do not apply syfluthrin in addition to this Sweet Corn | |
| | not apply mor liquid sprays of product. VEGETABLE Carrots F Peppers I | a band 10 fe than one to containing C Potatoes Radishes | et wide and 100 feet long. Do time per season. Do not apply syfluthrin in addition to this Sweet Corn | |

SPREADER SETTINGS (2 LBS. PER 1,000 SQ. FT.)

| SPREADER | SETTING to deliver 2 lbs. per 1000 sq. ft. |
|---------------------|--|
| Vigoro Rotary | |
| Sta-Green Drop | |
| Sta-Green Rotary | To be determined. |
| Bandini | To be determined. |
| Ev-N-Spread Rotary | |
| Ortho Drop | |
| Ortho Rotary | |
| Precision Drop | |
| Precision Rotary | |
| Quaker Rotary | |
| Republic EZ Drop | |
| Republic EZ Grow | |
| Scotts Drop | |
| Scotts Accugreen | |
| Scotts Evengreen | |
| Scotts Speedy Green | |
| True Temper Rotary | |
| | |

- Settings are approximate. The condition of your spreader and the speed at which you walk and uneven terrain may affect the rate of application. Calibrate your spreader according to manufacturers directions.
- Tip: 1000 sq. ft. = 20 ft. x 50 ft.
- Do not use a spreader that applies granules in narrow, concentrated or uneven bands. Be sure the spreader works properly and spreads granules evenly.

STORAGE AND DISPOSAL

Storage: Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet.

Disposal: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals

CAUTION

- Harmful if swallowed.
- Causes moderate eve irritation.
- · Avoid contact with eyes or clothing.
- Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

| FIRST AID | |
|--------------|--|
| If Swallowed | Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person. |
| If in Eyes | Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice. |

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment.

Environmental Hazards

- This pesticide is toxic to fish. Do not apply directly to water.
- Do not contaminate water when cleaning equipment or disposing of washwater.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

[Questions or comments? Call 1-800-332-5553]

[*If you are not satisfied with this product for any reason send your written request for a refund to the address below, together with the original dated store receipt showing the price you paid. Please allow 6-8 weeks for processing]



CHEMSICO Insect Granules Formula C

EPA Reg. No. 9688-200


Fn:9688-200-N1-FPL.doc

11/19/03

Made in the USA by Chemsico, Division of United Industries Corporation P.O. Box 142642, St. Louis, MO 63114-0642

EPA Reg. No. 9688-200

EPA Est. No. 9688-MO-1 ©2003



CHEMSICO Insect Granules Formula C EPA Reg. No. 9688-200 Fn:9688-200-N1-FPL.doc

APPENDIX

CHEMSICO INSECT GRANULES FORMULA C OPTIONAL MARKETING CLAIMS FOR BOTH FORMATS

- Ready-To-Use
- Easy to Use Granules
- Kills Insects
- Kills Ants [On Contact]
- Kills Nuisance Pests Outdoors [On Contact]
- Kills Ants Fast
- Kills 28 Outdoor Pests in Lawns & Around Home
- Quickly Kills Outdoor Pests [On Contact]
- Kills Lawn Pests
- · Also stops spiders, ticks, fleas, cockroaches and other pests
- Kills Pests Outdoors in Lawns, Gardens, and Around Homes
- Kills Ants Outdoors in Lawns, Gardens, and Around Homes
- Keeps killing for up to 4 weeks [30 days] [1 month]
- · Kills on contact
- Up to 4 week [30 days] [1 month] control
- Helps Protect your home from invading pests [ants]
- · Also stops [kills] spiders, roaches, ants, fleas, and ticks
- Kills: Fleas, Ants, Crickets, Ticks, Chinch Bugs, Armyworms, Billbugs, Cutworms, Earwigs, Sod Webworms and other listed insects
- Kills 28 kinds [types] of insects [pests]
- Long Lasting.....Keeps on Killing for Weeks
- Long Lasting 30 Day [4 week] [1 month] Protection
- Protects up to 4 Weeks
- Stops Ants Outdoors—Before They Come Inside
- Effective Home Barrier Treatment
- Treats up to 5,000 sq. ft.
- *Guaranteed Results or Your Money Back



11/19/03