

9688-202

11/04/2002

1/11



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7565C)
401 M' St., S.W.
Washington, D.C. 20460

EPA Reg. Number

9688-202

Date of Issuance

NOV 4 2002

Term of Issuance

Unconditional

Name of Pesticide Product

Chemnico Insecticide
Concentrate C

NOTICE OF PESTICIDE:

Registration
 Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Chemnico, Division of United Industries Corp.
P.O. Box 142642
St. Louis, MO 63114

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA sec. 3(c)(5). Once a pesticide is registered, however, it is not regarded as permanently acceptable. Registration does not eliminate the need for continual reassessment of pesticides. If the Agency determines that, at any time, additional data are required to maintain in effect an existing registration, the Agency will require submission of such data under FIFRA section (3).

1. Revise the EPA Registration Number to read "EPA Reg. No. 9688-202".
2. Delete the partial claim "Kills the most troublesome ..." from the list of marketing claims in the Appendix of the label. "
3. Submit two (2) copies of your final printed label before you release the product for shipment. Please refer to the A-79 enclosure for a further description of final printed labeling.

Signature of Approving Official:

Susan L. Stanton, for George T. LaRocca

Date:

NOV 4 2002

Page 2
EPA Reg. No. 9688-202

A stamped copy of the label is enclosed for your records. If you have any questions regarding this action, please contact Susan Stanton of my team at (703) 305-5218.

Sincerely,

George T. LaRocca
Product Manager (13)
Insecticide Branch
Registration Division (7505C)

Enclosures

CHEMSICO Insecticide Concentrate C

[See Appendix for Optional Marketing Claims]

**ACCEPTED
with COMMENTS
In EPA Letter Dated:**

NOV 4 2002

**Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.**

9688-202

Active Ingredient:
Cyfluthrin..... 0.75%
Other Ingredients:..... 99.25%

KEEP OUT OF REACH OF CHILDREN
CAUTION See back panel for additional precautionary statements

NET CONTENTS: 16 fl.oz. (1 PT./473 mL) or 32 fl. oz. (1 QT./948 mL)

Optional Product Fact Box

PRODUCT FACTS

What it does: Quickly stops Harmful Insects Before They Do Damage

Where to Use: Lawns, Ground Covers, Flowers, Shrubs, Trees, Vegetables, Around Homes

When To Use: When insects or damage first appear.

Kills [Controls]: [Ants, Aphids, Armyworms, Aster leafhoppers, Bagworms, Banded sunflower moths, Bluegrass billbug (adults), Box elder bugs, Budmoths, Cabbage loopers, Carrot weevils (adults), Caterpillars, Celery leafhoppers, Chiggers, Chinch bugs, Clover mites, Cockroaches, Colorado potato beetles, Corn borers, Corn earworms, Corn rootworms (adults), Crickets, Cutworms, Earwigs, Elm leaf beetles, Fire ants, Flea beetles, Fleas, Flies, Garden webworms, Grasshoppers, Gypsy moth larvae, Head clipper weevils (adults), Hyperodes weevil (adults), Japanese beetles (adults), Lace bugs, Leaf beetles, Leaf-feeding beetles, Leaf-feeding caterpillars, Leafhoppers (including Glassy-winged Sharpshooter), Leafminers, Midges, Mole Crickets, Mosquitoes, Pepper weevils (adults), Pillbugs, Potato aphids, Potato Leafhoppers, Roaches, Scale (crawler stages), Seed weevils (adults), Sod webworms, Sowbugs, Spiders, Spittlebugs, Stem weevils (adults), Stink bugs, Sunflower beetles, Sunflower moths, Thrips, Ticks (including deer ticks), Tomato Fruitworms, Tomato Hornworms, Tomato Pinworms, Wasps, Weevils (Adults), Western Flower Thrips, Whiteflies]

STOP. READ ENTIRE LABEL BEFORE USE.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. *For outdoor residential use only.*



Keep children and pets away from treated areas until spray has dried.

BEFORE YOU USE

- Apply the product to flowering plants during early morning or late evening, when bees are not present.
- Do not spray the product into fish pools, ponds, streams or lakes.
- Remove animal feeding dishes prior to application.

- Food utensils such as teaspoons and measuring cups should not be used for food purposes after use with this insecticide.

WHEN TO USE

Spray when insects or damage first appear. For severe infestations, repeat every 7 to 14 days as necessary.

OPTION A**HOW TO USE**

Directions For Ready-Spray Nozzle [For a Lawns Only product sold with sprayer attached]

1. *Shake container well before using.*
2. Connect a garden hose to the Ready-Spray nozzle. Make sure the dial on the nozzle is in the "OFF" position with the [green] safety tab in the valve notch.
3. Turn on water at faucet. Extend hose to the farthest area to be treated and work back toward the faucet so you don't come in contact with the treated area
4. To BEGIN spraying, point nozzle toward lawn and 1.) bend the green safety tab (located at right of [yellow] dial) back and hold, 2.) using your other hand, QUICKLY turn the dial clockwise until it stops. Water will automatically mix with the product.
5. Spray until wet to control insects listed on page [X]. Walk at a steady pace while spraying using an even sweeping motion, slightly overlapping treated areas. One quart will treat 5,000 sq. ft. Calculate square feet by multiplying length by width. Refer to sight gauge to guide coverage (example: when bottle is half empty, you should have covered half the area).
6. To STOP spraying, QUICKLY turn the dial in the opposite direction of "ON" (counter clockwise) until it stops and the safety tab engages into the notch. Turn water off at faucet. To relieve pressure before removing nozzle from hose, bend the safety tab back and turn dial "ON" until water stops spraying.
7. To STORE unused product, make sure the dial is in the "OFF" position with the green safety tab in the valve notch. Place in a cool area away from heat, sunlight or open flame.

OPTION B**HOW TO USE**

TANK SPRAYER (plastic, aluminum or stainless steel)

- Add concentrate as indicated in directions to 1 gal of water.
- Spot treat or spray evenly over area to be treated.

DIAL TYPE HOSE-END SPRAYER

- Set sprayer to the "fl. oz./gallon" level specified in the directions.
- Use only enough product for the area to be treated.
- Close sprayer, attach to hose and apply.

CONCENTRATE PLUS WATER TYPE SPRAYER

- Determine the amount of concentrate required.
- Pour concentrate into sprayer jar to the required "fl. oz." level.
- Replace sprayer top on jar and apply.

FOR BEST RESULTS: Do not water the foliage within one hour after applying. To avoid serious damage to plants, eliminate pests early in the season before they multiply.

LAWN PESTS

To control Ants, Armyworms, Bluegrass Billbugs (adults), Chiggers, Chinch bugs, **Crickets, Cutworms, Earwigs, Fire Ants, Fleas, Grasshoppers,** Hyperodes weevils (adults), Japanese Beetles (adults), Mole Crickets, Sod webworms (lawn moths), Ticks (including deer ticks which may transmit Lyme Disease)

Do not mow for one day after application.

AMOUNT TO USE: 3 fl. oz. per gallon of water covers 500 sq. ft.

[HOUSEHOLD] NUISANCE PESTS OUTDOORS

To control [kill] Ants, Box elder bugs, Clover mites, Cockroaches, Crickets, Earwigs, Flies, Midges, Mosquitoes, Pillbugs, Sowbugs, Spiders, Wasps

- Spray thoroughly beneath shrubs, around house foundation and in nearby tall grass or weeds. Cover evenly.
- Adjust sprayer nozzle to coarse spray to reach down into tall grass.
- 1 gallon of spray treats 1,000 sq. ft. of ground.

AMOUNT TO USE: ½ fl. oz. per gallon (1 tablespoon = ½ fl. oz.)

FLOWERS, TREES, SHRUBS, GROUND COVERS

To control [kill] Aphids, Bagworms, Box elder bugs, Clover mites, Elm leaf beetles, Grasshoppers, Gypsy moth larvae, Japanese beetle (adults), Lace bugs, Leaf-feeding caterpillars, Leaf-feeding beetles, Leafhoppers (including Glassy-winged Sharpshooter), Mealybugs, Pillbugs, Scale (crawler stages), Spittlebugs, Thrips, Whiteflies

- Spray foliage, tender new shoots and underside of leaves thoroughly.
- To kill insects that hide, spray the underside of the leaves. Apply until leaves are evenly coated with spray droplets, but not dripping.

AMOUNT TO USE: ½ fl. oz. per gallon (1 tablespoon = ½ fl. oz.)

VEGETABLES

Use On:	To Control:	Remarks	How To Apply
Carrots, Radishes, Sweet Corn, Tomatoes	Aphids, Armyworms, Aster Leafhoppers, Cabbage loopers, Carrot weevils (adults), Chinch bugs, Colorado potato beetles, Corn borers, Corn earworms, Corn rootworm (adults), Cutworms, Flea beetles, Grasshoppers, Leafhoppers, Leafminers, Potato aphids, Stink bugs, Thrips, Tomato Fruitworms, Tomato hornworms, Weevils (adults), Western Flower Thrips	No waiting. You may spray up to day of harvest. Do not spray more than 5 times per season.	Spray foliage, tender new shoots and the underside of leaves thoroughly. To kill insects that hide, spray the underside of the leaves. Apply until leaves are evenly coated with spray droplets, but not dripping.
Peppers	Armyworms, Cabbage loopers, Celery leaf tiers, Corn borers, Corn earworms, Garden Webworms, Leafhoppers (including Glassy-winged Sharpshooter), Leafminers, Pepper weevils (adults), Potato leafhoppers, Thrips, Weevils (adults)	After spraying, wait 7 days before harvest. Do not spray more than 6 times per season.	AMOUNT TO USE: ½ fl. oz. per gallon (1 tablespoon = ½ fl. oz.)
Sunflowers	Banded sunflower moths, Budmoths, cutworms, Grasshoppers, Head clipper weevils (adults), Leafhoppers (including Glassy-winged Sharpshooter), Midges, Seed weevils (adults), Stem weevils (adults), Sunflower beetles, Sunflower moths, Weevils (adults)	After spraying, wait 30 days before harvest. Do not spray more than 3 times per season.	

STORAGE AND DISPOSAL

Storage: Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet. **Disposal: If empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS**Hazards to Humans and Domestic Animals**

CAUTION: Harmful if swallowed or inhaled. Causes eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

FIRST AID

If Swallowed: Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person. **If Inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a Poison Control Center or doctor for further treatment advice. **If in Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment.

Environmental Hazards

This pesticide is toxic to fish. Do not apply directly to water. Do not contaminate water when cleaning equipment or disposing of washwater or rinsate. This pesticide is highly toxic to bees. Do not apply this product when bees are active.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

[Questions or comments? Call 1-800-332-5553]

*[*If you are not satisfied with this product for any reason send your written request for a refund to the address below, together with the original dated store receipt showing the price you paid. Please allow 6-8 weeks for processing]*

Made in the USA by Chemsico
Division of United Industries Corporation
P.O. Box 142642
St. Louis, MO 63114-0642

EPA Reg. No. 9688-

EPA Est. No. 9688-MO-1

©2002

ALTERNATE LABEL FORMAT

FRONT PANEL

CHEMSICO

Insecticide Concentrate C

[See Appendix for Optional Marketing Claims]

Active Ingredient:
 Cyfluthrin..... 0.75%
 Other Ingredients:..... 99.25%

KEEP OUT OF REACH OF CHILDREN

CAUTION See back panel for additional precautionary statements

NET CONTENTS: 16 fl.oz. (1 PT./473 mL) or 32 fl. oz. (1 QT./948 mL)

BACK PANEL

PRODUCT FACTS	
<ul style="list-style-type: none"> • Quickly Stops Harmful Insects Before They Do Damage • Effective against a Broad Range of Listed Pests • Kills Pests Outdoors Before They Come Inside • Ready-To-Spray...No Mixing, No Measuring [for Lawn-only product] • Easy, Accurate Measuring & Mixing [for a Concentrate with all uses] 	
KILLS	(Art: ant, flea spider, tick)
Ants	Head clipper weevils (adults)
Aphids	Hyperodes weevil (adults)
Armyworms	Japanese beetles (adults)
Aster leafhoppers	Lace bugs
Bagworms	Leaf beetles
Banded sunflower moths	Leaf-feeding beetles
Bluegrass billbug (adults)	Leaf-feeding caterpillars
Box elder bugs	Leafhoppers (including Glassy-winged Sharpshooter)
Budmoths	Leafminers
Cabbage loopers	Midges
Carrot weevils (adults)	Mole Crickets
Caterpillars	Mosquitoes
Celery leaf tiers	Pepper weevils (adults)
Chiggers	Pillbugs
Chinch bugs	Potato aphids
Clover mites	Potato Leafhoppers
Cockroaches	Roaches
Colorado potato beetles	Scale (crawler stages)
Corn borers	Seed weevils (adults)
Corn earworms	Sod webworms
Corn rootworms (adults)	Sowbugs
Crickets	Spiders
Cutworms	Spittlebugs
Earwigs	Stem weevils (adults)
Elm leaf beetles	Stink bugs
Fire ants	Sunflower beetles
Flea beetles	Sunflower moths
Fleas	Thrips
Flies	Ticks (including deer ticks)
Garden webworms	Tomato Fruitworms
Grasshoppers	Tomato Hornworms
Gypsy moth larvae	Tomato Pinworms
	Wasps
	Weevils (Adults)
	Western Flower Thrips
	Whiteflies

[Bracketed text – Optional]

Page 4 of 9

11/9

COVERAGE	Makes up to 64 gallons of spray (32 fl. oz.) (For Ornamental, Nuisance Pest and Vegetable Application). Covers 5,000 sq.ft. (Lawn Application)
WHERE TO USE	Lawns, Ground Covers, Flowers, Shrubs, Trees, Vegetables, Around Homes
WHEN TO USE	When insects or damage first appear
HOW MUCH TO USE	Dilute ½ oz. (1 Tablespoon) per gallon of water to treat Nuisance Pests around Homes, Flowers, Trees, Shrubs, Ground Covers, and Vegetables No measuring needed. Dilutes automatically. 1 Qt. covers 5000 sq. ft. (Lawn-only ready spray product)
ICONS (PHONE) (COMPUTER) Questions & Comments: Call 1-800-xxx-xxxx or Visit our Website at www.zzzz.com	

STOP. READ ENTIRE LABEL BEFORE USE.**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. *For outdoor residential use only.*



Keep children and pets away from treated areas until spray has dried.

BEFORE YOU USE	<ul style="list-style-type: none"> Apply the product to flowering plants during early morning or late evening, when bees are not present. Do not spray the product into fish pools, ponds, streams or lakes. Remove animal feeding dishes prior to application. Food utensils such as teaspoons and measuring cups should not be used for food purposes after use with this insecticide.
WHEN TO USE	Spray when insects or damage first appear. For severe infestations, repeat every 7 to 14 days as necessary.
MIXING & MEASURING	SEE SPRAYER TYPES

HOW MUCH TO USE	½ fl. oz. (1 Tbs.) per gallon of water for ground covers, flowers, trees, shrubs, vegetables and nuisance pests around homes 3 fl. oz. per gallon of water to cover 500 sq. ft. of lawn
------------------------	---

OPTION A - SPRAYER TYPES**TANK SPRAYER** (plastic, aluminum or stainless steel)

- Add concentrate as indicated in directions to 1 gal of water.
- Spot treat or spray evenly over area to be treated.

DIAL TYPE HOSE-END SPRAYER

- Set sprayer to the "fl.oz./gallon" level specified in the directions.
- Use only enough product for the area to be treated.
- Close sprayer, attach to hose and apply.

CONCENTRATE PLUS WATER TYPE SPRAYER

- Determine the amount of concentrate required.
- Pour concentrate into sprayer jar to the required "fl. oz." level.
- Replace sprayer top on jar and apply.

**OPTION B – [HOW TO ATTACH & SPRAY]
[READY TO SPRAY PACKAGE FOR LAWNS ONLY]**

This product is ready to spray. Just attach this bottle to your hose according to directions. Water automatically mixes with the concentrate as you spray.

- Connect a garden hose to the Ready-Spray nozzle. Make sure the dial on the nozzle is in the "OFF" position with the [green] safety tab in the valve notch.
- Turn on water at faucet. To BEGIN spraying, point nozzle toward lawn and 1.) bend the green safety tab (located at right of [yellow] dial) back and hold, 2.) using your other hand, QUICKLY turn the dial clockwise until it stops and [green] tab engages into notch. Water will automatically mix with the product.
- Spray until wet to control insects listed on page [X]. Walk at a steady pace while spraying using an even sweeping motion, slightly overlapping treated areas. [One quart will treat 5,000 sq. ft.] Calculate square feet by multiplying length by width. Refer to sight gauge to guide coverage (example: when bottle is half empty you should have covered half the area).

4. To STORE unused product, make sure the dial is in the "OFF" position with the green safety tab in the valve notch. Place in a cool area away from heat, sunlight or open flame.

FOR BEST RESULTS

Do not water the foliage within one hour after applying. To avoid serious damage to plants, eliminate pests early in the season before they multiply.

[HOUSEHOLD] NUISANCE PESTS OUTDOORS**PEST**

Ants	Earwigs	Pillbugs
Box elder bugs	Flies	Sowbugs
Clover mites	Midges	Spiders
Cockroaches	Mosquitoes	Wasps
Crickets		

HOW TO APPLY

- Spray thoroughly beneath shrubs, around house foundation and in nearby tall grass or weeds. Cover evenly.
- Adjust sprayer nozzle to coarse spray to reach down into tall grass. (GRAPHIC)
- Use ½ fl. oz. per gallon of water to treat 1,000 sq. ft. of ground.

FLOWERS, TREES, SHRUBS, GROUND COVERS**PEST**

Aphids	Japanese beetle (adults)	Mealybugs	Pillbugs
Bagworms	Lace bugs	Scale (crawler stages)	
Box elder bugs	Leaf-feeding caterpillars	Spittlebugs	
Clover mites	Leaf-feeding beetles	Thrips	
Elm leaf beetles	Leafhoppers (including Glassy winged Sharpshooter)	Whiteflies	
Grasshoppers			
Gypsy moth larvae			

HOW TO APPLY

- Spray foliage, tender new shoots and underside of leaves thoroughly.
- To kill insects that hide, spray the underside of the leaves. Apply until leaves are evenly coated with spray droplets, but not dripping. (GRAPHIC)
- Use ½ fl. oz. per gallon of water.

VEGETABLES**CARROTS, RADISHES, SWEET CORN, TOMATOES**

No waiting.

You may spray up to day of harvest.

Do not spray more than 5 times per season.

PEST

Aphids	Flea beetles
Armyworms	Grasshoppers
Aster Leafhoppers	Leafhoppers
Cabbage loopers	Leafminers
Carrot weevils (adults)	Potato aphids
Chinch bugs	Stink bugs
Colorado potato beetles	Thrips
Corn borers	Tomato fruitworms
Corn earworms	Tomato hornworms
Corn rootworm (adults)	Weevils (adults)
Cutworms	Western Flower Thrips

HOW TO APPLY

- Spray foliage, tender new shoots and the underside of leaves thoroughly.
- To kill insects that hide, spray the underside of the leaves. Apply until leaves are evenly coated with spray droplets, but not dripping. (GRAPHIC)
- Use ½ fl. oz. per gallon of water.

PEPPERS

After spraying, wait 7 days before harvest.

Do not spray more than 6 times per season.

PEST

Armyworms	Leafhoppers (including Glassy-winged Sharpshooter)
Cabbage loopers	Leafminers
Celery leaf tiers	Pepper weevils (adults)
Corn borers	Potato leafhoppers
Corn earworms	Thrips
Garden Webworms	Weevils (adults)

HOW TO APPLY

- Spray foliage, tender new shoots and the underside of leaves thoroughly.
- To kill insects that hide, spray the underside of the leaves. Apply until leaves are evenly coated with spray droplets, but not dripping. (GRAPHIC)
- Use ½ fl. oz. per gallon of water.

SUNFLOWERS	
After spraying, wait 30 days before harvest. Do not spray more than 3 times per season.	
PEST	
Banded sunflower moths Budmoths Cutworms Grasshoppers Head clipper weevils (adults) Leafhoppers (including Glassy-winged Sharpshooter)	Midges Seed weevils (adults) Stem weevils (adults) Sunflower beetles Sunflower moths Weevils (adults)
HOW TO APPLY	
<ul style="list-style-type: none"> Spray foliage, tender new shoots and the underside of leaves thoroughly. To kill insects that hide, spray the underside of the leaves. Apply until leaves are evenly coated with spray droplets, but not dripping. (GRAPHIC) Use ½ fl. oz per gallon of water. 	

LAWN PESTS	
PEST	
Ants, Armyworms Bluegrass Billbugs (adults) Chiggers Chinch bugs Crickets Cutworms Earwigs	Fire Ants Fleas Grasshoppers Hyperodes weevils (adults) Japanese Beetles (adults) Mole Crickets Sod webworms (lawn moths) Ticks (including deer ticks which may cause Lyme Disease)
HOW TO APPLY	
<ul style="list-style-type: none"> Do not mow for one day after application. Use 3 fl. oz per gallon of water to cover [treat] 500 sq. ft. 	

STORAGE AND DISPOSAL

Storage: Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet.

Disposal: If empty: Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

- Harmful if swallowed or inhaled.
- Causes eye irritation.
- Avoid contact with skin, eyes, or clothing.
- Wash thoroughly with soap and water after handling.

FIRST AID

If Swallowed	<ul style="list-style-type: none"> Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person
If in Eyes	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice
If Inhaled	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a Poison Control Center or doctor for further treatment advice

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment.

Environmental Hazards

- This pesticide is toxic to fish.
- Do not apply directly to water. Do not contaminate water when cleaning equipment or disposing of washwater or rinsate.
- This pesticide is highly toxic to bees. Do not apply this product when bees are active.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

[Questions or comments? Call 1-800-332-5553]

[*If you are not satisfied with this product for any reason send your written request for a refund to the address below, together with the original dated store receipt showing the price you paid. Please allow 6-8 weeks for processing]

Made in the USA by Chemsico
Division of United Industries Corporation
P.O. Box 142642
St. Louis, MO 63114-0642

EPA Reg. No. 9688-
EPA Est. No. 9688-MO-1

©2002

APPENDIX**CHEMSICO HOME INSECTICIDE CONCENTRATE C OPTIONAL
MARKETING CLAIMS FOR BOTH LABEL FORMATS**

- Protects home lawns, fruits & nuts, vegetables, houseplants, roses, flowers, trees & shrubs
 - Kills [controls] ants, aphids, chinch bugs, cutworms, fleas, mites, mosquitoes, sod webworms and many other listed insects
 - Kills & Repels bugs in your backyard [yard]!
 - Kills and repels mosquitoes
 - Kills bugs fast
 - Controls [Kills] ants, aphids, chinch bugs, cutworms, fire ants, fleas, beetles, grubs, mites, sod webworms and many other listed insects (others listed)
 - Kills & Repels mosquitoes, flies, ants, fleas, ticks (including those which may transmit Lyme Disease), and other annoying pests!
 - Keeps killing for weeks
 - Kills ants, fleas, bagworms, grasshoppers, mole crickets, chinch bugs, sod webworms, crickets, aphids, mosquitoes, and other listed insect
 - Just One Application Quickly Kills Insects
 - Kills many troublesome outdoor insects which destroy lawns, roses, flowers, trees and shrubs, or annoy people and pets
 - Keeps on Killing for up to 14 Days
 - Kills Over 60 Different Outdoor Insects
 - Kills up to 70 insects [pests as listed]
 - Fast Acting...Kills on Contact
 - Long Lasting
 - Works in Hours
 - Quickly Stops Harmful Insects before they do damage
 - Effective Against a Broad Range of Listed Pests
 - Kills Pests Outdoors Before They Come Indoors
 - Helps protect your [house] [home] from invading insects (ants)
 - Keeps annoying insects away
 - Kills the most troublesome...
 - Protects your yard all weekend long
 - Won't wash away [in rain]
 - Do-it-yourself pest control
 - Just connect to your [garden] hose and spray
 - Low odor
 - For use around foundations, outside buildings, porches, wood piles, wooden fences and decks [patios]
- For Use On: Lawns, Ground Covers, Flowers, Shrubs, Trees, Vegetables, Around Homes
 - Ready-To-Spray [Concentrate]
 - Effective Home Barrier Treatment
 - Creates a barrier around your home
 - Ready-To-Spray...No Mixing, No Measuring (RTS)
 - Apply with Most Common Garden Sprayers
 - Rainproof in 1 hour
 - Rainproof within 1 hour of Application
 - Protects house lawns, flowers, shrubs, and trees
 - Water Based
 - Satisfaction guaranteed or your money back*