


9688-225 11/3/2004 1/5

 <p>U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (H7505C) 401 M St., S.W. Washington, D.C. 20460</p> <p><b>NOTICE OF PESTICIDE Registration</b></p> <p>(under FIFRA, as amended)</p>	<p>EPA Reg. Number: <b>9688-225</b></p>	<p>Date of Issuance: <b>NOV 3 2004</b></p>
	<p>Term of Issuance: <b>Conditional Registration</b></p>	
	<p>Name of Pesticide Product: <b>Insect Spray PP</b></p>	

Name and Address of Registrant (include ZIP Code):  
**Chemsico, A Division of United Industries**  
**PO Box 142642**  
**St. Louis, MO 63114-0642**

**Note:** Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
2. Make the following label changes:
  - a. Revise the EPA Registration Number to read, EPA Reg. No.9688-225
3. Within thirty (30) days, agree in writing to submit Storage Stability data [830-6317] for this product. If no resubmission is received during this time period, the application will be administratively withdrawn. Submit viscosity data within one (1) year of the date of this letter.
4. Submit two copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

Signature of Approving Official:	Date: NOV - 3 2004
----------------------------------	--------------------

A stamped copy of the label is enclosed for your records.

Sincerely,



Richard J. Gebken  
Acting Product Manager 10  
Insecticide Branch  
Registration Division (7505C)

enclosure

Stamped Copy of 9688-EEG Label

Signature of Approving Official:	Date: NOV - 3 2001
----------------------------------	--------------------

# Chemsico

## Insect Spray PP

**ACCEPTED  
with COMMENTS  
In EPA Letter Dated:**

**NOV 3 2004**  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under EPA Reg. No.  
**9688-225**

Use on fruits, vegetables, ornamentals, lawns, roses and flowers •  
Spray up to Harvest • Multi-Purpose Fruit & Vegetable Insect Control •  
Apply Anytime During the Growing Season • Spray right up to harvest •  
Same day spray, harvest and eat • Apply anytime during the growing  
season, right up to harvest • Made with pyrethrins, a botanical  
insecticide • Treats [up to] 5000 sq ft of lawn • Contact-kill insecticide •  
Kills bugs fast • Kills bugs on contact • For use on edibles up to day of  
harvest • Contains Pyrethrins, a Botanical insecticide • Made with  
pyrethrins from chrysanthemum flowers • Treats [up to] 5000 sq ft • For  
use on lawns, gardens, ornamentals, fruits, roses & flowers • Kills ants,  
aphids, caterpillars, Japanese beetles, mites, scale, whiteflies and  
other listed pests • Kills over 100 insects • Kills over 100 insects on  
contact • Kills insects and mites

#### Active Ingredients:

Pyrethrins .....	0.3%
Piperonyl Butoxide .....	3.0%
Other Ingredients: .....	96.7%

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION** See back for additional precautionary statements

Net [Contents] 32 fl oz (1 qt/946 mL)

#### PRODUCT FACT BOX

##### Product Facts

##### What it does:

Kills ants, aphids, caterpillars, chinchbugs, cicadas, cutworms,  
forest tent caterpillars, grasshoppers, Japanese beetles, June  
beetles, leafhoppers, mealybugs, mites, moths, scale insects,  
whiteflies and other listed pests.

##### Where to use:

For use on lawns, gardens, ornamental trees, fruits, roses and  
flowers.

##### Questions & Comments:

Call 1-800-332-5553 or visit our website at [www.website.com](http://www.website.com)

**STOP. READ ENTIRE LABEL BEFORE USE.**

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its  
labeling. *For home use only.*



**Keep people and pets off treated areas until spray has dried.**

#### HOW TO MIX AND APPLY

##### STEP 1

**Determine the size of the spraying job.** For lawns, measure the area to be sprayed.  
Calculate square feet by multiplying length by width. For trees, shrubs, flowers,  
vegetables or herbs, apply as a thorough cover spray.

##### STEP 2

**Use a clean sprayer.** Mix 2 fl oz (4 Tbsp) of Chemsico Insect Spray PP in one gallon  
of water. **Kitchen utensils such as measuring cups and measuring spoons should  
not be used for food purposes after use with pesticides.**

##### STEP 3

Apply as directed. Begin treating when insects first appear. Reapply when insects  
reappear to maintain control. Thorough coverage is important.

##### STEP 4

Flush sprayer with clean water after each use.

## LAWNS

**SURFACE INSECTS** including ants\*, armyworms, billbugs, chinchbugs, crickets, cutworms, earwigs, Hyperodes weevils (adults), Japanese beetles (adults), lawn moths (sod webworms), millipedes, mites, mole crickets, mosquitoes (adults), sowbugs, spittlebugs. Apply 6 fl oz of product in 3 gallons of water per 1000 sq ft. 1 Quart of Chemsico Insect Spray PP will treat [up to] 5000 sq ft.

Delay watering or mowing for 24 hours after application for optimum control of surface insects.

[\*Argentine, Southern, Field, Allegheny mound, Florida carpenter, Cornfield, Honey, Pavement, Nuisance.]

## ORNAMENTAL TREES, SHRUBS AND FLOWERS

**[For use on ornamental trees, shrubs and flowers such as but not limited to:**

Ageratum, Aster, Arborvitae, Arizona Cypress, Azaleas, Begonia, Birch, Boxwood, Box Elder, Camellias, Carnations, Cherry (ornamental), Chrysanthemums, Carnations, Coleus, Common Ninebark, Conifers, Douglas Fir, Elm, English Ivy, Euonymus, Exacum, Weeping Fig, Fir, Gladioli, Gold Bells, Hawthorn, Holly, Honeysuckle, Hypoestes, Ivy, Juniper, Lilac, Locust, Maple, Marigold, Mimosa, Mock Orange, Nannyberry, Oak, Orchid, Palm, Pansy, Pea Shrub, Petunia, Philodendron, Pine, Ornamental Plum, Poinsettia, Poplar, Tulip Poplar, Rhododendron, Roses, Snapdragon, Snowberry, Spruce, Taxus, Weeping Fig, Willow, Zinnia.]

**To control [kill] ants\***, armyworms, azalea caterpillar, aphids, bagworms, black vine weevil (adult), boxelder bugs, budworms, California oakworm, cankerworms, crickets, cutworms, Eastern tent caterpillar, elm leaf beetles, European sawfly, fall webworm, flea beetles, forest tent caterpillar, gypsy moth larvae, Japanese beetles (adults), June beetles (adults), lace bugs, leaf-feeding caterpillars, leafhoppers, leafminers (adults), leafrollers, leaf skeletonizers, midges, oleander moth larvae, pillbug, pine sawfly, pine shoot beetles, pinetip moths, plant bugs, root weevil, sawfly, scale insects (crawlers), spittlebugs, striped beetles, striped oakworm, thrips, tip moth, tussock moth larvae, broadmites, brown softscale, California redscale (crawler), clover mites, mealybugs, pineneedle scale (crawler), spider mites and whiteflies.

\*Argentine, Southern, Field, Allegheny mound, Florida carpenter, Cornfield, Honey, Pavement, Nuisance.

Apply as a thorough foliar spray. Wet leaves and branches to the dripping point. Try to spray underside of leaves and penetrate dense foliage.

## USE TIPS

- For best results, apply early before insect populations are high.
- For scale control, treat entire plant, including stem, trunks and twigs.
- For bagworm control, apply when bagworm larvae begin to hatch.
- For best results, apply to both sides of plant leaves and all plant surfaces.

## VEGETABLES, HERBS, FRUITS, NUTS

**Chemsico Insect Spray PP is ideal for use on most vegetables, herbs, fruits and nuts, including but not limited to:** Almond, Apple, Apricot, Arrugula, Basil, Bean, Beet, Blackberry, Blackeyed Peas, Blueberry, Broccoli, Brussels Sprouts, Cabbage, Chamomile, Cantaloupe, Carrot, Casaba, Cashew, Cauliflower, Celery, Cherry, Chicory, Chives, Corn, Cranberry, Currant, Curry Leaf, Eggplant, Elderberry, Endive, Garden Peas, Garlic, Grape, Grapefruit, Honeydew, Horseradish, Kumquat, Lemon, Lentils, Lime, Lettuce, Loganberry, Loquat, Macadamia Nut, Mango Melon, Melon, Mint, Nectarine, Onion, Orange, Paprika, Parsley, Peach, Pear (Bitter Melon), Pepper (including Bell, Chili), Pimentos, Plum, Potato, Pumpkin, Radish, Raspberry, Sage, Snap Bean, Spinach, Strawberry, Summer Squash, Sweet Bay (Bayleaf), Sweet Potato, Swiss Chard, Tangelo, Tangerine, Tomato, Walnut, Watermelon, Yam, Zucchini

**Chemsico Insect Spray PP kills most harmful garden insects including, but not limited to:** Ants, Aphids, Armyworms, Bagworms, Beetles, Biting flies, Cankerworms, Caterpillars (including tent), Chinchbugs, Cicadas, Clover mites, Corn borers, Corn earworms, Crane flies, Crickets, Cutworms, Earwigs, Firebrats, Fruitflies, Gnats, Grasshoppers, Green bugs, Green fruitworms, Green June beetles, Japanese beetles, Katyids, Lace bugs, Leafhoppers, Leafminers, Leafrollers, Lice, Maggots, Mealybugs, Millipedes, Mosquitoes (adults), Mites, Moths, Pillbugs, Rootworms, Silverfish, Sowbugs, Spittlebugs, Stink bugs, Thrips, Tomato hornworms, Webworms (including garden, sod), Weevils

Apply as a thorough foliar spray.

## USE TIPS:

1. Spray the undersides of leaves when possible as insects tend to cluster there.
2. To minimize effects on Honey Bees, spray early in the morning or at dusk.

## STORAGE AND DISPOSAL

**Storage:** Store in a cool, dry area away from heat or open flame. **Disposal: If empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

©2004

**PRECAUTIONARY STATEMENTS****Hazards to Humans and Domestic Animals**

**CAUTION.** May be harmful if swallowed, inhaled, or absorbed through skin. Avoid breathing spray mist. Do not get in eyes. Avoid contact with skin or clothing.

**First Aid**

**If Swallowed:** Call a Poison Control Center or doctor immediately for treatment advice.

Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person. **If Inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a Poison Control Center or doctor for treatment advice. **If in Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice. **If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment.

**Environmental Hazards**

This product is toxic to fish. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

**NOTICE:** Buyer assumes all responsibility for safety and use not in accordance with directions.

**Questions or comments?** Call toll free 1-800-332-5553.

**[Satisfaction Guarantee:** If you are not completely satisfied with this product, send the proof of purchase and your name, address and original cash register receipt showing price, date and place of purchase for full refund to: Chemsico, P.O. Box 142642, St. Louis, MO 63114-0642]

Made in the USA by Chemsico  
Division of United Industries Corp.  
PO Box 142642  
St. Louis, MO 63114-0642

EPA Reg. No. 9688-

EPA Est. No. 9688-MO-1

[Bracketed Text] = Optional language