

 <p>U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7505C) 1200 Pennsylvania Avenue, N.W. Washington, D.C. 20004</p> <p>NOTICE OF PESTICIDE: <u>  X  </u> Registration <u>      </u> Reregistration</p> <p>(under FIFRA, as amended)</p>	EPA Reg. Number:  9688-229	Date of Issuance:  OCT 13 2005
	Term of Issuance:  Conditional	
	Chemsico Home Insect Control L	
Name and Address of Registrant (include ZIP Code):  Chemsico, Division of United Industries P.O. Box 142642 St. Louis, Mo 63114-0642		
<p><b>Note:</b> Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.</p> <p>On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.</p> <p>Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:</p> <ol style="list-style-type: none"> <li>1. Submit and/or cite all data required for registration/reregistration of your product when the Agency requires all registrants of similar products to submit data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.</li> <li>2. Make the labeling changes listed below before you release the product for shipment:             <ol style="list-style-type: none"> <li>a. Add the phrase "EPA Registration No. 9688-229."</li> <li>b. The data submitted supports only a "kills" claim. Therefore delete residual and duration claims throughout the labeling. Also delete the term "Control" in the product name.</li> </ol> </li> </ol>		
Signature of Approving Official:		Date:

c. The data submitted did not support kill/control of the following pests: ticks, brown dog ticks, scorpions, and tree termites. Therefore, remove any and all pests except the following: ants, cockroaches, fleas, mosquitoes, spiders, crickets, earwigs, silverfish, firebrats, and other pests, NOT of public health importance. Additional data, which satisfy the standards for inclusion of pests of public health importance, must be submitted or cited. Refer to the enclosed efficacy review for specific deficiencies associated with the data submitted.

d. Remove drywood termites from the label. As presented the directions for use against drywood termites imply residual activity of the product, which has not been demonstrated. Efficacy has been demonstrated only when the product is directly applied to exposed drywood termites.

Note that based on a Toxicity Category 4 classification for this product you are not required to carry hazards to humans and domestic animals, first aid or the signal word caution.

3. Submit two (2) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

4. You must generate and submit the studies for one year storage stability (830.6317) and corrosion characteristics (830.6320). It is recommended that the observations be made at time intervals of 0,3,6,9, and 12 months. The corrosion characteristics study can be conducted simultaneously with the one year storage stability study.

Enclosure

# Chemisico

## Home Insect Control L

[Up to [2,3,4,5] 6 Months of Indoor Control • Up to [2,3,4,5] 6 Months of Control Indoors • Indoor Protection [Control] [for] up to [2,3,4,5] 6 Months • Controls Roaches, Ants, and Crickets Indoors [for] up to [2,3,4,5] 6 Months • Up to [2,3,4,5] 6 Month Control† • Kills [controls] roaches • Kills fleas • Helps protect your home from invading ants • Also stops spiders, roaches and fleas • Kills on contact • Kills fast • Fast killing • Kills [even] hidden bugs • Kills the bugs you see and kills the bugs you don't see • Kills roaches, ants and spiders • Kills home invading pests [insects] • Kills [controls] up to 40 [types of] insects [indoors & outdoors] • Use indoors and outdoors • Sprayer included • Ready-to-use • [Economical] do-it-yourself pest control • Easy to use ready spray • Clear Formula • Clear Formula – Non-staining, No odor • Non-Staining Clear Formula • No Odor Clear Formula • Fast Acting • Indoor & Outdoor Insect Killer • No lingering odor • No oily residue • Unscented • Leaves no odor • No Odor • Odor Free • Non-Staining • Water-based • Water-based (Non-staining, [Leaves] no odor) • Non-staining formula that leaves no odor • \*\*Guaranteed results [or your money back] • For use around foundations, outside buildings, porches, wood piles, wooden fences, and decks • Kills on Contact ]

ACCEPTED  
with COMMENTS  
to EPA Letter Dated  
OCT 13 2005  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.  
9688-229

Active Ingredient:  
Lambda-Cyhalothrin .....0.01%  
Other Ingredients ..... 99.99%

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION** See side [back] for additional precautionary statements

**NET CONTENTS 1 GALLON (3.7L)**

### MARKETING LANGUAGE AND DIRECTIONS FOR A GENERAL USE PRODUCT

#### OPTIONAL MARKETING LANGUAGE

Keeps [on] killing • Continues to kill cockroaches [roaches] and ants indoors for up to [8,12,16,20] 24 weeks [2,3,4,5] 6 months • Protects for up to [8,12,16,20] 24 weeks [2,3,4,5] 6 months indoors • Lasts up to [8,12,16,20] 24 weeks [2,3,4,5] 6 months indoors • Up to [2,3,4,5] 6 month Indoor Control

[Chemisico Home Insect Control L [This product] is an effective formulation, which kills roaches, ants and other crawling insects [bugs] fast.] [Chemisico Home Insect Control L [This product] is specially formulated to kill bugs [pests] fast plus keeps killing up to [2,3,4,5] 6 months [8,12,16,20] 24 weeks] indoors.] [Chemisico Home Insect Control L [This product] stays on treated surfaces providing killing power for up to [2,3,4,5] 6 months [8,12,16,20] 24 weeks] indoors after the spray has dried.] [Chemisico Home Insect Control L also stays on treated surfaces providing insect protection for up to [8,12,16,20] 24 weeks indoors.] [This product [formula] is great for indoor and outdoor insect control. It leaves no odor and is non-staining.]

[Chemisico Home Insect Control L is effective against roaches, ants and other listed insects and kills [controls] for up to [2,3,4,5] 6 months [8,12,16,20] 24 weeks indoors.] [This formula is non-staining and leaves no odor, so it's great for use indoors and outdoors.] [To kill [control] insects inside your home, spray Chemisico Home Insect Control L [this product] along baseboards in your kitchen, bathroom and other living areas. To help prevent insects from entering your home, spray outside surfaces of screens and around door and window frames.]

† Indoors [on Indoor Surfaces].

#### [OPTIONAL PRODUCT FACT BOX]

##### PRODUCT FACTS

**What It Does:**

Kills [Carpenter Ants] Ants, [cockroaches] Roaches, Fleas, Ticks, Spiders, [Crickets, Earwigs, Silverfish] and Other Listed Insects

**Where to Use:** (indoor icon) (outdoor icon)

**INDOORS:** In Cracks and Crevices, along Baseboards,[ under Sinks, behind Stoves and Refrigerators and Anywhere Insects May Hide] [Wherever Pests Find Entrance]

**OUTDOORS:** [On surfaces of] Outside Surfaces of Screens, Doors and Window Frames, Porches, Patios, Buildings or Wherever Insects May Enter

**Questions & Comments:** (phone icon) (computer icon)

Call 1-800-332-5553 or Visit our Website at [www.xxx.com](http://www.xxx.com)

**STOP. READ ENTIRE LABEL BEFORE USE.****DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. *For use around the home only. Do not use on pets.*



People and pets should not be allowed in treated areas until spray has dried.

**[SHAKE WELL BEFORE USING]****[SPRAYER INSTRUCTIONS]**

[How to prime and care for your sprayer:]

1. After shaking product well, remove cap from container and replace with sprayer hose and cap assembly. Tighten securely.
2. Turn sprayer nozzle one half turn counter-clockwise. Hold sprayer below the level of container and prime by pumping trigger 10 - 15 times until product is dispensed. Adjust nozzle to fine spray or jet stream as needed.
3. To store, turn nozzle to "OFF" position and [store with sprayer above level of liquid in container to prevent leakage] [store sprayer on hook located near bottle handle to prevent leakage].
4. Avoid contamination of food, feedstuffs and domestic water supplies. All food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Remove pets, birds and cover fish aquariums before spraying.

**[OPTIONAL DIRECTIONS FOR TRIGGER SPRAYER PRODUCT]****HOW TO USE**

1. Shake well before each use.
2. Adjust nozzle to narrow fan spray, to prevent excessive wetting and waste of product. Spray just enough to cover area to be treated.
3. Avoid contamination of food, feedstuffs and domestic water supplies. All food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Remove pets, birds and cover fish aquariums before spraying.

**INDOORS** (Graphic showing Indoor treatment sites.)

Spray areas where cockroaches, Palmetto bugs, ants\*, clover mites, crickets, cigarette beetles, confused flour beetles, red flour beetles, rice weevils, saw-toothed grain beetles, dermestid beetles, firebrats, water bugs, silverfish, earwigs, box elder bugs, centipedes, millipedes, pillbugs, sowbugs, scorpions and spiders are found or normally occur including dark corners of rooms and closets, cracks and crevices in walls; along and behind baseboards; beneath and behind sinks, stoves, refrigerators and cabinets; around plumbing and other utility installations. Reapply after three weeks if necessary. Pillbugs, sowbugs, scorpions and spiders must be sprayed directly to be killed.

For ants\*, apply to ant trails; around doors and windows and wherever else ants may find entrance.

\* Argentine, Southern, Field, Allegheny Mound, Florida Carpenter, Black Carpenter, Cornfield, Honey, Pavement, Nuisance

For control of carpet beetles, thoroughly spray along baseboards and edges of carpeting, under carpeting, rugs and furniture, in closets and on shelving, and wherever else insects are seen or suspected.

For control of fleas and brown dog ticks, thoroughly spray pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, window and door frames and localized areas of floor and floor covering where fleas and ticks may be present. Pet bedding should be replaced with clean fresh bedding after treating the area. **Do not treat pets with this product.** To control the source of flea infestations, pets should be treated with a product registered for application to animals.

*Note: Test inconspicuous sample of fabric or rug for staining before use. Check carpet manufacturer's warranty and care and maintenance information before using product on your specific brand of carpeting.*

**OUTDOORS** (Graphic showing Outdoor treatment sites.)

Ants\*, crickets, fleas and earwigs: For treatment of infestation of these insects in areas where there are weeds or bushy non-crop areas, spray infested areas thoroughly. When treating for ticks, give special attention to areas frequented by pets. For ants, thoroughly wet hills and runways.

\* Argentine, Southern, Field, Allegheny Mound, Florida Carpenter, Black Carpenter, Cornfield, Honey, Pavement, Nuisance

**ALTERNATE MARKETING LANGUAGE & DIRECTIONS FOR DRYWOOD TERMITE AND TREE TERMITE PRODUCT****INDOORS** (Graphic showing Indoor treatment sites.)

For Drywood Termites [polillas] treat infested areas and areas likely to be infested, such as wood surfaces, voids and tunnels [channels] in damaged wood, behind veneers, in structural voids (between stud walls and spaces between wood and concrete [foundations] and along cracks. When treating for exposed drywood termites pay particular attention to areas around windows, ventilation pipes and other areas that may allow termite entry into the home.

*Note: Drywood termites will be killed only if they come in contact with this product. Use of this product to control drywood termites should not be considered as a substitute for treatment by a professional pest control operator.*

Spray areas where cockroaches, Palmetto bugs, ants, crickets, water bugs, silverfish and spiders are found or normally occur including dark corners of rooms and closets, cracks and crevices in walls; along and behind baseboards; beneath and behind sinks, stoves, refrigerators and cabinets; around plumbing and other utility installations. Repeat application after eight weeks or earlier if re-infestation occurs. For ants, apply to ant trails, around doors and windows and wherever else ants may find entrance.

#### **OUTDOORS** (Graphic showing Outdoor treatment sites.)

For Tree termites (spp. *Nasutitermes*)[comejenes] treat specific areas where termite trails and nests are seen. Make holes in the nest and apply enough product to saturate the nest. Thoroughly wet termite trails going into the nest. Wait at least 24 hours before removing treated nest.

**Flies, mosquitoes:** For use only as an aid in reducing annoyance from these insects. Spray outside surfaces of screens, doors, window frames or wherever insects may enter the room. Also spray surfaces around light fixtures, on porches, in garages and other places where insects alight or congregate.

**Ants, crickets, fleas and earwigs:** For treatment of infestation of these insects in areas where there are weeds or bushy non-crop areas, spray infested areas thoroughly. When treating for ticks, give special attention to areas frequented by pets. For ants, thoroughly wet hills and runways.

**[Note: Following appears on both types of products]**

#### **STORAGE AND DISPOSAL**

**Storage:** Store in cool dry area away from heat or open flame. **Disposal: If empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

#### **PRECAUTIONARY STATEMENTS**

##### **Hazards to Humans and Domestic Animals**

**CAUTION** – Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

#### **FIRST AID**

**If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.

#### **Environmental Hazards**

This product is toxic to fish and other aquatic organisms. Do not apply directly to water.

**NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.**

**[Questions or comments? Call toll free 1-800-332-5553]**

**[\*\*If you are not satisfied with this product for any reason, send your written request for a refund to the address below, together with the original dated store receipt showing the price you paid. Please allow 6-8 weeks for processing.]**

Made in the USA for Chemsico  
Division of United Industries Corporation  
P.O. Box 142642  
St. Louis, MO 63114-0642

EPA Reg. No. 9688-

EPA Est. No. 9688-MO-1

© 2005