

9688-231

08-03-2011

1/6



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

AUG 3 2011

Jessica Goldberg
Chemsico / United Industries
P.O. Box 142642
St. Lois, MO 63114-0642

Subject: Notification per PRN 98-10 - Optional Marketing Claims and Refill and Mixing Instructions

EPA Registration Number: 9688-231
Chemsico Insecticide Concentrate 5L-T

Date of Submission: July 7, 2011

Dear Ms. Goldberg:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration (PRN) 98-10 for the abovementioned product. The Registration Division (RD) has conducted a review of this request and finds that the actions requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have questions regarding this letter, please contact Olga Odiott at (703) 308-9369.

Sincerely,

A handwritten signature in black ink, appearing to read "Mark Suarez".

Mark Suarez
Product Manager 13
Insecticide Branch
Registration Division (7505P)



United States Environmental Protection Agency
Office of Pesticide Programs (H7505C)
Washington, DC 20460
Application for Pesticide:

<input type="checkbox"/>	Registration Amendment Other
<input type="checkbox"/>	
<input checked="" type="checkbox"/>	

OPP Identifier Number

Section I

1. Company/Product Number 9688-231	2. Product Manager M. Suarez	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Chemsico Insecticide Concentrate 5L-T	PM# 13	
5. Name and Address of Applicant (include ZIP Code) Chemsico, Div. Of United Industries Corp. P.O. Box 142642 St. Louis, MO 63114 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labelling to: EPA Reg. No. _____ Product Name _____	

Section II

<input type="checkbox"/> Amendment - Explain below	<input type="checkbox"/> Final printed label in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "ME TOO" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - explain below

Explanation: Use additional page(s) if necessary. (For section I and Section II.)
Label Notification per PRN 98-10: We have modified the refill and mixing instructions, however, the changes do not affect the dilution ratio or minimum or maximum use dilutions. Additionally, we have added optional marketing claims. (Please see cover letter for details.)

Section III

1. Material in Which This Product Will Be Packaged:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes * <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water-Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____		
* Certification must be submitted		If "YES," Unit package wgt	No. per container	If "YES," Package wgt	No. per container
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) of Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label Is Affixed To Product		<input type="checkbox"/> Lithographed <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled		<input type="checkbox"/> Other _____	

Section IV

1. Contact Point (Complete items directly below for identification of the individual to be contacted, if necessary, to process this application)		
Name Jessica Goldberg	Title Regulatory Affairs Specialist	Telephone No. (include Area Code) 314-683-2438
2. Signature 		3. Title Regulatory Affairs Specialist
4. Typed Name Jessica Goldberg		5. Date July 7, 2011
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate, and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)

NOTIFICATION

AUG 03 2011

Chemsico

Insecticide Concentrate 5L-T

For Outdoor Use Around the Home Only.


[Do-it-yourself termite* killing spray • Kills termites* [including drywood termites] • Kills termites* that damage wood • Kills termites*, ants*, carpenter ants and other wood destroying pests • Kills termites* on contact • Kills on contact • For use around foundations, outside buildings, porches, wood piles, wooden fences and decks • Termite* killing concentrate • Use [indoors & outdoors] in the Chemsico Home Insect Control 3L [EZSpray Sprayer] [1.33 gal] Easy Action Pump] • Water-based • Guaranteed Results [or Your Money Back***]. [Kills] [Controls] wood destroying insects • Kills [Termites] & [Carpenter Ants] • Effective Home Barrier Treatment • One quart covers up to 16,000 square feet • Makes up to 64 gallons of spray • [Super Saver] [Concentrate] makes up to 64 gallons • Economical alternative makes up to 64 gallons • Compare and save [to Ready To Use Products] • Kills [controls] up to [40] [types] of insects • Kills termites*, carpenter ants and other listed insects • One quart covers up to 1/3 of an acre • Makes 4 [X] [times] the volume of Ready To Use products [compared to Chemsico Home Insect Control 3L] • Keeps killing nuisance pests outside the home for up to 8 weeks [2 months] • Up to 8 week [2 month] control of nuisance pests • Also [kills] [controls] ants, crickets, fleas, deer ticks and other listed pests • Non-staining# • Kills Carpenter bees [on contact] • [Money Back Guarantee***] [Mix with Water] • [Easy Action Pump Refill Concentrate] • For Use in Any Tank Sprayer

(*FOR LOCALIZED CONTROL ONLY)

Active Ingredient: Lambda-Cyhalothrin 0.5%
 Other Ingredients 99.5%

KEEP OUT OF REACH OF CHILDREN

CAUTION See back [booklet] for additional precautionary statements

NET [CONTENTS] 32 fl oz (1 qt / 946 mL) 

[Use Chemsico Insecticide Concentrate 5L-T to treat infested areas and areas likely to be infested, such as wood surfaces, voids and charrels in damaged wood spaces between wooden parts of a structure, and between wood and foundations. Also use it to treat around fenceposts, wood piles (do not use on firewood) and tree stumps.]

OPTIONAL PRODUCT FACTS BOX

PRODUCT FACTS

WHAT IT DOES

Kills Carpenter Ants, Termites*, Carpenter Beetles and Other Wood Destroying Pests

WHERE TO USE – (outdoor icon)

Outdoors around Foundations, Outside Buildings, Porches, Wood Piles, Wooden Fences and Decks

QUESTIONS & COMMENTS: (phone and computer icon)

Call 1-800-332-5553 or Visit our Website at www.spectracide.com

*FOR LOCALIZED CONTROL ONLY.

STOP. READ ENTIRE LABEL BEFORE USE.

[STOP! READ ALL INSTRUCTIONS INSIDE BEFORE USING. PEEL HERE. PRESS TO RESEAL.]

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.



Keep people and pets off treated areas until spray has dried.

- Do not water the treated area to the point of run-off.
- Do not make applications during rain.
- All outdoor applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:
 1. Treatment to soil or vegetation around structures.
 2. Applications to lawns, turf, and other vegetation.
 3. Other than applications to building foundations, up to a maximum height of 3 feet. Applications to building foundations, all outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and

structural surfaces (such as windows, doors, and eaves) are limited to spot and crack-and-crevice applications, only.

- Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.

In New York State, this may not be applied to lawns within 100 ft of a coastal marsh, or stream that drains into a coastal marsh.

OUTDOORS TO CONTROL WOOD DESTROYING INSECTS

Mix 7.5 fl oz [10 fl oz] with enough water to make one gallon [1.33 gal].

Treat infested areas and areas likely to be infested, such as wood surfaces, voids and tunnels [channels] in damaged wood, behind veneers, in structural voids (between stud walls and spaces between wood and foundations, along cracks, along crawl spaces and around outside buildings, porches, wood piles, wooden fences and decks. Kills exposed subterranean termites*, dampwood termites*, drywood termites*, carpenter ants, ambrosid beetles, death hunter beetles, false powderpost beetles and powderpost beetles.

CARPENTER BEES

Mix 0.5 fl oz with enough water to make one gallon.

Treat active tunnels where carpenter bee activity has been observed. Leave the entrance hole open for 48 hours after application to allow the bees to contact and distribute the insecticide throughout the nest galleries. Then plug the entrance hole with a piece of wooden dowel coated with carpenter's glue or wood putty. Plugging the hole will prevent re-infestation of old nesting tunnels and reduce the chances of wood decay.

[NUSIANCE] PESTS OUTSIDE THE HOME

[HOME BARRIER TREATMENT] Mix 0.5 fl.oz. (1 Tablespoon) in one [1] gallon of water and apply as a continuous band of insecticide around building foundation and around windows, doors, eaves, vents and other areas to greatly reduce the potential for entry by crawling pests. For easier application, remove debris and leaf litter from next to the foundation, cut back vegetation and branches that touch the foundation, and move or rake back rocks, deep mulch, or other potential pest harborage next to the foundation. Apply a 3 ft. band around the structure and upwards along the foundation to 3 feet and around windows, doors, and roof overhangs. Apply as a coarse spray to thoroughly and uniformly wet the foundation and/or band area so that the insecticide will reach the soil or thatch level where pests may be active. One [1] gallon will treat 250 sq. ft. of surface area. Repeat application every 8 weeks [2 months].

OUTDOOR SURFACES USE: For control of ants**, centipedes, cockroaches, crickets, fleas, millipedes, mosquitoes, palmetto bugs, scorpions, sowbugs, pillbugs, spiders, deer ticks and waterbugs. Mix 0.5 fl.oz. (1 Tablespoon) in one gallon of water and apply as a residual treatment to ornamental plants next to foundations of buildings and to surfaces of buildings, porches, screens, window frames, eaves, patios, garages and other similar areas where these pests are active. Repeat application every 8 weeks [2 months].

#Note: This product is non-staining to most home siding depending on eye and cleanliness. However, before using in areas where the spray can contact home siding (vinyl siding in particular), test in an inconspicuous area and recheck in a few hours. Do not use if any staining is observed.

LAWNS

HOW TO MIX AND APPLY

STEP 1

Determine size of spraying job. Measure the area to be sprayed. Make applications when insects first appear. Applications should be repeated only as directed to maintain control.

STEP 2

Use a clean sprayer. Carefully measure and mix the amount of product and water as indicated in the [rate chart][directions]. It is always a good idea to wear [disposable] gloves when handling pesticides. Kitchen utensils such as measuring cups and measuring spoons should not be used for food purposes after use with pesticides.

STEP 3

Spray as directed. Thorough coverage is important.

STEP 4

Flush sprayer with clean water after each use.

UNDERGROUND INSECTS/HATCH INFESTING INSECTS including Blue grass billbug (adult), Black turfgrass *Ataenius* (adult), chiggers, chinch bugs, white grubs (Japanese beetle, European chafer, Southern chafer), dung beetle and hyperodes weevils (adult), European crane flies, and mole crickets (nymphs and young adults) Mix 0.5 fl.oz. (1 Tablespoon) in 1 gallon of water to treat 125 sq.ft. or 4 fl.oz. in 8 gallons water to treat 1000 sq.ft. For sub-surface insect control (mole crickets, grubs) water treated area with additional ¼ to ½ inch of water for optimum results. [1 quart of Chemsico Insecticide Concentrate 5L-T treats 8,000 sq. ft.]

SURFACE INSECTS including ants**, armyworms, crickets, cutworms, earwigs, fleas, lawn moths (sod webworms), millipedes, sowbugs, mites, spittlebugs, deer ticks (which may transmit Lyme Disease). Thoroughly wet down grass a few hours before applying. Mix 0.5 fl.oz. (1 Tablespoon) in 1 gallon of water to cover [treat] 250 sq. ft. or 2 fl.oz. (4 Tablespoons) in 4 gallons of water to

cover [treat] 1000 sq.ft. of lawn. Delay additional watering or mowing for 24 hours after application for optimum control of surface insects. For heavy infestations use rate can be increased to 3 fl.oz./ 1000 sq.ft. [1 quart of Chemsico Insecticide Concentrate 5L-T treats 16,000 sq. ft.]

WHEN TO TREAT: Treat the following pests during the months indicated or when first noticed.

JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
				Billbugs							
				Dung beetle grubs			Grubs				
				Hyperodes weevils							

Treat ants** and other insects when they first appear or you notice lawn damage.

**For localized control only. The purpose of such applications of this product for termites is to kill workers or winged reproductive forms which may be present in treated channels at the time of treatment. Such applications are not a substitute for mechanical alteration, soil treatment or foundation treatment but are merely a supplement. This product is not recommended as sole protection against termites. For active termite infestations, get a professional inspection.*

**Argentine, Southern, Field, Allegheny mound, Florida carpenter, Cornfield, Honey, Pavement, Nuisance.

REFILL DIRECTIONS

To Refill Chemsico Home Insect Control 3L [EZ SPRAY™] [Easy Action Pump]: Refill only with Chemsico Insecticide Concentrate 5L-T. Remove cap. Carefully measure and pour [7½ fl oz] [10 fl oz] of concentrate into empty [one gallon][1.33 gal] Chemsico Home Insect Control 3L container, and fill to [one gallon][1.33 gal] with water. Replace and tightly close cap. Wipe off any spilled product. See the [brand name] [EZ SPRAY] [Easy Action Pump] label for complete directions.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry area away from heat or open flame. **Disposal:** If empty: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION. Harmful if swallowed. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating drinking, chewing gum or using tobacco.

First Aid

If Swallowed: Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person. **If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment.

Environmental Hazards

This pesticide is extremely toxic to fish. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

OPTIONAL GUARANTEE STATEMENT

*** (Guaranteed Results ICON) If you are not satisfied with this product for any reason send your written request for a refund to the address below, together with the dated store receipt showing the price you paid. Please allow 6-8 weeks for processing.

Questions or Comments? Call toll free 888-KILL-TERMITES (888-545-5837) for assistance in using this product.

Made in the USA by Chemsico
Division of United Industries Corporation
P. O. Box 142642
St. Louis, MO 63114-0642

EPA Reg. No. 9688-231
EPA Est. No. 9688-MO-1
© 2009