



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

AUG 1 8 2010

Ms. Jessica Goldberg Chemsico, Div. Of United Industries Corp. P.O. Box 142642 St. Louis, MO 63114

Subject: Notification: Revised Container Disposal Instructions per PR Notice 2007-4 and Revised Environmental Hazards per PR Notice 2008-1

Chemsico Herbicide Concentrate 4A

EPA Reg. No. 9688-259

Your Application Dated July 2, 2010

Dear Ms. Goldberg:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notices (PRN) 2007-4 and 2008-1 for the subject product.

The Registration Division (RD) has conducted a review of this request for applicability under PRN 2007-4 and PRN 2008-1 and finds that the label changes requested fall within the scope of the PR Notices. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on <u>nonrefillable</u> containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please call me directly at (703) 305-1243 or Susan Stanton of my staff at (703) 305-5218.

Sincerely,

Kathryn Montague, Product Manager 23

Swan L. Stanton, for

Herbicide Branch

Registration Division (7505P) Office of Pesticide Program



United States Environmental Protection Agency Office of Pesticide Programs (H7505C)

Washington, DC 20460

Application	on for	Pesti	cide
--------------------	--------	-------	------

	Registration Amendment
X	Other

OPP Identifier Number

	7 Ipp. 101 101 101 1		1		
Section I					
Company/Product Number		2.Product Manager	3. Proposed Classific	ation	
9688-259		K. Montague			
4. Company/Product (Name)		PM#	X None	Restricted	
Chemsico Herbicide Concer	ntrate 4A	23			
5. Name and Address of Applicant (include ZIP Code) Chemsico, Div. Of United Industries Corp. P.O. Box 142642 St. Louis, MO 63114 Check if this is a new address		6 Expedited Review. In a (b)(i), my product is similar or id to: EPA Reg. No. Product Name	accordance with FIFRA lentical in composition		
	Section I	<u> </u>			
Amendment - Explain below Resubmission in response to Agency letter dated X Notification - Explain below.		Final printed label in response "ME TOO" Application. Other - explain below		,	
Explanation: Use additional page(s) if necessary. (For section I and Section II.) Label Notification per PRN 2007-4, Final Rule Pesticide Management and Disposal; Standards for Pesticide Containers and Containment & PRN 2008-1, Environmental Hazard General Labeling Statements on Outdoor Residential Use Products (Please see cover letter for details.)					
	Section I	11			
1. Material in Which This Product Wi	ll Be Packaged:				
Child-Resistant Packaging	Unit Packaging	Water-Soluble Packaging	2. Type of Container		
Yes* No	Yes X No	Yes X No	Metal X Plastic Glass		
* Certification must be	If "YES," No. per	If "YES," No. per	Paper		
submitted	Unit package wgt container	Package wgt container	Other (Sp	ecify)	
3. Location of Net Contents Information	4. Size(s)	of Retail Container	5. Location of Label D	Pirections	
X Label	6, 32 (1	quart), 40, 64 fl. oz.	X On Label On Labeling acco	ompanying product	
6. Manner in Which Label Is Affixed To	Product Lithograph	ned	Other		
X Paper glued . Stenciled					
Section IV					
	lirectly below for identification of the	individual to be contacted, if nec			
Name Jessica Goldberg	Title Regulator	ry Affairs Specialist	Telephone No. (incl.) 314-683-2438		
	Certification		· · · · · · · · · · · · · · · · · · ·	6 Date Application	
I certify that the statements I have made on this form and all attachments thereto are true, accurate, and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or (Stamped) both under applicable law.					
2. Signature		3. Title			
Jessin Doldly		Regulatory Affairs Spe	cialist		
, -					
Jessica Goldberg July 2, 2010					

Chemsico

Division of United Industries P.O. Box 142642 St. Louis, MO 63114-0642

July 2, 2010

Document Processing Desk (NOTIF)
Office of Pesticide Programs
United States Environmental Protection Agency
Room S4900, One Potomac Yard
2777 S. Crystal Drive
Arlington, VA 22202-4501

Attention:

Ms. Kathryn Montague

Product Manager Team 23

Subject:

NOTIFICATION: Label Notification per PRN 2007-4, Final Rule Pesticide Management and

Disposal; Standards for Pesticide Containers and Containment & PRN 2008-1, Environmental

Hazard General Labeling Statements on Outdoor Residential Use Products

Chemsico Herbicide Concentrate 4A

EPA Reg. No. 9688-259

Please find the enclosed application for notification of the following registration amendments:

A. Pesticide Registration Notice (PR) 2007-4, Final Rule Pesticide Management and Disposal; Standards for Pesticide Containers and Containment:

We have adopted the exact language set forth in PRN 2007-4.

This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirement of 40 CFR 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

B. <u>Pesticide Registration Notice (PRN) 2008-1</u>, <u>Environmental Hazard General Labeling Statements on Outdoor Residential Use Products:</u>

We have adopted the exact language set forth in PRN 2008-1.

This notification is consistent with the guidance in PR Notice 2008-1 and the requirements of EPA's regulations at 40 CFR 156.10, 40 CFR 156.80, and 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the guidance of PR Notice 2008-1 and the requirements of 40 CFR 156.10, 40 CFR 156.80, and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

The following documents are enclosed in support of this submission:

1. Application for Pesticide (EPA Form 8570-1)

- 2. One copy of the proposed label with changes highlighted
- 3. One clean copy of the proposed label

Please call me at 1-800-242-1166, Ext. 2438 or via email: <u>jessica.goldberg@spectrumbrands.com</u> if you have questions or need further information. Thank you in advance for your time.

Sincerely,

Jessica Goldberg

Regulatory Affairs Specialist

NOTIFICATION

AUG 1 8 2010

Front Panel

Chemsico *Herbicide Concentrate 4A*

[See Appendix For Consolidated List of Marketing Claims]

active Ingredients: Diquat dibromide ...

Diquat dibromide	2.30%
Fluazifop-p-butyl	
Dicamba, Dimethylamine salt	0.77%
Oxyfluorfen	
Other Ingredients	
	100 00%

KEEP OUT OF REACH OF CHILDREN

WARNING: See {[Back] [Side] [Inside] Panel}, [Booklet] For additional Precautionary Statements, OR [Peel Open for Use Directions and Further Information

NET CONTENTS: 16 fl oz (1 pt / 473 mL); 32 fl oz (1 qt/946 mL)

[OPTIONAL PRODUCT FACT BOX I]

PRODUCT FACTS

Treats up to 1500 sq ft [Fint] [Makes up to 5 gallons] Treats up to 3000 sq ft [Quart] [Makes up to 10 gallons]

KILLS WEEDS (weed icons)
ALL TYPES OF WEEDS AND GRASSES

WHERE TO USE

- [On patios, walkways or driveways]
- [In flower [beds] [gardens]
- [Around established shrubs & trees]
- [Along fences [and foundations]
- [Other areas in your yard (except in lawns)]
- [Edging around lawns]
- [In landscaping]
- [Around ornamentals]

AMOUNT TO USE

Newly Emerged Weeds: 3 fl oz (6 Tbsp) per gallon of water General Weed Control: 5 fl oz (10 Tbsp) per gallon of water For Best Results: 7 fl oz (14 Tbsp) per gallon of water

Questions & Comments:

(icon telephone) (icon computer)
Call 1-800-332-5553 or visit our website.

[OPTIONAL PRODUCT FACT BOX II]

PRODUCT FACTS

WHAT IT DOES: Kills all types of weeds and grasses [down to the root]. Prevents [weeds][weed and grass][re-growth] for up to 3 months [all season long] by creating a [an invisible barrier [that prevents new weeds from germinating]

WHERE TO USE: Outdoors [icon]: On patios, walkways, driveways, around flowers, shrubs and [or] trees; along fences, foundations, and in large areas

WHEN TO USE: For best results, apply during warm, sunny weather (above 60°F)

Questions & Comments:

(icon telephone) (icon computer)

Call 1-800-332-5553 or visit our website.

OPTIONAL MARKETING LANGUAGE

[Chemsico Herbicide Concentrate 4A eliminates all types of [common][existing] weeds and grasses [as listed] and prevents new weeds from growing all season long. (*illustrations*) This product can be used [for] [edging around lawns] [ornamental garden plot preparation] in driveways, walkways, curbs, along fences and foundations, near trees and shrubs, in flower beds, mulch beds and other similar areas of the yard to get rid of undesirable vegetation.]

[This product [is a non-selective herbicide that] will kill any vegetation contacted and [it] will prevent [re-growth] [new weeds and vegetation from emerging] for up to 3 months. It enters plants through the leaves and moves down to the roots. This will ensure that the entire plant is eliminated. [Chemsico Herbicide Concentrate 'A][It][This product] also provides a [protective][invisible] barrier that prevents reeds and grasses][new weeds] from [emerging][germinating][growing] for up to three [3] [months]. Avoid direct spray or drift onto desirable plants, lawn grasses, shrubs, and trees. Protect desirable plants and vegetation with a piece of plastic or cardboard. If desirable plants are accidentally sprayed, wash plants with water immediately.]

[KILLS] [CONTROLS] MOST COMMON [TOUGH] WEEDS AND GRASSES INCLUDING:

[Annual weeds and grasses: Annual ryegrass, annual bluegrass, barnyardgrass, beggarweed, black medic, blue medic, blue toadflax, brassbuttons, blue mustard, bromegrass, bur clover, buttercup, cheeseweed, chickweed, clover, common groundsel, common lambsquarters, common plantain, common ragweed, crabgrass, creeping beggarweed, diffuse lovegrass, dog fennel, evening primrose, false dandelion, fall panicum, fennel, fiddleneck, field pennycress, field sandbur, filaree, Florida pusley, foxtail, garden spurge, goosegrass, green foxtail, hemp sesbania, henbit, horseweed/marestail, ironweed, knotweed, lambsquarters, little bitter cress, London rocket, maiden cane, mallow, mayweed, mouseear chickweed*, valis*, Pennsylvania smartweed, pennywort, pigweed, prickly lettuce, prostrate spurge, puncture vine, purslane, redroot, pigweed, sandspur, shepherdspurse, smartweed, smooth cat's ear, smooth pigweed, sowthistle, spotted spurge, sprangletop, spurges, tansy mustard, tansy ragwort, teaweed, Texas panicum, tumble mustard, velvetleaf, wild geranium*, witch grass, wild mustard, yellow nutgrass, yellow oxalis (and many other annual grasses and weeds)]

[Perennial weeds, grasses, brush:

Alder, artichoke thistle, bahiagrass, barnyardgrass, bentgrass, Bermudagrass, bluegrass, broadleaf plantain, brownseed, paspalum, buckhorn plantain, bull thistle, Canada thistle, cattail, ceanothus, centipedegrass, cocklebur, cogongrass, common mullein, common ragweed, coral bead, creeping Charlie, curly dock, dallisgrass, dandelion, dewberry, dog fennel, false dandelion, fescue species, field bindweed, guineagrass, hairy crabgrass, horsenettle, horseradish, iceplant, Johnsongrass, Kentucky bluegrass, kikuyugrass, knapweed, knawel, lantana, maiden cane, milkweed mouseear chickweed* nimblewill, nutgrass (nutsedge) oldenlandia

orchardgrass, oxalis*, pampasgrass, pennywort, perennial ryegrass, plantain, purple cudweed*, purple nutsedge, quackgrass, quaking aspen, ragweed, red clover, smooth bromegrass sourcock, sowthistie, St. Augustine grass, tall fescue, tansy ragwort, Timothy, to pedograss, trumpetcreeper, vaseygrass, Virginia creeper, white clover, whiteop, wild bariey, wild blackberry, wild carrot, wild morning-glory, wild oats, yarrow, yellow nutgrass, yellow starthistle, zoysia.] *annual or perennial

Back Panel

STOP. [Read and follow label instructions] [Read Entire Label Before use] [Lift Here. Press to Reseal]

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For outdoor residential use only.



Do not allow people or pets to touch treated plants until the sprays have dried.

APPLICATION RESTRICTIONS

Do not apply this product in a way that will contact any person, pet, either directly or through drift. Keep people and pets out of the area during application.

USER SAFETY RECOMMENDATIONS

Clothing and protective equipment exposed to this product should be washed in detergent and hot water. Such items should be kept and washed separately from other laundry.

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Users should remove clothing and protective equipment immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

[This product is formulated for "spot" treatment of individual weeds and grasses.]

MIXING INSTRUCTIONS

[Mixing Instructions Option #1]

TANK SPRAYER (plastic, aluminum or stainless steel)

- · Add appropriate amount of concentrate to one gallon of water
- Spot treat [or spray evenly over 300 sq ft]

DIAL TYPE HOSE-END SPRAYER

- Set sprayer to the "fl oz/ gallon" level specified in the directions
- Use only enough product for the area to be treated.
- Close sprayer, attach to hose and apply.

CONCENTRATE PLUS WATER [HOSE END] TYPE SPRAYER

- Determine the amount of concentrate required
- Pour concentrate into sprayer jar to the required "fl oz" level
- Add the required amount of water to the "gals" level.
- Replace sprayer top on jar and apply

[Mixing Instructions Option #2]

[Two Easy Steps to Mix and Apply]

Step #1: Use a clean sprayer. Carefully measure and mix the amount of Chemsico Herbicide Concentrate 4A (product) and water as directed. Food utensils such as teaspoons and measuring cups should not be used for food purposes after use with pesticides.

Step #2: Spray as directed. Thorough coverage is important. Flush sprayer with clean water after each use.]

AMOUNT TO USE [for both Mixing Instruction Options]:

To kill newly emerged weeds [and prevent [re-growth][new weeds from emerging] for up to one month]: 3 fl oz (6 Tbsp) per gallon water treats 300 sq ft

For general weed control [to kill annual weeds and grasses][and prevent [re-growth][new weeds from emerging] for up to two months: 5 fl oz (10 Tbsp) per gallon water treats 300 sq ft For Best Results [to kill perennial weeds and grasses][and prevent

[re-growth][new weeds from emerging] for up to 3 months: 7 fl oz

(14 Tbsp) per gallon water treats 300 sq ft

1 Tbsp = 3 tsp 1 fl oz = 2 Tbsp

[EZ SPRAY REFILL DIRECTIONS]

Refilling the Chemsico Herbicide RTU ^A EZSPRÁY: Carefully measure and mix 7 fl oz (14 Tbsp) in one gallon of water [in the EZ Spray container]. See the EZ SPRAY label for complete directions.]

[How To Apply]

- Completely [wet] [cover] the foliage: [leaves] of the target vegetation [plant].
- Sprayed plants begin yellowing and wilting in as little as 3 hrs, with complete kill, including the roots, in 1 to 2 weeks.
- Thoroughly cover treated [bare][soil] areas to prevent new weeds and grasses from [growing][emerging]
- Protect desirable plants with a piece of plastic or cardboard.
- If desirable plants are accidentally sprayed, wash plants with water immediately.

[When to Apply] [Use Tips]

- For best results apply during warm, sunny weather (above 60°F) when weeds are actively growing and no rain is forecast for 24 hours. Rainfall or watering 15 minutes after application will not wash away effectiveness.
- To avoid drift to desirable plants, apply when the air is calm.
- Do not mow, cut or otherwise disturb treated [vegetation] [weeds] or [plants] for at least 7 days following application.
- Do not make more than 2 applications per year to any given area
- Do not use on or around edible feed or food crops.
- Do not use in areas that are to be planted or seeded within 3 months
- Do not use around newly planted trees, shrubs or flowers

[Where to Use] [Use Sites] [Use Situations]:

GENERAL WEED CONTROL: Use along [near] fences, paths, patios, sidewalks, curbs and driveways, around established ornamental trees, shrubs, flower beds and plantings, around buildings. Use for trimming and edging landscapes. Do NOT use for spot weed treatment in lawns, since Chemsico Herbicide Concentrate 4A kills all green plants, including lawn grasses.

[Tips for Replanting] [Replanting Instructions]

When replanting trees, shrubs or flowers in an area treated with [Chemsico Herbicide Concentrate 4A][this product] within the last [90days][3 months]:

- [Using gardening gloves] dig the planting hole
- Set aside the soil removed from the hole

- Place the plant in the hole according to the [instructions][guide] on the plant
- Fill the hole with planting soil or other untreated soil
- Spread the soil removed from the hole in an area where no [vegetation][plants][is][are] desired

STORAGE AND DISPOSAL

Pesticide Storage: Store this product in its original container in a secure storage area. Pesticide Disposal: If empty: Nonrefillable container. Do not reuse or refill his container. Place in trash or offer for recycling if available. If partly filled: Call our local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals

WARNING: Causes skin irritation. Causes moderate eye irritation. Do not get on skin or on clothing. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

Eirot Aid

First Aid	
If in Eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.
ர் on Skin or Clothing	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

Have the product container or label with you when calling a Poison Control Center, doctor, or going for treatment.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

Environmental Hazards

To protect the environment, do not allow pesticide to enter of run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

NOTICE: To the extent consistent with applicable law buyer assumes all responsibility for safety and use not in accordance with directions.

I'll you are not satisfied with this product for any reason, send your written request for a refund to the address below, together with the original dated store receipt showing the price you paid. Please allow 6-8 weeks for processing.]

[Questions? Comments call toll-free 1-800-332-5553 or visit our website]

Made in the USA by Chemsico Division of United Industries Corp. P. O. Box 142642 St. Louis. MO 63114-0642

EPA Reg. No. 9688-259

EPA Est. No 9688-MO-1

©2010

APPENDIX

CHEMSICO HERBICIDE CONCENTRATE 4A **OPTIONAL MARKETING CLAIMS**

- *Guaranteed Results [*Or Your Money Back]
- 2. [Better] [Best] Value
- 3. [Formula] Enters The Plant Within 15 minutes [Won't Wash Off]
- 4. Improved Formula
- 5. Absorbed Into The Plant
- 6. Absorbed On Contact
- 7. Control That Doesn't Wash Away

- 8. Controls [Hardy] [Tough] [Hard To Kill] Weeds
- 9. Dead [Weeds] [And] [Grass] In 24 Hours
- 10. Dead Weeds Guaranteed* [*Or Your Money Back]
- 11. Do-It-Yourself Weed Killer
- 12 Economical Concentrate
- 13. Effective Even If It Rains
- 14. Eliminates [Kills] All Common Weeds And Grasses
- 15. Eliminates Roots & Weeds, [Guaranteed*]
- 16. Eliminates Weeds, [Guaranteed*]
- 17. Exclusive Formula
- 18. Fast & [And] Complete
- 19. Fast Acting [Formula]
- J. Fast Acting Formula!
- 21. Faster Results Than The Leading Brand
- 22. Fastest Replanting Available
- 23. For Use [Ideal] [Can Be Used] [Use In And Around] [In] [On] [For] [Alona] Flower Beds
- 24. For Use [Use] [Ideal] [Can Be Used] [Use In And Around] [In] [On] [For] [Along] [Around] [Fences], [Driveways], [Walkways], [Shrubs], [Trees] [Ornamentals] [Walks] [Mulch Beds] [Gravel] [And] [Driveways] [Curbs]
- 25. For Walks, Drives, Fences, Patios And Similar Areas
- 26. Keeps Working, Even If It Rains
- 27. Kills All Treated Weeds
- 28. Kills [Even] Tough Weeds [And Grasses]
- 29. Kills From The Inside Out
- 30. Kills Over 155 Types Of Weeds [As Listed]
- 31. Kills Over 155 Varieties Of Broadleaf And Grassy Weeds [As Listed]
- 32. Kills The Entire Plant
- 33. Kills The Root So Weeds Won't Grow Back
- Kills The Root!
- 35. Kills The Weed You See And The Root You Don't
- 36. Kills Weeds And Unwanted Grasses
- 37. Kills Weeds And Unwanted Grasses, Roots And All
- 38. Kills Weeds In [A] [One] Day
- 39. No Root, No Weeds, [Guaranteed]
- 40. Not Even The Leading Brand [Is Faster] [Is As Fast]
- 41. Overnight Results
- 42. Quick-Kill Formula
- 43. Rainfast In 15 Minutes For Control That Doesn't Wash Away [Won't Wash Away
- 44. Rainfast In 15 Minutes Starts To Enter The Plant On Contact
- 45. Rainproof In 15 Minutes
- 46. Rainproof In 15 Minutes For Control That Won't Wash Away

- 47. Can Be Used Around EstablishedTrees & Shrubs
- 48. Satisfaction Guaranteed Or Your Money Back [With Proof Of Purchase]
- 49. See Results [in as Little][as fast] as 3 Hrs!
- 50. Starts To Work [in as little][as fast] as 3 Hours
- 51. Starts Working [in as little] as fast] as 3 Hours
- 52. Systemic Weed And Grass Killer For [Spot] Treatment Of Unwanted Weeds And Grasses
- 53. Systemic Formula
- 54. Won't Wash Away
- 55. Works First Time. Every Time.
- 56. Works In 24 Hours
- 65. Works The First Time [Guaranteed*] * Or Your Money Back
- 66. Works 4 Ways: (1)Results [as fast as][in as little as] 3 hrs, (2) Kills over 155 varieties of Broadleaf & Grassy Weeds as listed, (3) Kills the Root, (4) Prevents re-growth for up to 3 months [season-long control]
- 67. Starts Working Immediately!
- 68. Use on Paved & Landscaped Areas
- 69. Mix with Water
- 70. Visible Results as Fast as 3 Hours
- 71. Rainfast in 15 Minutes
- 72. [Prevents][Controls][Kills] weeds for up to 3 months [season long]
- 73. [One application] kills and prevents [weeds][weeds and grasses][from coming back][all season long][for three months][for the entire season]
- 74. Kills weeds and forms a protective barrier to prevent [new weeds][growth]
- 75. Apply once [and you're done][for season long control]
- 76. Apply once [and your done][for season long control]
- 77. Once & Done
- 78. Makes up to 10 gallons
- 79. [32 oz concentrate] makes up to 10 gallons
- 80. [16 oz concentrate] makes up to 5 gallons
- 81. [64 oz concentrate] makes up to 20 gallons
- 82. [40 oz concentrate] makes up to 13 gallons
- 83. Concentrated Formula
- 84. [Now] Includes measuring cup
- 85. [New[[Convenient][Easy to store][Easy to use][Free] measuring cup
- 86. Only one application needed [for season long control]
- 87. [Weed] Killer plus preventer
- 88. Dual action formula
- 89. Kills existing weeds down to the roots and prevents any new weeds and grasses from growing for up to 3 months