

9688-264

12-3-2007

1/10



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs  
 Registration Division (7505P)  
 1200 Pennsylvania Ave., N.W.  
 Washington, D.C. 20460

## NOTICE OF PESTICIDE:

Registration  
 Reregistration

(under FIFRA, as amended)

EPA Reg. Number:

9688-264

Date of Issuance:

DEC - 3 2007

Term of Issuance:

Conditional

Name of Pesticide Product:

Chemsico Herbicide RTU  
 4A

Name and Address of Registrant (include ZIP Code):

Chemsico  
 PO Box 142642  
 St. Louis, MO

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided you agree in writing to:


1. To the Environmental Hazards add "or rinseate" after "washwaters".
2. Change the Application Restrictions to "Do not apply this product in a way that will contact any person, pet, either directly or through drift. Keep people and pets out of the area during application."
3. Change the Entry Restrictions to "Do not allow people or pets to enter the treated area until sprays have dried."
4. To the Storage and Disposal section change "Storage" to "Pesticide Storage" and "Disposal" to "Pesticide Disposal".
5. Place the First Aid section within a box.
6. Place the First Aid and Hazards to Humans and Domestic Animals sections on the Front

2/10

Panel of the label.

7. On the Back Panel of the Label place the Environmental Hazards section in front of the Directions for Use section.
8. To the Notice section, change "Buyer assumes all" to "To the extent consistent with applicable law, buyer assumes all".
9. Delete the following optional marketing claims "# 20 and 43".
10. You must submit the results of the one year storage stability and corrosion characteristics studies within one year of the date of this registration.
11. Change the Hazards to Humans and Domestic Animals statements to "Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes or clothing."
12. To the label add "Do not make more than 2 applications per year."

Signature of Approving Official:



Kathryn V. Montague, Acting Product Manager (23)  
Herbicide Branch, Registration Division (7505P)

Date:

DEC - 3 2007

EPA Form 8570-6

You will submit one copy of your final printed labeling before you release the product for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). A stamped copy of labeling is enclosed for your records. If you have any questions please contact Erik Kraft at 703-308-9358.

# Chemsico Herbicide RTU 4A

SEE APPENDIX FOR CONSOLIDATED LIST OF MARKETING CLAIMS

**ACCEPTED**  
with **COMMENTS**  
In EPA Letter Dated:

**DEC - 3 2007**

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

Active Ingredients:	<u>9688-264</u>	
Diquat Dibromide.....		0.12%
Fluazifop-p-butyl.....		0.06%
Dicamba, dimethylamine salt.....		0.04%
oxyfluorfen.....		0.10%
Other ingredients.....		99.68%
[Total.....		100.00%]

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION** See (side)(back) (inside) (panel) (booklet) for additional precautionary statements

Net Contents: 1 Gallon (128 fl oz /3.78L)

[OPTIONAL PRODUCT FACT BOX I]

**Product Facts**

Container treats [more than][over] 200 weeds [24 fl oz.]  
Container treats [more than][over] 500 weeds [1/2 gal, 2L][Container treats 150 sq ft]  
Container treats [more than][over] 1000 weeds [1 gal, 4 L][Container treats 300 sq ft]  
Container treats [more than][over] 1300 weeds [5L] [Container treats 390 sq ft]  
Container treats [more than][over] 1500 weeds [6L] [Container treats 470 sq ft]  
Container treats [more than][over] 2000 weeds [2 gal] [Container treats 600 sq ft]

**KILLS WEEDS**

[illustrate grassy, broadleaf and woody weeds]  
ALL TYPES OF WEEDS [AND][&] GRASSES

**WHERE TO USE:**

- [On patios, walkways or driveways]
- [In flower [beds] [gardens]
- [Around established shrubs & trees]
- [Along fences [and foundations]
- [Other areas in your yard (except in lawns)]
- [Edging around lawns]
- [In landscaping]
- [Around ornamentals]

**Questions & comments:**(phone icon) (computer icon)  
Call 800-332-5533 or www.(address)

[OPTIONAL PRODUCT FACT BOX II]

**PRODUCT FACTS**

**WHAT IT DOES:** Kills all types of weeds and grasses [down to the root].  
Prevents [weeds][weed and grass][re-growth] for up to 3 months  
[all season long] by creating a [an invisible barrier [that prevents new weeds  
from germinating]

**WHERE TO USE:** **Outdoors** [icon]: On patios, walkways, driveways, around  
flowers, shrubs and [or] trees; along fences, foundations, and in large areas  
**WHEN TO USE:** For best results, apply during warm, sunny weather (above  
60°F).

**Questions & Comments:**  
(icon telephone) (icon computer)  
Call 1-800-332-5553 or visit our website.

3/10

**OPTIONAL MARKETING LANGUAGE**

[Chemsico Herbicide RTU 4A eliminates all types of [common][existing] weeds and grasses [as listed] and prevents new weeds from growing all season long. (illustrations) This product can be used [for] [edging around lawns] [ornamental garden plot preparation] in driveways, walkways, curbs, along fences and foundations, near trees and shrubs, in flower beds, mulch beds and other similar areas of the yard to get rid of undesirable vegetation.]

[This product [is a non-selective herbicide that] will kill any vegetation contacted and [it] will prevent [re-growth] [new weeds and vegetation from emerging] for up to 3 months. It enters plants through the leaves and moves down to the roots. This will ensure that the entire plant is eliminated. [Chemsico Herbicide RTU 4A][It][This product] also provides a [protective][invisible] barrier that prevents [weeds and grasses][new weeds] from [emerging][germinating][growing] for up to three [3] months]. Avoid direct spray or drift onto desirable plants, lawn grasses, shrubs, and trees. Protect desirable plants and vegetation with a piece of plastic or cardboard. If desirable plants are accidentally sprayed, wash plants with water immediately.]

[This container covers approximately 300 sq. ft. Coverage may be reduced if large brush species are treated.]

**[KILLS] [CONTROLS] MOST COMMON [TOUGH] WEEDS AND GRASSES AND PREVENTS RE-GROWTH FOR UP TO THREE MONTHS:**

**[Annual weeds and grasses:** Annual ryegrass, annual bluegrass, barnyardgrass, beggarweed, black medic, blue medic, blue toadflax, brassbuttons, blue mustard, bromegrass, bur clover, buttercup, cheeseweed, chickweed, clover, common groundsel, common lambsquarters, common plantain, common ragweed, crabgrass, creeping beggarweed, diffuse lovegrass, dog fennel, evening primrose, false dandelion, fall panicum, fennel, fiddleneck, field pennycress, field sandbur, filaree, Florida pusley, foxtail, garden spurge, goosegrass, green foxtail, hemp sesbania, henbit, horseweed/marestail, ironweed, knotweed, lambsquarters, little bitter cress, London rocket, maiden cane, mallow, mayweed, mouseear chickweed\*, oxalis\*, Pennsylvania smartweed, pennywort, pigweed, prickly lettuce, prostrate spurge, puncture vine, purslane, redroot, pigweed, sandspur, shepherdspurge, smartweed, smooth cat's ear, smooth pigweed, sowthistle, spotted spurge, sprangletop, spurges, tansy mustard, tansy ragwort, teaweed, Texas panicum, tumble mustard, velvetleaf, wild geranium\*, witch grass, wild mustard, yellow nutgrass, yellow oxalis (and many other annual grasses and weeds)]

**[Perennial weeds, grasses, brush:**

Alder, artichoke thistle, bahiagrass, barnyardgrass, bentgrass, Bermudagrass, bluegrass, broadleaf plantain, brownseed, paspalum, buckhorn plantain, Bull thistle, Canada thistle, cattail, ceanothus, centipedegrass, cocklebur, cogongrass, common

mullein, common ragweed, coral bead, creeping Charlie, curly dock, dallisgrass, dandelion, dewberry, dog fennel, false dandelion, fescue species, field bindweed, guineagrass, hairy crabgrass, horsetail, horseradish, iceplant, Johnsongrass, Kentucky bluegrass, kikuyugrass, knapweed, knawel, lantana, maiden cane, milkweed, mouseear chickweed\*, nimblewill, nutgrass (nutsedge), oldenlandia, orchardgrass, oxalis\*, pampasgrass, pennywort, perennial ryegrass, plantain, purple cudweed\*, purple nutsedge, quackgrass, quaking aspen, ragweed, red clover, smooth bromegrass, sourdock, sowthistle, St. Augustine grass, tall fescue, tansy ragwort, Timothy, torpedograss, trumpetcreeper, vaseygrass, Virginia creeper, white clover, whitetop, wild barley, wild blackberry, wild carrot, wild morning-glory, wild oats, yarrow, yellow nutgrass, yellow starthistle, zoysia.]  
\*annual or perennial

**Back Panel**

**STOP. [Read and follow label instructions] [Read Entire Label Before use] [Lift Here. Press to Reseal]**

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. *For outdoor residential use only.*



Do not allow people or pets to touch treated plants until the sprays have dried.

**APPLICATION RESTRICTIONS**

Do not apply this product in a way that will contact any person or pet, either directly or through drift. Only persons applying this product may be in the area during application.

**USER SAFETY RECOMMENDATIONS**

Clothing and protective equipment exposed to this product should be washed in detergent and hot water. Such items should be kept and washed separately from other laundry.

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Users should remove clothing and protective equipment immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

allp

**[How to use] [Application Instructions]**

Chemsico Herbicide RTU 4A is pre-mixed and ready to use and is formulated for "spot" treatment of weeds and grasses. [It is ideal for tough to reach weeds found in flowerbeds.] Use it on driveways and walkways, or around fences, trees, flower beds, shrubs and other areas in your yard (except in lawns).

One application of [this product][Chemsico Herbicide RTU 4A] will [Prevent re-growth for up to three months.] [Provide season-long protection from re-growth.]

**[OPTION A: Hand Sprayer Application]**

How to prime and care for your sprayer:

1. CONNECT TRIGGER SPRAYER. Unscrew and discard the [white] cap on the bottle. Insert the hose into the bottle and tighten the cap securely.
2. PRIME SPRAYER. Turn the sprayer nozzle one-half turn counter-clockwise. Hold the sprayer lower than the bottle and squeeze the trigger several times until it sprays. Adjust the nozzle to coarse spray pattern. Avoid sprays which are too fine because they can drift and damage other plants.

**[OPTION B: Trigger Sprayer applicator]**

1. Turn nozzle to coarse spray pattern.
2. Avoid sprays which are too fine because they can drift and damage other plants.

**[OPTION C: Nested Sprayer applicator]**

1. Pull tab outward
2. Rotate lock ring counterclockwise to unlock.
3. Pull sprayer to uncoil tubing.
4. To replace, return sprayer to bottle opening.
5. Drape tubing through slot in the spray handle.
6. Turn lock ring clockwise to lock.

**[How To Apply]**

Completely [wet] [cover] the foliage [leaves] of the target vegetation [plant]. Sprayed plants begin yellowing and wilting in as little as 3 hrs, with complete kill, including the roots, in 1 to 2 weeks.

- Thoroughly cover treated [bare][soil] areas to prevent new weeds and grasses from [growing][emerging].
- Protect desirable plants with a piece of plastic or cardboard.
- If desirable plants are accidentally sprayed, wash plants with water immediately.

**[When to Apply] [Use Tips]**

- For best results apply during warm, sunny weather (above 60°F) when weeds are actively growing and no rain is forecast for 24 hours. Rainfall or watering 15 minutes after application will not wash away effectiveness.
- To avoid drift to desirable plants, apply when the air is calm.
- Do not mow, cut or otherwise disturb treated [vegetation] [weeds] or [plants] for at least 7 days following application.
- Do not use on or around edible feed or food crops.
- Do not use in areas that are to be planted or seeded within 3 months
- Do not use around newly planted trees, shrubs or flowers

**[Where to Use] [Use Sites] [Use Situations]:**

**[GENERAL WEED CONTROL:]** Use along [near] fences, paths, patios, sidewalks, curbs and driveways, around established ornamental trees, shrubs, flower beds and plantings, around buildings. Use for trimming and edging landscapes. **Do NOT use for spot weed treatment in lawns, since Chemsico Herbicide RTU 4A kills all green plants, including lawn grasses.**

**[Tips for Replanting] [Replanting Instructions]**

When replanting trees, shrubs or flowers in an area treated with [Chemsico Herbicide RTU 4A][this product] within the last [90days][3 months]:

- [Using gardening gloves] dig the planting hole
- Set aside the soil removed from the hole
- Place the plant in the hole according to the [instructions][guide] on the plant
- Fill the hole with planting soil or other untreated soil
- Spread the soil removed from the hole in an area where no [vegetation][plants][is][are] desired

**STORAGE AND DISPOSAL****[OPTION A: Hand Sprayer Applicator]**

**Storage:** Turn the nozzle to "OFF" position and store with sprayer above the level of liquid in container to prevent leakage. Store this product in its original container in a secure storage area. **Disposal: If empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**[OPTION B: Trigger Sprayer]**

**Storage:** Store this product in its original container in a secure storage area. **Disposal: If empty:** Do not reuse this container. Place in trash or offer for recycling

if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

## PRECAUTIONARY STATEMENTS

### Hazards to Humans and Domestic Animals

**CAUTION.** Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

**FIRST AID: If in Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.

**If on Skin or Clothing:** Take off contaminated clothing. Rinse skin with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment.

### Environmental Hazards

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

**NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.**

Made in the USA by Chemsico, Division of United Industries Corp., P. O. Box 142642, St. Louis, MO 63114-0642

**[Questions or Comments? call 1-800-332-5553]**

EPA Reg. No. 9688-

EPA Est. No. 9688-MO-1

© 2007

## ALTERNATE LABEL FORMAT

**STOP. [Read and follow label instructions] [Read Entire Label Before use] [Lift Here. Press to Reseal]**

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. *For outdoor residential use only.*



Do not allow people or pets to touch treated plants until the sprays have dried.

### APPLICATION RESTRICTIONS

Do not apply this product in a way that will contact any person or pet, either directly or through drift. Only persons applying this product may be in the area during application.

### USER SAFETY RECOMMENDATIONS

Clothing and protective equipment exposed to this product should be washed in detergent and hot water. Such items should be kept and washed separately from other laundry.

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Users should remove clothing and protective equipment immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

### [Hand Sprayer Application]

How to prime and care for your sprayer:

1. **CONNECT TRIGGER SPRAYER.** Unscrew and discard the [white] cap on the bottle. Insert the hose into the bottle and tighten the cap securely.
2. **PRIME SPRAYER.** Turn the sprayer nozzle one-half turn counter-clockwise. Hold the sprayer lower than the bottle and squeeze the trigger several times until it sprays. Adjust the nozzle to coarse spray pattern. Avoid sprays which are too fine because they can drift and damage other plants.

o/a

**[EZSPRAY™ Directions] [EZSPRAY® Directions]**

1. [Unwrap sprayer.] Remove sprayer from side holder. Gently pull tubing out. (Graphical representation.)
2. Remove seal from top of cap. Unplug cap. (Graphical representation.)
3. Securely snap the [yellow] plug into hole on cap. (Graphical representation.)
4. Remove plastic tab near bottom of sprayer to activate batteries. (Graphical representation.)
5. Twist nozzle to adjust spray from CLOSE to SPRAY to STREAM. (Graphical representation.)

**[HOW TO USE THE EZSPRAY™] [HOW TO USE THE EZSPRAY®]**

1. Aim toward target weeds/plants, and away from people and pets.
2. Press the trigger to spray.  
Release the trigger to stop spray.

**After use:** 1. Twist nozzle completely to CLOSE position. 2. Secure sprayer upright in holder. 3. **Failure to adjust nozzle completely to CLOSE position and properly secure sprayer in holder may result in leakage and damage to property or injury to people or animals.**

**To replace batteries:** 1. Slide battery compartment door to unlatch and open. 2. Remove used batteries and insert four new AA batteries **in correct positions** as marked per diagram inside of battery compartment. Never insert the positive end where the negative end belongs and vice versa. **Always** use a complete set of new batteries of the same type when replacing batteries. **Never** mix alkaline, carbon-zinc or rechargeable batteries. 3. Securely close battery compartment door. 4. **Always** follow manufacturer's recommendations for use and disposal of batteries.

**Additional Operating Notes:** Do not submerge in water. Before each use inspect sprayer carefully, make sure hose is flexible and not kinked, worn or cracked, and that all connections are tight. When storing sprayer for prolonged periods remove batteries.

**[How to use] [Application Instructions] [When To Use]**

Chemsico Herbicide RTU 4A is pre-mixed and ready to use and is formulated for "spot" treatment of weeds and grasses. [It is ideal for tough to reach weeds found in flowerbeds.] Use it on driveways and walkways, or around fences, trees, flower beds, shrubs and other areas in your yard.

One application of [this product][Chemsico Herbicide RTU 4A] will [Prevent re-growth for up to three months.] [Provide season-long protection from re-growth.]

**[How To Apply] [Alt: General Weed Control]**

- Completely [wet] [cover] the foliage [leaves] of the target vegetation [plant].
- Sprayed plants begin yellowing and wilting in as little as 3 hrs, with complete kill, including the roots, in 1 to 2 weeks.
- Thoroughly cover treated areas to prevent new weeds and grasses from [growing][emerging]
- [Prevents re-growth for up to three months] [Provides season-long protection from re-growth]
- Protect desirable plants with a piece of plastic or cardboard.
- If desirable plants are accidentally sprayed, wash plants with water immediately.

**[When to Apply] [Use Tips] [General Use Tips]**

- For best results apply during warm, sunny weather (above 60°F) when weeds are actively growing and no rain is forecast for 24 hours. Rainfall or watering 15 minutes] after application will not wash away effectiveness.
- To avoid drift to desirable plants, apply when the air is calm.
- Do not mow, cut or otherwise disturb treated [vegetation] [weeds] or [plants] for at least 7 days following application.
- Do not use on or around edible feed or food crops.
- Do not use in areas that are to be planted or seeded within 3 months
- Do not use around newly planted trees, shrubs or flowers

**Not recommended for spot weed treatment in established lawns since lawn grasses will also be killed.**

**[Tips for Replanting] [Replanting Instructions]**

When replanting trees, shrubs or flowers in an area treated with [Chemsico Herbicide RTU 4A][this product] within the last [90days][3 months]:

- [Using gardening gloves] dig the planting hole
- Set aside the soil removed from the hole
- Place the plant in the hole according to the [instructions][guide] on the plant
- Fill the hole with planting soil or other untreated soil
- Spread the soil removed from the hole in an area where no [vegetation][plants][is][are] desired

**REFILL DIRECTIONS**

Refill only with Chemsico Herbicide Concentrate 4A. Remove cap. Carefully measure and mix 7 fl oz (14 tablespoons) in one gallon of water. Replace and tightly close cap. Wipe off any spilled product.

**STORAGE AND DISPOSAL****[ Hand Sprayer Applicator]**

**Storage:** Turn the nozzle to "OFF" position and store with sprayer above the level of liquid in container to prevent leakage. Store this product in its original container in a secure storage area. **Disposal: If empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**[EZSPRAY Sprayer]**

**Storage:** Turn the nozzle to "CLOSE" position. To prevent leakage, attach sprayer to clip. Store this product in its original container in a secure storage area. **Disposal: If empty:** Do not reuse this container except to refill (see Refill Directions). Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**PRECAUTIONARY STATEMENTS****Hazards to Humans and Domestic Animals**

**CAUTION.** Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

**FIRST AID: If in Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.

**If on Skin or Clothing:** Take off contaminated clothing. Rinse skin with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment.

**Environmental Hazards**

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

**NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.**

Made in the USA by Chemsico  
Division of United Industries Corp.  
P. O. Box 142642  
St. Louis, MO 63114-0642

**[Questions or Comments? call 1-800-332-5553]**

EPA Reg. No. 9688-

EPA Est. No. 9688-MO-1

© 2007



**APPENDIX  
CHEMSICO HERBICIDE RTU 4A  
OPTIONAL MARKETING CLAIMS**

1. \*Guaranteed Results [or your money back]
2. [Better] [Best] value
3. [Formula] enters the plant within one to two hours [won't wash off]
4. Improved Formula
5. Absorbed into the plant
6. Absorbed on Contact
7. Can be Used Over the Root Zones of Trees, Shrubs or Desirable Plants
8. Control that doesn't wash away
9. Controls [Hardy] [Tough] [Hard To Kill] Weeds and Grasses
10. Dead [weeds] [and] [grass] in 24 hours [and they'll never come back]
11. Dead Weeds Guaranteed\* [\*Or Your Money Back]
12. Do-it-yourself weed killer
13. Effective even if it rains
14. Eliminates [kills] all common weeds and grasses
15. Eliminates Roots & Weeds, [Guaranteed\*]
16. Eliminates Weeds, [Guaranteed\*]
17. Exclusive Formula
18. Fast & [and] complete
19. Fast Acting [Formula]
20. Faster results than the leading brand
21. Fastest Replanting Available
22. For [Spot] Treatment of Unwanted Weeds and Grasses
23. For use [Ideal] [Can be Used] [Use in and around] [in] [on] [for] [along] flowerbeds
24. For Use [Use] [Ideal] [Can be Used] [Use in and around] [in] [on] [for] [along] [around] [fences], [driveways], [walkways], [shrubs], [trees] [ornamentals] [Walks] [Mulch Beds] [Gravel] [and] [Driveways] [Curbs]
25. For walks, drives, fences, patios and similar areas
26. Keeps Working, Even if it Rains
27. Kills All Treated Weeds
28. Kills Even Tough Weeds & Grasses
29. Kills from the Inside Out
30. Kills over 155 types of weeds [as listed]
31. Kills over 155 varieties of broadleaf and grassy weeds [as listed]
32. Kills the Entire Plant
33. Kills the Root
34. Kills the Root So Weeds Won't Grow Back
35. Kills the Root!
36. Kills the Weed you see and the Root you Don't
37. Kills Weeds and Unwanted Grasses
38. Kills Weeds and Unwanted Grasses, [Roots and All]
39. Kills Weeds in [a] [one] day
40. No Measuring
41. No Mixing [Required] [Necessary]
42. No Root, No Weeds, [Guaranteed]
43. Not even the leading brand [is faster] [is as fast]
44. Overnight results
45. Quick-Kill Formula
46. Rainfast in 15 minutes for control that doesn't wash away [won't wash away]
47. Rainfast in 15 Minutes – Starts to enter the Plant on Contact
48. Rainproof in 15 Minutes
49. Rainfast in 15 Minutes
50. [Rainfast][Rainproof] in 15 minutes for Control That Won't Wash Away
51. Ready-To-Use
52. Replant flowers, trees & shrubs [in half the time of other brands] [the same weekend]
53. Can be used around trees & shrubs
54. Satisfaction guaranteed [or your money back] [with proof of purchase]
55. See Results in 24 hrs!
56. Starts to work in 24 hours
57. Starts Working in Hours
58. Systemic formula
59. Systemic Weed and Grass Killer
60. Water-based
61. Won't Wash Away
62. Works First Time, [Every time]
63. Works in 24 hours
64. Works 4 Ways : (1)Results in 24 hrs, (2) Kills over 155 varieties of Broadleaf & Grassy Weeds as listed, (3) Kills the Root (4) Prevents re-growth for up to 3 months [season-long control]
65. Starts Working Immediately !
66. Use on Paved & Landscaped Areas
67. Visible Results as Fast as 3 Hours
68. [Prevents][Controls][Kills] weeds for up to 3 months [season long]
69. [One application] kills and prevents [weeds][weeds and grasses][from coming back][all season long][for 3 months][for the entire season]
70. Kills weeds and forms a protective barrier to prevent [new weeds][growth]

- 71. Apply Once and you're done
- 72. Once & Done
- 73. Only one application needed [for season long control]
- 74. [Weed] killer plus preventer
- 75. Kills existing weeds down to the root and prevents and new weeds and grasses from growing for up to 3 months
- 76. Kills weeds fast and prevents new weeds for up to 3 months
- 77. New !
- 78. New Formula !
- 79. Dual Action Formula

*el/10/1*