

9688-264

5/1/2008

1/11



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Mr. Eric D. Smith
Product Registration
CHEMSICO, Div. of United Industries Corp.
PO Box 15842
St. Louis, MO 63114

MAY 1 2008

SUBJECT: Application for Pesticide Notification (PRN 98-10)
Request Precautionary Statement Change
EPA Reg. No. 9688-264
Application Dated April 4, 2008

Dear Mr. Smith:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated 04/04/08 for the above product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Owen F. Beeder of my staff at 703-308-8899.

Sincerely,

A handwritten signature in cursive script, appearing to read "Linda".

Linda Arrington
Notifications & Minor Formulations Team Leader
Registration Division (7505P)
Office of Pesticide Programs

2/11

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 11-30-93



United States Environmental Protection Agency
Office of Pesticide Programs (H7505C)
Washington, DC 20460

Application for Pesticide:

Registration
 Amendment
 Other

OPP Identifier Number

Section I

1. Company/Product Number 9688-264	2. Product Manager E. Kraft	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Chemsico Herbicide RTU 4A	PM# 23	
5. Name and Address of Applicant (include ZIP Code) Chemsico, Div. Of United Industries Corp. P.O. Box 142642 St. Louis, MO 63114 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section II

<input type="checkbox"/> Amendment - Explain below	<input type="checkbox"/> Final printed label in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "ME TOO" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - explain below

Explanation: Use additional page(s) if necessary. (For section I and Section II.)
Notification of Label Change Per PR Notice 98-10: Reinstated the word "skin" into the precautionary statement.
(Please see the cover letter for details)

Section III

1. Material in Which This Product Will Be Packaged:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes * <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water-Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____		
* Certification must be submitted		If "YES," Unit package wgt	No. per container	If "YES," Package wgt	No. per container
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) of Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label Is Affixed To Product			<input type="checkbox"/> Lithographed <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled <input type="checkbox"/> Other _____		

Section IV

1. Contact Point (Complete items directly below for identification of the individual to be contacted, if necessary, to process this application)			6. Date Application Received (Stamped)
Name Eric D. Smith	Title Regulatory Affairs Manager	Telephone No. (include Area Code) 314-683-2455	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate, and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		2. Signature 	
3. Title Regulatory Affairs Manager	4. Typed Name Eric D. Smith	5. Date April 4, 2008	

NOTIFICATION PER PR NOTICE 98-10

April 4, 2008

Document Processing Desk (NOTIF)
Office of Pesticide Programs
United States Environmental Protection Agency
Room S4900, One Potomac Yard
2777 S. Crystal Drive
Arlington, VA 22202-4501

Attention: Mr. Erik Kraft
Acting Product Manager 23

Subject: **Notification per PR Notice 98-10**
Chemsico Herbicide RTU 4A
EPA Reg. No. 9688-264

Please find the enclosed notification per PR Notice 98-10 to reinstate the word "skin" into the precautionary statement to comply with the state of California request of adequately identifying the toxicity category primary dermal irritation hazards. Included with this notification is a copy of the email correspondence with EPA regarding this update.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

The following documents are enclosed in support of this submission:


1. Application for Pesticide (EPA Form 8570-1)
2. One copy of the proposed label *with changes highlighted*
3. Five copies of the proposed label
4. One copy of the EPA stamped approved label

Please call me at 1-800-242-1166, Ext. 2455 you have questions or need further information.
Thank you very much for your attention to our application.

Sincerely,



Eric D. Smith
Regulatory Affairs Manager



Chemsico Herbicide RTU 4A

[SEE APPENDIX FOR CONSOLIDATED LIST OF MARKETING CLAIMS

Active Ingredients:	
Diquat Dibromide.....	0.12%
Fluazifop-p-butyl.....	0.06%
Dicamba, dimethylamine salt.....	0.04%
Oxyfluorfen.....	0.10%
Other ingredients.....	99.68%
[Total.....	100.00%]

KEEP OUT OF REACH OF CHILDREN

CAUTION See (side)(back) (inside) (panel) (booklet) for additional precautionary statements

Net Contents: 1 Gallon (128 fl oz /3.78L)

[Bracket text = Optional Language]

[OPTIONAL PRODUCT FACT BOX I]

Product Facts

Container treats [more than][over] 200 weeds [24 fl oz.]
 Container treats [more than][over] 500 weeds [1/2 gal, 2L][Container treats 150 sq ft]
 Container treats [more than][over] 1000 weeds [1 gal, 4 L][Container treats 300 sq ft]
 Container treats [more than][over] 1300 weeds [5L][Container treats 390 sq ft]
 Container treats [more than][over] 1500 weeds [6L][Container treats 470 sq ft]
 Container treats [more than][over] 2000 weeds [2 gal][Container treats 600 sq ft]

KILLS WEEDS

[illustrate grassy, broadleaf and woody weeds]
 ALL TYPES OF WEEDS [AND]& GRASSES

WHERE TO USE:

- [On patios, walkways or driveways]
- [in flower beds][gardens]
- [Around established shrubs & trees]
- [Along fences [and foundations]
- [Other areas in your yard (except in lawns)]
- [Edging around lawns]
- [in landscaping]
- [Around ornamentals]

Questions & comments:(phone icon) (computer icon)
 Call 800-332-5533 or www.(address)

[OPTIONAL PRODUCT FACT BOX II]

PRODUCT FACTS

WHAT IT DOES: Kills all types of weeds and grasses [down to the root].
 Prevents [weeds][weed and grass][re-growth] for up to 3 months
 [all season long] by creating a [an invisible barrier [that prevents new weeds
 from germinating]

WHERE TO USE: Outdoors [icon]: On patios, walkways, driveways, around
 flowers, shrubs and [or] trees; along fences, foundations, and in large areas

WHEN TO USE: For best results, apply during warm, sunny weather (above
 60°F)

Questions & Comments:
 (icon telephone) (icon computer)
 Call 1-800-332-5553 or visit our website.

OPTIONAL MARKETING LANGUAGE

[Chemisico Herbicide RTU 4A eliminates all types of [common][existing] weeds and grasses [as listed] and prevents new weeds from growing all season long. (*illustrations*) This product can be used [for] [edging around lawns] [ornamental garden plot preparation] in driveways, walkways, curbs, along fences and foundations, near trees and shrubs, in flower beds, mulch beds and other similar areas of the yard to get rid of undesirable vegetation.]

[This product [is a non-selective herbicide that] will kill any vegetation contacted and [it] will prevent [re-growth] [new weeds and vegetation from emerging] for up to 3 months. It enters plants through the leaves and moves down to the roots. This will ensure that the entire plant is eliminated. [Chemisico Herbicide RTU 4A][t][This product] also provides a [protective][invisible] barrier that prevents [weeds and grasses][new weeds] from [emerging][germinating][growing] for up to three [3] [months]. Avoid direct spray or drift onto desirable plants; lawn grasses, shrubs, and trees. Protect desirable plants and vegetation with a piece of plastic or cardboard. If desirable plants are accidentally sprayed, wash plants with water immediately.]

[This container covers approximately 300 sq. ft. Coverage may be reduced if large brush species are treated.]

[KILLS] [CONTROLS] MOST COMMON [TOUGH] WEEDS AND GRASSES AND PREVENTS RE-GROWTH FOR UP TO THREE MONTHS:

[Annual weeds and grasses: Annual ryegrass, annual bluegrass, barnyardgrass, beggarweed, black medic, blue toadflax, brassbuttons, blue mustard, bromegrass, bur clover, buttercup, cheeseweed, chickweed, clover, common groundsel, common lambsquarters, common plantain, common ragweed, crabgrass, creeping beggarweed, diffuse lovegrass, dog fennel, evening primrose, false dandelion, fall panicum, fennel, fiddleneck, field pennycress, field sandbur, filaree, Florida pusley, foxtail, garden spurge, goosegrass, green foxtail, hemp sesbania, henbit, horseweed/marestail, ironweed, knotweed, lambsquarters, little bitter cress, London rocket, maiden cane, mallow, mayweed, mouseear chickweed*, oxalis*, Pennsylvania smartweed, pennywort, pigweed, prickly lettuce, prostrate spurge, puncture vine, purslane, redroot, pigweed, sandspur, shepherdspurge, smartweed, smooth cat's ear, smooth pigweed, sowthistle, spotted spurge, sprangletop, spurges, tansy mustard, tansy ragwort, teaweed, Texas panicum, tumble mustard, velvetleaf, wild geranium*, witch grass, wild mustard, yellow nutgrass, yellow oxalis (and many other annual grasses and weeds)]

[Perennial weeds, grasses, brush:

Alder, artichoke thistle, bahiagrass, barnyardgrass, bentgrass, Bermudagrass, bluegrass, broadleaf plantain, brownseed, paspalum, buckhorn plantain, bull thistle, Canada thistle, cattail, ceanothus, centipede grass, cocklebur, cogongrass, common

mullein, common ragweed, coral bead, creeping Charlie, curly dock, dallisgrass, dandelion, dewberry, dog fennel, false dandelion, fescue species, field bindweed, guineagrass, hairy crabgrass, horsetail, horseradish, iceplant, Johnsongrass, Kentucky bluegrass, kikuyu grass, knapweed, knawel, lantana, maiden cane, milkweed, mouseear chickweed*, nimblewill, nutgrass (nutsedge), oldenlandia, orchardgrass, oxalis*, pampasgrass, pennycort, perennial ryegrass, plantain, purple cudweed*, purple nutsedge, quackgrass, quaking aspen, ragweed, red clover, smooth brome grass, sourdock, sowthistle, St. Augustine grass, tall fescue, tansy ragwort, Timothy, torpedograss, trumpet creeper, vaseygrass, Virginia creeper, white clover, whitetop, wild barley, wild blackberry, wild carrot, wild morning-glory, wild oats, yarrow, yellow nutgrass, yellow starthistle, zoysia.]
*annual or perennial

Back Panel

STOP. [Read and follow label instructions] [Read Entire Label Before use] [Lift Here. Press to Reseal]

Environmental Hazards

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinseate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. *For outdoor residential use only.*



Do not allow people or pets to enter the treated area until sprays have dried.

APPLICATION RESTRICTIONS

Do not apply this product in a way that will contact any person, pet, either directly or through drift. Keep people and pets out of the area during application.

USER SAFETY RECOMMENDATIONS

Clothing and protective equipment exposed to this product should be washed in detergent and hot water. Such items should be kept and washed separately from other laundry.

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Users should remove clothing and protective equipment immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

[How to use] [Application Instructions]

Chemsico Herbicide RTU 4A is pre-mixed and ready to use and is formulated for "spot" treatment of weeds and grasses. [It is ideal for tough to reach weeds found in flowerbeds.] Use it on driveways and walkways, or around fences, trees, flower beds, shrubs and other areas in your yard (except in lawns).

One application of [this product][Chemsico Herbicide RTU 4A] will [Prevent re-growth for up to three months.]. [Provide season-long protection from re-growth.]

[OPTION A: Hand Sprayer Application]

How to prime and care for your sprayer:

1. CONNECT TRIGGER SPRAYER: Unscrew and discard the [white] cap on the bottle. Insert the hose into the bottle and tighten the cap securely.
2. PRIME SPRAYER. Turn the sprayer nozzle one-half turn counter-clockwise. Hold the sprayer lower than the bottle and squeeze the trigger several times until it sprays. Adjust the nozzle to coarse spray pattern. Avoid sprays which are too fine because they can drift and damage other plants.

[OPTION B: Trigger Sprayer applicator]

1. Turn nozzle to coarse spray pattern.
2. Avoid sprays which are too fine because they can drift and damage other plants.



[OPTION C: Nested Sprayer applicator]

1. Pull tab outward
2. Rotate lock ring counterclockwise to unlock.
3. Pull sprayer to uncoil tubing.
4. To replace, return sprayer to bottle opening.
5. Drape tubing through slot in the spray handle.
6. Turn lock ring clockwise to lock.

[How To Apply]

- Completely [wet] [cover] the foliage [leaves] of the target vegetation [plant].
- Sprayed plants begin yellowing and wilting in as little as 3 hrs, with complete kill, including the roots, in 1 to 2 weeks.
- Thoroughly cover treated [bare][soil] areas to prevent new weeds and grasses from [growing][emerging].
- Protect desirable plants with a piece of plastic or cardboard.
- If desirable plants are accidentally sprayed, wash plants with water immediately.

[When to Apply] [Use Tips]

- For best results apply during warm, sunny weather (above 60°F) when weeds are actively growing and no rain is forecast for 24 hours. Rainfall or watering 15 minutes after application will not wash away effectiveness.
- To avoid drift to desirable plants, apply when the air is calm.
- Do not mow, cut or otherwise disturb treated [vegetation] [weeds] or [plants] for at least 7 days following application.
- Do not use on or around edible feed or food crops.
- Do not use in areas that are to be planted or seeded within 3 months
- Do not use around newly planted trees, shrubs or flowers
- Do not make more than 2 applications per year to any given area.

[Where to Use] [Use Sites] [Use Situations]:

[GENERAL WEED CONTROL:] Use along [near] fences, paths, patios, sidewalks, curbs and driveways, around established ornamental trees, shrubs, flower beds and plantings, around buildings. Use for trimming and edging landscapes. Do NOT use for spot weed treatment in lawns, since Chemsico Herbicide RTU 4A kills all green plants, including lawn grasses.

[Tips for Replanting] [Replanting Instructions]

When replanting trees, shrubs or flowers in an area treated with [Chemsico Herbicide RTU 4A][this product] within the last [90days][3 months]:

- [Using gardening gloves] dig the planting hole
- Set aside the soil removed from the hole
- Place the plant in the hole according to the [instructions][guide] on the plant
- Fill the hole with planting soil or other untreated soil
- Spread the soil removed from the hole in an area where no [vegetation][plants][is][are] desired

STORAGE AND DISPOSAL

[OPTION A: Hand Sprayer Applicator]

Pesticide Storage: Turn the nozzle to "OFF" position and store with sprayer above the level of liquid in container to prevent leakage. Store this product in its original container in a secure storage area **Pesticide Disposal: If empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

[OPTION B: Trigger Sprayer]

Pesticide Storage: Store this product in its original container in a secure storage area. **Pesticide Disposal:** If empty: Do not reuse this container. Place in trash or offer for recycling if available. **if partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION. Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

First Aid

<p>If in Eyes:</p>	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a Poison Control Center or doctor for treatment advice.
<p>If on Skin or Clothing:</p>	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a Poison Control Center or doctor for treatment advice
<p>Have the product container or label with you when calling a Poison Control Center, doctor, or going for treatment.</p>	

NOTICE: To the extent consistent with applicable law buyer assumes all responsibility for safety and use not in accordance with directions.

Made in the USA by Chemsico, Division of United Industries Corp., P. O. Box 142642, St. Louis, MO 63114-0642

[Questions or Comments? call 1-800-332-5553]

EPA Reg. No. 9688-264

EPA Est. No. 9688-MO-1

© 2007

ALTERNATE LABEL FORMAT

STOP. [Read and follow label instructions] [Read Entire Label Before use] [Lift Here. Press to Reseal]

Environmental Hazards

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinseate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. *For outdoor residential use only.*



Do not allow people or pets to enter the treated area until sprays have dried.

APPLICATION RESTRICTIONS

Do not apply this product in a way that will contact any person, pet, either directly or through drift. Keep people and pets out of the area during application.

USER SAFETY RECOMMENDATIONS

Clothing and protective equipment exposed to this product should be washed in detergent and hot water. Such items should be kept and washed separately from other laundry.

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Users should remove clothing and protective equipment immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

[Hand Sprayer Application]

How to prime and care for your sprayer:

1. CONNECT TRIGGER SPRAYER. Unscrew and discard the [white] cap on the bottle. Insert the hose into the bottle and tighten the cap securely.
2. PRIME SPRAYER. Turn the sprayer nozzle one-half turn counter-clockwise. Hold the sprayer lower than the bottle and squeeze the trigger several times until it sprays. Adjust the nozzle to coarse spray pattern. Avoid sprays which are too fine because they can drift and damage other plants.

[EZSPRAY™ Directions] [EZSPRAY® Directions]

1. [Unwrap sprayer.] Remove sprayer from side holder. Gently pull tubing out. (Graphical representation.)
2. Remove seal from top of cap. Unplug cap. (Graphical representation.)
3. Securely snap the [yellow] plug into hole on cap. (Graphical representation.)
4. Remove plastic tab near bottom of sprayer to activate batteries. (Graphical representation.)
5. Twist nozzle to adjust spray from CLOSE to SPRAY to STREAM. (Graphical representation.)

[HOW TO USE THE EZSPRAY™] [HOW TO USE THE EZSPRAY®]

1. Aim toward target weeds/plants, and away from people and pets.
2. Press the trigger to spray.
3. Release the trigger to stop spray.

After use: 1. Twist nozzle completely to CLOSE position. 2. Secure sprayer upright in holder. 3. **Failure to adjust nozzle completely to CLOSE position and properly secure sprayer in holder may result in leakage and damage to property or injury to people or animals.**

To replace batteries: 1. Slide battery compartment door to unlatch and open. 2. Remove used batteries and insert four new AA batteries **in correct positions** as marked per diagram inside of battery compartment. Never insert the positive end where the negative end belongs and vice versa. **Always** use a complete set of new batteries of the same type when replacing batteries. **Never** mix alkaline, carbon-zinc or rechargeable batteries. 3. Securely close battery compartment door. 4. **Always**

follow manufacturer's recommendations for use and disposal of batteries.

Additional Operating Notes: Do not submerge in water. Before each use inspect sprayer carefully, make sure hose is flexible and not kinked, worn or cracked, and that all connections are tight. When storing sprayer for prolonged periods remove batteries.

[How to use] [Application Instructions] [When To Use]

Chemsico Herbicide RTU 4A is pre-mixed and ready to use and is formulated for "spot" treatment of weeds and grasses. [It is ideal for tough to reach weeds found in flowerbeds.] Use it on driveways and walkways, or around fences, trees, flower beds, shrubs and other areas in your yard.

One application of [this product][Chemsico Herbicide RTU 4A] will [Prevent re-growth for up to three months.] [Provide season-long protection from re-growth.]

[How To Apply] [Alt: General Weed Control]

- Completely [wet] [cover] the foliage [leaves] of the target vegetation [plant].
- Sprayed plants begin yellowing and wilting in as little as 3 hrs, with complete kill, including the roots, in 1 to 2 weeks.
- Thoroughly cover treated areas to prevent new weeds and grasses from [growing][emerging]
- [Prevents re-growth for up to three months] [Provides season-long protection from re-growth]
- Protect desirable plants with a piece of plastic or cardboard.
- If desirable plants are accidentally sprayed, wash plants with water immediately.

[When to Apply] [Use Tips] [General Use Tips]

- For best results apply during warm, sunny weather (above 60°F) when weeds are actively growing and no rain is forecast for 24 hours. Rainfall or watering 15 minutes] after application will not wash away effectiveness.
- To avoid drift to desirable plants, apply when the air is calm.
- Do not mow, cut or otherwise disturb treated [vegetation] [weeds] or [plants] for at least 7 days following application.
- Do not use on or around edible feed or food crops.
- Do not use in areas that are to be planted or seeded within 3 months
- Do not use around newly planted trees, shrubs or flowers
- Do not make more than 2 applications per year to any given area.

Not recommended for spot weed treatment in established lawns since lawn grasses will also be killed.

[Tips for Replanting] [Replanting Instructions]

When replanting trees, shrubs or flowers in an area treated with [Chemsico Herbicide RTU 4A][this product] within the last [90days][3 months]:

- [Using gardening gloves] dig the planting hole
- Set aside the soil removed from the hole
- Place the plant in the hole according to the [instructions][guide] on the plant
- Fill the hole with planting soil or other untreated soil
- Spread the soil removed from the hole in an area where no [vegetation][plants][is][are] desired

REFILL DIRECTIONS

Refill only with Chemsico Herbicide Concentrate 4A. Remove cap. Carefully measure and mix 7 fl oz (14 tablespoons) in one gallon of water. Replace and tightly close cap. Wipe off any spilled product.

STORAGE AND DISPOSAL

[Hand Sprayer Applicator]

Pesticide Storage: Turn the nozzle to "OFF" position and store with sprayer above the level of liquid in container to prevent leakage. Store this product in its original container in a secure storage area. **Pesticide Disposal:** If empty: Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

[EZSPRAY Sprayer]

Pesticide Storage: Turn the nozzle to "CLOSE" position. To prevent leakage, attach sprayer to clip. Store this product in its original container in a secure storage area. **Pesticide Disposal:** If empty: Do not reuse this container except to refill (see Refill Directions). Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION. Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

First Aid

If in Eyes:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a Poison Control Center or doctor for treatment advice.

If on Skin or Clothing:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a Poison Control Center or doctor for treatment advice

Have the product container or label with you when calling a Poison Control Center, doctor, or going for treatment.

NOTICE: To the extent consistent with applicable law buyer assumes all responsibility for safety and use not in accordance with directions.

Made in the USA by Chemsico
 Division of United Industries Corp.
 P. O. Box 142642
 St. Louis, MO 63114-0642

[Questions or Comments? call 1-800-332-5553]

EPA Reg. No. 9688-264

EPA Est. No. 9688-MO-1

© 2007

APPENDIX
CHEMSICO HERBICIDE RTU 4A
OPTIONAL MARKETING CLAIMS

1. *Guaranteed Results [or your money back]
2. [Better] [Best] value
3. [Formula] enters the plant within one to two hours [won't wash off]
4. Improved Formula
5. Absorbed into the plant
6. Absorbed on Contact
7. Can be Used Over the Root Zones of Trees, Shrubs or Desirable Plants
8. Control that doesn't wash away
9. Controls [Hardy] [Tough] [Hard To Kill] Weeds and Grasses
10. Dead [weeds] [and] [grass] in 24 hours [and they'll never come back]
11. Dead Weeds Guaranteed* [*Or Your Money Back]
12. Do-it-yourself weed killer
13. Effective even if it rains
14. Eliminates [kills] all common weeds and grasses
15. Eliminates Roots & Weeds, [Guaranteed*]
16. Eliminates Weeds, [Guaranteed*]
17. Exclusive Formula
18. Fast & [and] complete
19. Fast Acting [Formula]
20. Fastest Replanting Available
21. For [Spot] Treatment of Unwanted Weeds and Grasses
22. For use [Ideal] [Can be Used] [Use in and around] [in] [on] [for] [along] flowerbeds
23. For Use [Use] [Ideal] [Can be Used] [Use in and around] [in] [on] [for] [along] [around] [fences], [driveways], [walkways], [shrubs], [trees] [ornamentals] [Walks] [Mulch Beds] [Gravel] [and] [Driveways] [Curbs]
24. For walks, drives, fences, patios and similar areas
25. Keeps Working, Even if it Rains
26. Kills All Treated Weeds
27. Kills Even Tough Weeds & Grasses
28. Kills from the Inside Out
29. Kills over 155 types of weeds [as listed]
30. Kills over 155 varieties of broadleaf and grassy weeds [as listed]
31. Kills the Entire Plant
32. Kills the Root
33. Kills the Root So Weeds Won't Grow Back

34. Kills the Root!
35. Kills the Weed you see and the Root you Don't
36. Kills Weeds and Unwanted Grasses
37. Kills Weeds and Unwanted Grasses, [Roots and All]
38. Kills Weeds in [a] [one] day
39. No Measuring
40. No Mixing [Required] [Necessary]
41. No Root, No Weeds, [Guaranteed]
42. Not even the leading brand [is faster] [is as fast]
43. Quick-Kill Formula
44. Rainfast in 15 minutes for control that doesn't wash away [won't wash away]
45. Rainfast in 15 Minutes – Starts to enter the Plant on Contact
46. Rainproof in 15 Minutes
47. Rainfast in 15 Minutes
48. [Rainfast][Rainproof] in 15 minutes for Control That Won't Wash Away
49. Ready-To-Use
50. Replant flowers, trees & shrubs [in half the time of other brands] [the same weekend]
51. Can be used around trees & shrubs
52. Satisfaction guaranteed [or your money back] [with proof of purchase]
53. See Results in 24 hrs!
54. Starts to work in 24 hours
55. Starts Working in Hours
56. Systemic formula
57. Systemic Weed and Grass Killer
58. Water-based
59. Won't Wash Away
60. Works First Time, [Every time]
61. Works in 24 hours
62. Works 4 Ways : (1)Results in 24 hrs, (2) Kills over 155 varieties of Broadleaf & Grassy Weeds as listed, (3) Kills the Root (4) Prevents re-growth for up to 3 months [season-long control]
63. Starts Working Immediately!
64. Use on Paved & Landscaped Areas
65. Visible Results as Fast as 3 Hours
66. [Prevents][Controls][Kills] weeds for up to 3 months [season long]
67. [One application] kills and prevents [weeds] [and grasses] [from coming back][all season long][for 3 months][for the entire season]
68. Kills weeds and forms a protective barrier to prevent [new weeds][growth]
69. Apply Once and you're done
70. Once & Done

- 71. Only one application needed [for season long control]
- 72. [Weed] killer plus preventer
- 73. Kills existing weeds down to the root and prevents and new weeds and grasses from growing for up to 3 months
- 74. Kills weeds fast and prevents new weeds for up to 3 months
- 75. New !
- 76. New Formula !
- 77. Dual Action Formula