1/9



EPA Reg. Number:

Date of Issuance:

DEC - 3 2007

9688-265

Term of Issuance:

Conditional

Name of Pesticide Product:

Chemsico Herbicide Concentrate 3A

U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7505P)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

NOTICE OF PESTICIDE:

_X Registration
__ Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Chemsico PO Box 142642 St. Louis, MO

Mote: Changes, in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above PPA registration number

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided you agree in writing to:

- 1. To the Environmental Hazards add "or rinseate" after "washwaters" and add "This pesticide is toxic to aquatic invertebrates.".
- 2. Change the Application Restrictions to "Do not apply this product in a way that will contact any person, pet, either directly or through drift. Keep people and pets out of the area during application.".
- 3. Change the Entry Restrictions to "Do not allow people or pets to enter the treated area until sprays have dried.".
- 4. To the Storage and Disposal section change "Storage" to "Pesticide Storage" and "Disposal" to "Pesticide Disposal".
- 5. Place the First Aid section within a box.

- 6. Place the First Aid and Hazards to Humans and Domestic Animals sections on the Front Panel of the label.
- 7. On the Back Panel of the Label place the Environmental Hazards section in front of the Directions for Use section.
- 8. To the Notice section, change "Buyer assumes all" to "To the extent consistent with applicable law, buyer assumes all".
- 9. You must submit the results of the one year storage stability and corrosion characteristics studies within 18 months of the date of this registration.
- 10. Change the Hazards to Humans and Domestic Animals statements to "Causes skin irritation. Causes moderate eye irritation. Do not get on skin or clothing.".
- 11. To the label add "Do not make more than 2 applications per year.".
- 12. To the label remove the "Wildlife Areas Site Preparation" section since this is a Homeowners Label.
- 13. To the label add "For Homeowner Use Only".

Signature of Approving Official:

Date:

DEC - 3 2007

Kathryn V. Montague, Acting Product Manager (23) Herbicide Branch, Registration Division (7505P)

EPA Form 8570-6

You will submit one copy of your final printed labeling before you release the product for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). A stamped copy of labeling is enclosed for your records. If you have any questions please contact Erik Kraft at 703-308-9358.

Front Panel

Chemsico Herbicide Concentrate 3A

See Appendix For Consolidated List of Marketing Claims

ACCEPTED
with COMMENTS
In EPA Letter Dated:

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

9688-265

Active Ingredients:	
Diquat dibromide	2.30%
Fluazifop-p-butyl	. 1.15%
Dicamba, Dimethylamine salt	
Other Ingredients	. 95.78%
Total	. 100.00%]

KEEP OUT OF REACH OF CHILDREN

CAUTION: See {[Back] [Side] [Inside] Panel}, [Booklet] For additional Precautionary Statements, OR [Peel Open for Use Directions and Further Information

NET CONTENTS: 16 fl oz (1 pt / 473 mL); 32 fl oz (1 qt/946 mL)

[OPTIONAL PRODUCT FACT BOX I]

PRODUCT FACTS

Treats up to 1500 sq ft [Pint] [Makes up to 5 gallons]
Treats up to 3000 sq ft [Quart] [Makes up to 10 gallons]

KILLS WEEDS (weed icons)
ALL TYPES OF WEEDS AND GRASSES

WHERE TO USE

- On patios, walkways [or] [driveways] [gravel] [mulch beds]
- Around [flowers], [shrubs or trees,] [in flowerbeds][ornamentals]
- Along fences and foundations
- In large areas [For ornamental [planting bed] [garden replacement] [For Lawn Replacement]
- Edging around lawns

AMOUNT TO USE

For Best Results: 7 fl oz (14 Tbsp) per gallon of water General Weed Control (annuals): 5 fl oz (10 Tbsp) per gallon of water Newly Emerged Weeds:3 fl oz (6 Tbsp) per gallon of water Questions & Comments:

(icon telephone) (icon computer)

Call 1-800-332-5553 or visit our website.

[OPTIONAL PRODUCT FACT BOX II]

PRODUCT FACTS

WHAT IT DOES: Kills all types of weeds and grasses [down to the roof]

WHERE TO USE: Outdoors [icon]: On patios, walkways, driveways, flowers, shrubs and [or] trees; along fences and in large areas [for ornamental garden plot preparation] [For Lawn Replacement] WHEN TO USE: For best results, apply during warm, sunny weather

(above 60°F)

Questions & Comments:

(icon telephone) (icon computer)

Call 1-800-332-5553 or visit our website.

OPTIONAL MARKETING LANGUAGE

[Chemsico Herbicide Concentrate 3A eliminates most common weeds, grasses and unwanted vegetation.] [Illustrations] [This product can be used [For edging around lawns] [For ornamental [planting bed] garden plot preparation] in driveways, brick and gravel walkways, curbs, along fences and foundations, near trees and shrubs, in flower beds, mulch beds, gravel, and other similar areas of the yard to get rid of undesirable vegetation.] [Chemsico Herbicide Concentrate 3A can also be used for big jobs such as flower garden preparation] [and lawn replacement [renovation]].

[HOW IT WORKS] [This product [is a non-selective herbicide that] will kill all vegetation contacted. It enters plants through the leaves and moves down to the roots. This will ensure that the entire plant is eliminated. Avoid direct spray or drift onto desirable plants, lawn grasses, shrubs and trees. Protect desirable plants and vegetation with a piece of plastic or cardboard. If desirable plants are accidentally sprayed, wash plants with water immediately. This product has no soil activity and thus will not affect nearby untreated plants.]

[KILLS] [CONTROLS] MOST COMMON [TOUGH] WEEDS AND GRASSES INCLUDING:

[Annual weeds and grasses: Annual ryegrass, annual bluegrass, barnyardgrass, beggarweed, black medic, blue medic, blue toadflax, brassbuttons, blue mustard, bromegrass, bur clover, buttercup, cheeseweed, chickweed, clover, common groundsel, common lambsquarters, common plantain, common ragweed, crabgrass, creeping beggarweed, diffuse lovegrass, dog fennel, evening primrose, false dandelion, fall panicum, fennel, fiddleneck, field pennycress, field sandbur, filaree, Florida pusley, foxtail, garden spurge, goosegrass, green foxtail, hemp sesbania, henbit, horseweed/marestail, ironweed, knotweed, lambsquarters, little bitter cress, London rocket, maiden cane, mallow, mayweed, mouseear chickweed*, oxalis*, Pennsylvania smartweed, pennywort, pigweed, prickly lettuce, prostrate spurge, puncture vine, purslane, redroot, pigweed, sandspur, shepherdspurse, smartweed, smooth cat's ear, smooth pigweed, sowthistle, spotted spurge, sprangletop, spurges, tansy mustard, tansy ragwort, teaweed, Texas panicum, tumble mustard, velvetleaf, wild geranium*, witch grass, wild mustard, yellow nutgrass, yellow oxalis (and many other annual grasses and weeds)]

[Perennial weeds, grasses, brush:

Alder, artichoke thistle, bahiagrass, barnyardgrass, bentgrass, Bermudagrass, bluegrass, broadleaf plantain, brownseed, paspalum, buckhorn plantain, bull thistle, Canada thistle, cattail, ceanothus, centipedegrass, cocklebur, cogongrass, common mullein, common ragweed, coral bead, creeping Charlie, curly dock, dallisgrass, dandelion, dewberry, dog fennel, false dandelion, fescue species, field bindweed, guineagrass, hairy crabgrass, horsenettle, horseradish, iceplant, Johnsongrass, Kentucky bluegrass, kikuyugrass, knapweed, knawel, lantana, maiden cane, milkweed, mouseear chickweed*, nimblewill, nutgrass (nutsedge), oldenlandia, orchardgrass, oxalis*, pampasgrass, pennywort, perennial ryegrass, plantain, purple cudweed*, purple nutsedge, quackgrass, quaking aspen ragweed, red

clover, smooth bromegrass, sourdock, sowthistle, St. Augustine grass, tall fescue, tansy ragwort, Timothy, torpedograss, trumpetcreeper, vaseygrass, Virginia creeper, white clover, whitetop, wild barley, wild blackberry, wild carrot, wild morning-glory, wild oats, yarrow, yellow nutgrass, yellow starthistle, zoysia.] *annual or perennial

Back Panel

STOP. [Read and follow label instructions] [Read Entire Label Before use] [Lift Here. Press to Reseal]

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For outdoor residential use only.



Do not allow people or pets to touch treated plants until the sprays have dried:

APPLICATION RESTRICTIONS

Do not apply this product in a way that will contact any person or pet, either directly or through drift. Only persons applying this product may be in the area during application.

USER SAFETY RECOMMENDATIONS

Clothing and protective equipment exposed to this product should be washed in detergent and hot water. Such items should be kept and washed separately from other laundry.

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Users should remove clothing and protective equipment immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

[This product is formulated for "spot" treatment of individual weeds and grasses or for treatment of large areas as instructed on this label (see specific site areas below).]

MIXING INSTRUCTIONS

TANK SPRAYER (plastic, aluminum or stainless steel)

- Add appropriate amount of concentrate to one gallon of water
- Spot treat or spray evenly over 300 sq ft

DIAL TYPE HOSE-END SPRAYER

- Set sprayer to the "fl oz/gallon" level specified in the directions
- Use only enough product for the area to be treated.
- Close sprayer, attach to hose and apply.

CONCENTRATE PLUS WATER [HOSE END] TYPE SPRAYER

- · Determine the amount of concentrate required
- Pour concentrate into sprayer jar to the required "fl oz" level
- Add the required amount of water to the "gals" level.
- Replace sprayer top on jar and apply

Two Easy Steps to Mix and Apply]

Step #1: Use a clean sprayer. Carefully measure and mix the amount of Chemsico Herbicide Concentrate DFC (Alternate II) (product) and water as directed. Food utensils such as teaspoons and measuring cups should not be used for food purposes after use with pesticides.

Step #2: Spray as directed. Thorough coverage is important. Flush sprayer with clean water after each use.]

AMOUNT TO USE:

To kill newly emerged weeds: 3 fl oz (6 Tbsp) per gallon water treats 300 sq ft

For general weed control [to kill annual weeds and grasses]: 5 fl oz (10 Tbsp) per gallon water treats 300 sq ft

For Best Results [to kill perennial weeds and grasses]: 7 fl oz (14. Tbsp) per gallon water treats 300 sq ft

1 Tbsp = 3 tsp

1 fl oz = 2 Tbsp

[HOW TO APPLY]

- Completely [wet] [cover] the foliage [leaves] of the target vegetation [plant]. Do not overspray.
- A single application controls most [listed] weeds.
- Most treated weeds usually show initial symptoms within 24 hours and complete kill in 1-2 weeks.
- Protect desirable plants with a piece of plastic or cardboard.
- If desirable plants are accidentally sprayed, wash plants with water immediately.
- Do not mow, cut or otherwise disturb treated [vegetation] [weeds] or [plants] at least 7 days following application.
- Do not use on or around edible feed or food crops.

[WHEN TO APPLY] [USE TIPS]

- For best results apply during warm, sunny weather (above 60° F) when weeds are actively growing and no rain is forecast for 24 hours. Rainfall or watering 2 hours [15 minutes] after application will not wash away effectiveness.
- To avoid drift to desirable plants, apply when the air is calm.

WHEN TO REPLANT

All ornamental flowers, trees and shrubs may be planted **1 day after** application.

[WHERE TO USE] [USE SITES] [USE SITUATIONS]:

GENERAL WEED CONTROL: Use along [near] fences, paths, patios, sidewalks, curbs and driveways, around ornamental trees, shrubs, flower beds and plantings, around buildings. Use for trimming and edging landscapes. Do NOT ur for spot weed treatment in lawns, since Chemsico Herbicide Concentrate kills all green plants, including lawn grasses.

SPOT TREATMENTS: Spray directly on actively growing weeds in and around flower beds, ornamental trees, shrubs, fences, driveways and walkways.

LANDSCAPES: For use in preparing areas for planting of ornamentals, trees, shrubs, desert landscapes, rock gardens, flower beds or similar plantings. Treated areas can be replanted 1 day after treatment.

FOR LAWN RENOVATION/REPLACEMENT: [HOW [ALTERNATE: WHEN] TO USE]

- Determine size of area to be treated—measure length and width in feet then multiply to determine coverage area in sq ft (length x width).
- Use this product to remove [kill] the old lawn and existing weeds and grasses.
- 3. For best results, apply in spring or fall, when daytime temperatures are at least 60° F.
- 4. If the lawn is dry [Under dry conditions], water lawn every other day for a week before applying Chemsico Herbicide Concentrate 3A
- 5. Do not mow for 7 days before or after treatment.
- Use 7 fl oz (14 Tbs) per gallon of water for each 300 sq ft of area to be treated.

TIPS FOR REPLANTING

- After 7 days, prepare the soil for planting by raking or roto-tilling the lawn. [Wait 7 days after last application to rake, till or replant with seed or sod]
- · Rake up and remove loosened thatch or debris.
- Mix in starter fertilizer and soil amendments, if needed. Level the soil.
- Apply seed according to directions on seed package, or install sod. Grass seed must have good contact with soil to germinate and grow.
- Keep area moist for 2 weeks to establish new lawn, then water as needed.

WILDLIFE AREAS SITE PREPARATION: Use Chemsico Herbicide Concentrate 3A to prepare areas for planting wildlife food plots. Exotic or undesirable plants can be controlled with Chemsico Herbicide Concentrate 3A to allow for planting or recovery of native plant species. Spot treatments may be directed to selectively remove unwanted plants. Avoid spray drift to desirable plants. [Be careful to keep spray off desirable plants].

STORAGE AND DISPOSAL

Storage: Store this product only in its original container in a secure storage area away from sources of heat or open flame. Protect product from freezing. Disposal: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

First Aid

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice. If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

Have the product container or label with you when calling a Poison Control Center, doctor, or going for treatment.

Environmental Hazards

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

[*If you are not satisfied with this product for any reason, send your written request for a refund to the address below, together with the original dated store receipt showing the price you paid. Please allow 6-8 weeks for processing.]

[Questions? Comments call toll-free 1-800-332-5553 or visit our website]

Made in the USA Manufactured by Chemsico, Division of United Industries Corp. P. O. Box 142642 St. Louis, MO 63114-0642

EPA Reg. No. 9688-

EPA Est. No 9688-MO-1

©2007

OPTIONAL DIRECTIONS FOR A READY-TO-SPRAY CONCENTRATE PRODUCT FOR LAWN RENOVATION

STOP. [Read and follow label instructions] [Read Entire Label Before use] [Lift Here. Press to Reseal]

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For outdoor residential use only.



Do not allow people or pets to touch treated plants until the sprays have dried.

APPLICATION RESTRICTIONS

Do not apply this product in a way that will contact any person or pet, either directly or through drift. Only persons applying this product may be in the area during application.

USER SAFETY RECOMMENDATIONS

Clothing and protective equipment exposed to this product should be washed in detergent and hot water. Such items should be kept and washed separately from other laundry.

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Users should remove clothing and protective equipment immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

[This product is formulated for "spot" treatment of individual weeds and grasses or for treatment of large areas as instructed on this label (see specific site areas below).]

HOW TO APPLY

Determine the size of the spraying job. [One quart][This container] will treat 1350 sq ft as part of a lawn renovation/replacement program.

USING THE READY SPRAY NOZZLE (Optional subheading)

1. Shake container well before using.

FN: 3aConc.doc

- 2. Connect a garden hose to the Ready Spray nozzle. Make sure the dial on the nozzle is in the "OFF" position with the [green] safety tab in the valve notch.
- 3. Turn on water at faucet. Extend hose to the farthest area to be treated and work back toward the faucet so you don't come in contact with the treated area.
- 4. To BEGIN spraying, point nozzle toward treatment site and a.) bend the [greening safety tab back (located at right of yellow dial) with your thumb, b.) hold with turning yellow dial clockwise until it stops. Water will automatically mix with the product.
- Spray until wet. Walk at a steady pace while spraying using an even sweeping motion, slightly overlapping treated areas.
- 6. To STOP spraying, QUICKLY turn the dial counter clockwise until it stops and the safety tab engages into the notch on the valve. Turn water off at faucet. To relieve pressure before removing nozzle from hose, bend the safety tab back and turn dial "ON" until water stops spraying.
- 7. To STORE unused product, make sure the dial is in the "OFF" position with [green] safety tab in the valve notch. Place in cool area away from heat, sunlight or open flame.

USE TIPS

- Use this product to remove [kill] the old lawn and existing weeds and grasses
- For best results apply in spring of fall when daytime temperatures are at least 60° F.
- If the lawn is dry [under dry conditions] water lawn every other day for a webefore applying [product][Chemsico Herbicide Concentrate 3A]
- Do not mow for 7 days before or after treatment
- After 7 days, prepare the soil for planting by raking or roto-tilling the lawn. [Wait
 7 days after last application to rake, till or replant with seed or sod]
- Rake up and remove loosened thatch or debris.
- Mix in starter fertilizer and soil amendments, if needed. Level the soil.
- Apply seed according to directions on seed package, or install sod. Grass seed must have good contact with soil to germinate and grow.
- · Keep area moist for 2 weeks to establish new lawn, then water as needed.

STORAGE AND DISPOSAL

Storage: Store this product only in its original container in a secure storage area away from sources of heat or open flame. Protect product from freezing. Disposal: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

First Aid

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice. If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

Have the product container or label with you when calling a Poison Control Center, doctor, or going for treatment.

Environmental Hazards

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

[*If you are not satisfied with this product for any reason, send your written request for a refund to the address below, together with the original dated store receipt showing the price you paid. Please allow 6-8 weeks for processing.]

[Questions? Comments call toll-free 1-800-332-5553 or visit our website]

Made in the USA
Manufactured by Chemsico,
Division of United Industries Corp.
P. O. Box 142642
St. Louis, MO 63114-0642
EPA Reg. No. 9688EPA Est. No 9688-MO-1

©2007

CHEMSICO HERBICIDE CONCENTRATE 3A MARKETING CLAIMS

- 1. *Guaranteed Results [*Or Your Money Back]
- 2. [Better] [Best] Value
- 3. [Formula] Enters The Plant Within One To Two Hours [Won't Wash Off]
- 4. Improved Formula
- 5. [Spot] Treatment For Ornamental Garden] Replanting
- 6. Absorbed Into The Plant
- 7. Absorbed On Contact
- 8. Can Be Used Over The Root Zones Of Trees, Shrubs Or Desirab. Plants
- 9. Control That Doesn't Wash Away
- 10. Controls [Hardy] [Tough] [Hard To Kill] Weeds
- 11. Dead [Weeds] [And] [Grass] In 24 Hours
- 12. Dead Weeds Guaranteed* [*Or Your Money Back]
- 13. Does Not Have Soil Activity
- 14. Do-It-Yourself Weed Killer
- 15. Economical Concentrate
- 16. Effective Even If It Rains
- 17. Eliminates [Kills] All Common Weeds And Grasses
- 18. Eliminates Roots & Weeds, [Guaranteed*]
- 19. Eliminates Weeds, [Guaranteed*]
- 20. Exclusive Formula
- 21. Fast & [And] Complete
- 22. Fast Acting [Formula]
- 23. Fast Acting Formula!
- 24. For Use [Ideal] [Can Be Used] [Use In And Around] [In] [On] [F [Along] Flower Beds
- 25. For Use [Use] [Ideal] [Can Be Used] [Use In And Around] [In] [On] [For] [Along] [Around] [Fences], [Driveways], [Walkways], [Shrubs], [Trees] [Gardens][Ornamentals] [Walks] [Mulch Beds] [Gravel] [And] [Driveways] [Curbs]
- 26. For Walks, Drives, Fences, Patios And Similar Areas
- 27. Keeps Working, Even If It Rains
- 28. Kills All Treated Weeds
- 29. Kills [Even] Tough Weeds [And Grasses]
- 30. Kills From The Inside Out
- 31. Kills Over 155 Types Of Weeds [As Listed]
- 32. Kills Over 155 Varieties Of Broadleaf And Grassy Weeds [As Listed]
- 33. Kills The Entire Plant

- 34. Kills The Root So Weeds Won't Grow Back
- 35. Kills The Root!
- 36. Kills The Weed You See And The Root You Don't
- 37. Kills Weeds And Unwanted Grasses
- 38. Kills Weeds And Unwanted Grasses, Roots And All
- 39. Kills Weeds In [A] [One] Day
- 40. No Residual Activity In Soil
- 41. No Root, No Weeds, [Guaranteed]
- 42. No Soil Activity
- 43. No Soil Activity, Must Be Applied To Foliage
- 44. Overnight Results
- 45. Quick-Kill Formula
- 46. Rainfast In 15 Minutes For Control That Doesn't Wash Away [Won't Wash Away]
- 47. Rainfast In 15 Minutes Starts To Enter The Plant On Contact
- 48. Rainproof In 15 Minutes
- 49. Rainproof In 15 Minutes Hours For Control That Won't Wash Away
- 50. Replant Flowers, Trees & Shrubs [In Half The Time Of Other Brands] [The Same Weekend]
- 51. Can Be Used Around Trees & Shrubs
- 52. Satisfaction Guaranteed Or Your Money Back [With Proof Of Purchase]
- 53. See Results In [as little as][as fast as] 3 Hrs!
- 54. Starts To Work In [as little as][as fast as] 3 Hours
- 55. Starts Working In Hours
- 56. Systemic Weed And Grass Killer For [Spot] Treatment Of Unwanted Weeds And Grasses
- 57. Systemic Formula
- 58. Triple Action [Formula]
- 59. Won't Wash Away
- 60. Works First Time, Every Time,
- 61. Works In 24 Hours
- 65. Works The First Time [Guaranteed*] * Or Your Money Back
- 66. Works 3 Ways: (1)Results in as littles as 3 hrs, (2) Kills over 155 varieties of Broadleaf & Grassy Weeds as listed, (3) Kills the Root
- 67. Starts Working Immediately!
- 68. Use on Paved & Landscaped Areas
- 69. Mix with Water
- 70. Visible Results as Fast as 3 Hours
- 71. Rainfast in 15 Minutes
- 72. [32 oz Concentrate] Makes up to 10 Gallons
- 73. [16 oz Concentrate] Makes up to 5 Gallons
- 74. [64 oz Concentrate] Makes up to 20 Gallons

- 75. [40 oz Concentrate] Makes up to 13 Gallons
- 76. New [Formula]
- 77. Improved [Formula]
- 78. New and Improved [Formula]
- 79. Concentrated Formula
- 80. [Good][Better] Value
- 81. [Now] Includes Measuring cup
- 82. {New][Covenient][Easy to Store][Easy to Use][Free] measuring cup