

U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs Registration Division (7505P) Ariel Rios Building 1200 Pennsylvania Ave., NW Washington, D.C. 20460

EPA	Reg.	Number:

Date of Issuance:

9688-265

WL 23 2010

NOTICE OF PESTICIDE:

___ Registration

X Reregistration (under FIFRA, as amended)

Term of Issuance:

Name of Pesticide Product:

Chemsico Herbicide Concentrate 3A

Name and Address of Registrant (include ZIP Code):

Chemsico

Division of United Industries Corporation

P.O. Box 142642

St. Louis, MO 63114-0642

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is reregistered in accordance with FIFRA section 4(g)(2)(C) provided you:

- 1. Submit and/or cite all data required for registration review/reregistration of your product when the Agency requires all registrants of similar products to submit data.
- 2. Make all the following changes to the product label:
 - a. Due to primary dermal toxicity, change the signal word from "CAUTION" to "WARNING".
 - b. The acid equivalent amount of dicamba DMA salt must be added as a substatement under the Ingredient statement.
 - c. Change the Hazards to Humans and Domestic Animals statement to read as follows:

"WARNING Causes skin irritation. Causes moderate eye irritation. Do not get on skin or on clothing. Avoid contact with eyes. Wear chemical-resistant gloves made out of any waterproof material. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse."

Continued on Page 2

Signature of Approving Official:

Kathryn V. Montague

Product Manager 2/3

Herbicide Branch

Registration Division (7505P)

Date:

3111 2 3 2010

- d. Change the order of the First Aid statements to "If on Skin or Clothing" then "If in Eyes".
- e. It is recommended that an emergency contact number be included in the First Aid section.
- f. The Environmental Hazards section text should be revised as per PR Notice 2008-1.
- g. On page 3 under Mixing Instructions, change the text to read "Food utensils such as teaspoons and measuring cups **must** not be used for food purposes after use with pesticides."
- h. Change the heading from "Pesticide Disposal" to "Pesticide Disposal and Container Handling" and change the text to read "Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain."
- i. Remove the marketing claims "Improved Formula", "Exclusive Formula", and "Improved [Formula]" as they imply the product possesses unique characteristics due to its composition or heightened efficacy, which are false and misleading.
- j. Remove the claims "New [Formula]", "New and Improved [Formula]" as this product is no longer new. The claim "new" may only be used on labeling of a product of new composition for a period of 6 months following approval of the labeling.

The basic confidential statement of formula (CSF) dated November 16, 2009 is acceptable.

NOTE: Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the FIFRA and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

A stamped copy of your label is enclosed for your records. You must submit one (1) copy of the final printed label before you release the product for shipment. Products shipped after twelve (12) months from the date of this notice or the next printing of the label, whichever occurs first, must bear the new revised label. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

Front Panel

Chemsico

*Herbicide Concentrate*3A

See Appendix For Consolidated List of Marketing Claims

ACCEPTED
with COMMENTS
In EPA Letter Dated:

Under the Federal In ticide, Fungicide, and Rodenucide Act as amended, for the pesticide registered under EPA Reg. No.

9688-265

Active Ingredients:
Diquat dibromide 2.30%
Fluazifop-p-butyl 1.15%
Dicamba, Dimethylamine salt 0.77%
Other Ingredients 2.57.8%
Total 2.00.60%

KEEP OUT OF REACH OF CHILDREN

CAUTION: See {[Back] [Side] [Inside] Panel}, [Booklet] Foo additional Precautionary Statements, OR [Peel Open for Use Directions and Further Information

NET CONTENTS: 16 fl oz (1 pt / 473 mL); 32 fl oz (1 qt/946 mL)

[OPTIONAL PRODUCT FACT BOX I]

PRODUCT FACTS

Treats up to 1500 sq ft [Pint] [Makes up to 5 gallons] Treats up to 3000 sq ft [Quart] [Makes up to 10 gallons]

FN: 9688-265-Rereq-Dicamba.doc

KILLS WEEDS (weed icons)

ALL TYPES OF WEEDS AND GRASSES

WHERE TO USE

- On patios, walkways [or] [driveways] [gravel] [mulch beds]
- Around [flowers], [shrubs or trees,] [in flowerbeds][omamentals]
- Along fences and foundations
- In large areas [For ornamental [planting bed] [garden replacement] [For Lawn Replacement]
- Edging around lawns

AMOUNT TO USE

For Best Results: 7 fl oz (14 Tbsp) per gallon of water General Weed Control (annuals): 5 fl oz (10 Tbsp) per gallon of water Newly Emerged Weeds:3 fl oz (6 Tbsp) per gallon of water Questions & Comments:

(icon telephone) (icon computer)

Call 1-800-332-5553 or visit our website.

[OPTIONAL PRODUCT FACT BOX II]

PRODUCT FACTS

WHAT IT DOES: Kills all types of weeds and grasses [down to the roof]

WHERE TO USE: Outdoors [icon]: On patios, walkways, driveways, flowers, shrubs and [or] trees; along fences and in large areas [for ornamental garden plot preparation] [For Lawn Replacement] WHEN TO USE: For best results, apply during warm, sunny weather

(above 60°F)

Questions & Comments:

(icon telephone) (icon computer)

Call 1-800-332-5553 or visit our website.

FN: 9688-265-Rereg-Dicamba.doc

OPTIONAL MARKETING LANGUAGE

[Chemsico Herbicide Concentrate 3A eliminates most common weeds, grasses and unwanted vegetation.] [*Illustrations*] [This product can be used [For edging around lawns] [For ornamental [planting bed] garden plot preparation] in driveways, brick and gravel walkways, curbs, along fences and foundations, near trees and shrubs, in flower beds, mulch beds, gravel, and other similar areas of the yard to get rid of undesirable vegetation.] [Chemsico Herbicide Concentrate 3A can also be used for big jobs such as flower garden preparation] [and lawn replacement [renovation]].

[HOW IT WORKS] [This product [is a non-selective herbicide that] will kill all vegetation contacted. It enters plants through the leaves and moves down to the roots. This will ensure that the entire plant is eliminated. Avoid direct spray or drift into desirable plants, lawn grasses, shrubs and trees. Protect desirable plants and vegetation with a piece of plastic or cardboard. If desirable plants are accidentally sprayed, wash plants with water immediately. This product has no soil activity and thus will not affect nearby untreated plants.]

[KILLS] [CONTROLS] MOST COMMON [TOUGH] WEEDS AND GRASSES INCLUDING:

[Annual weeds and grasses: Annual ryegrass, annual bluegrass, barnyardgrass, beggarweed, black medic, blue medic, blue toadflax, brassbuttons, blue mustard, bromegrass, bur clover, buttercup, cheeseweed, chickweed, clover, common groundsel, common lambsquarters, common plantain, common ragweed, crabgrass, creeping beggarweed, diffuse lovegrass, dog fennel, evening primrose, false dandelion, fall panicum, fennel, fiddleneck, field pennycress, field sandbur, filaree, Florida pusley, foxtail, garden spurge, goosegrass, green foxtail, hemp sesbania, henbit, horseweed/marestail, ironweed, knotweed, lambsquarters, little bitter cress, London rocket, maiden cane, mallow, mayweed, mouseear chickweed*, oxalis*, Pennsylvania smartweed, pennywort, pigweed, prickly lettuce, prostrate spurge, puncture vine, purslane, redroot, pigweed, sandspur, shepherdspurse, smartweed, smooth cat's ear, smooth pigweed, sowthistle, spotted spurge, sprangletop, spurges, tansy mustard, tansy ragwort, teaweed, Texas panicum, tumble mustard, velvetleaf, wild geranium*, witch grass, wild mustard, yellow nutgrass, yellow oxalis (and many other annual grasses and weeds)]

[Perennial weeds, grasses, brush:

Alder, artichoke thistle, bahiagrass, barnyardgrass, benigrass, Germudagrass, bluegrass, broadleaf plantain, brownseed, paspalum, buckherniplantain, bull thistle, Canada thistle, cattail, ceanothus, centipedegrass, cocklebur, cogongrass, common mullein, common ragweed, coral bead, creeping Charlie, curly dock, dallisgrass, dandelion, dewberry, dog fennel, false dandelion, fescue species, field bindweed, guineagrass, hairy crabgrass, horsenettle, horseradishi, icepianit, Johnsongrass, Kentucky bluegrass, kikuyugrass, knapweed, knawel, lantana, maiden cane, milkweed, mouseear chickweed*, nimblewill, nutgrass (nûtsedgê), oldenlandia, orchardgrass, oxalis*, pampasgrass, pennywort, perennial ryegrass, plantain, purple cudweed* purple nutsedge quackgrass, quaking aspen ragweed red

clover, smooth bromegrass, sourdock, sowthistle, St. Augustine grass, tall fescue, tansy ragwort, Timothy, torpedograss, trumpetcreeper, vaseygrass, Virginia creeper, white clover, whitetop, wild barley, wild blackberry, wild carrot, wild morning-glory, wild oats, yarrow, yellow nutgrass, yellow starthistle, zoysia.] *annual or perennial

Back Panel

STOP. [Read and follow label instructions] [Read Entire Label Before use] [Lift Here. Press to Reseal]

Environmental Hazards

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinseate. This pesticide is toxic to aquatic invertebrates.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For outdoor residential use only.



Do not allow people or pets to enter the treated area until sprays have dried.

APPLICATION RESTRICTIONS

Do not apply this product in a way that will contact any person, pet, either directly or through drift. Keep people and pets out of the area during application.

USER SAFETY RECOMMENDATIONS

Clothing and protective equipment exposed to this product should be washed in detergent and hot water. Such items should be kept and washed separately from other laundry.

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Users should remove clothing and protective equipment immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

[This product is formulated for "spot" treatment of individual weeds and grasses or for treatment of large areas as instructed on this label (see specific site areas below).]

MIXING INSTRUCTIONS

TANK SPRAYER (plastic, aluminum or stainless steel)

- Add appropriate amount of concentrate to one gallon of water
- Spot treat or spray evenly over 300 sq ft

DIAL TYPE HOSE-END SPRAYER

- Set sprayer to the "fl oz/ gallon" level specified in the directions
- Use only enough product for the area to be treated.
- Close sprayer, attach to hose and apply.

CONCENTRATE PLUS WATER [HOSE END] TYPE SPRAYER

- Determine the amount of concentrate required
- Pour concentrate into sprayer jar to the required "fl oz" level
- Add the required amount of water to the "gals" level.
- Replace sprayer top on jar and apply

[Two Easy Steps to Mix and Apply]

Step #1: Use a clean sprayer. Carefully measure and mix the amount of Chemsico Herbicide Concentrate 3A (product) and water as directed. Food utensils such as teaspoons and measuring cups should not be used for food purposes after use with pesticides.

Step #2: Spray as directed. Thorough coverage is important. Flush sprayer with clean water after each use.]

AMOUNT TO USE:

To kill newly emerged weeds: 3 fl oz (6 Tbsp) per gallon water treats 300 sq ft

For general weed control [to kill annual weeds and grasses]: 5 fl oz (10 Tbsp) per gallon water treats 300 sq ft

For Best Results [to kill perennial weeds and grasses]: 7 fl oz (14 Tbsp) per gallon water treats 300 sq ft

1 Tbsp = 3 tsp

1 fl oz = 2 Tbsp



[HOW TO APPLY]

- Completely [wet] [cover] the foliage [leaves] of the target vegetation [plant]. Do not overspray.
- A single application controls most [listed] weeds.
- Most treated weeds usually show initial symptoms within 24 hours and complete kill in 1-2 weeks.
- Protect desirable plants with a piece of plastic or cardboard.
- If desirable plants are accidentally sprayed, wash plants with water immediately.
- Do not mow, cut or otherwise disturb treated [vegetation] [weeds] or [plants] for at least 7 days following application.
- Do not use on or around edible feed or food crops.
- Do not make more than 2 applications per year to any given area.

[WHEN TO APPLY] [USE TIPS]

- For best results apply during warm, sunny weather (above 60° F) when weeds are actively growing and no rain is forecast for 24 hours. Rainfall or watering 2 hours [15 minutes] after application will not wash away effectiveness.
- To avoid drift to desirable plants, apply when the air is calm.

WHEN TO REPLANT

 All ornamental flowers, trees and shrubs may be planted 1 day after application.

[WHERE TO USE] [USE SITES] [USE SITUATIONS]:

GENERAL WEED CONTROL: Use along [near] fences, paths, patios, sidewalks, curbs and driveways, around ornamental trees, shrubs, flower beds and plantings, around buildings. Use for trimming and edging landscapes. Do NOT use for spot weed treatment in lawns, since Chemsico Herbicide Concentrate 3A kills all green plants, including lawn grasses.

SPOT TREATMENTS: Spray directly on actively growing weeds in and around flower beds, ornamental trees, shrubs, fences, driveways and walkways.

LANDSCAPES: For use in preparing areas for planting of ornamentals, trees, shrubs, desert landscapes, rock gardens, flower beds or similar plantings. Treated areas can be replanted 1 day after treatment.

FOR LAWN RENOVATION/REPLACEMENT: [HOW [ALTERNATE: WHEN] TO USE]

- 1. Determine size of area to be treated—measure length and width in feet then multiply to determine coverage area in sq ft (length x width).
- Use this product to remove [kill] the old lawn and existing weeds and grasses.
- 3. For best results, apply in spring or fall, when daytime temperatures are at least 60° F.
- 4. If the lawn is dry [Under dry conditions], water lawn every other day for a week before applying Chemsico Herbicide Concentrate 3A
- 5. Do not mow for 7 days before or after treatment.
- Use 7 fl oz (14 Tbs) per gallon of water for each 300 sq ft of area to be treated.

TIPS FOR REPLANTING

- After 7 days, prepare the soil for planting by raking or roto-tilling the lawn. [Wait
 7 days after last application to rake, till or replant with seed or sod]
- Rake up and remove loosened thatch or debris.
- Mix in starter fertilizer and soil amendments, if needed. Level the soil.
- Apply seed according to directions on seed package, or install sod. Grass seed must have good contact with soil to germinate and grow.
- Keep area moist for 2 weeks to establish new lawn, then water as needed.

STORAGE AND DISPOSAL

Pesticide Storage: Store this product only in its original container in a secure storage area away from sources of heat or open flame. Protect product from freezing. Pesticide Disposal: If empty: Nonrefillable container. Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.



PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals

FN: 9688-265-Rereg-Dicamba.doc

CAUTION: Causes skin irritation. Causes moderate eye irritation. Do not get on skin or clothing. Wash thoroughly with soap and water after handling.

First Aid

If in Eyes:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.
If on Skin or Clothing:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice

Have the product container or label with you when calling a Poison Control Center, doctor, or going for treatment.

NOTICE: To the extent consistent with applicable law buyer assumes all responsibility for safety and use not in accordance with directions.

[*If you are not satisfied with this product for any reason, send your written request for a refund to the address below, together with the original dated store receipt showing the price you paid. Please allow 6-8 weeks for processing.]

[Questions? Comments call toll-free 1-800-332-5553 or visit our website]

Made in the USA Manufactured by Chemsico, Division of United Industries Corp. P. O. Box 142642 St. Louis, MO 63114-0642

EPA Reg. No. 9688-265

EPA Est. No 9688-MO-1 ©2009

OPTIONAL DIRECTIONS FOR A READY-TO-SPRAY CONCENTRATE PRODUCT FOR LAWN RENOVATION

STOP. [Read and follow label instructions] [Read Entire Label Before use] [Lift Here. Press to Reseal]

Énvironmental Hazards

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinseate. This pesticide is toxic to aquatic invertebrates.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For outdoor residential use only.



Do not allow people or pets to enter the treated area until sprays have dried.

APPLICATION RESTRICTIONS

Do not apply this product in a way that will contact any person, pet, either directly or through drift. Keep people and pets out of the area during application.

ISER SAFETY RECOMMENDATIONS

Clothing and protective equipment exposed to this product should be washed in detergent and hot water. Such items should be kept and washed separately from other laundry.

Users should wash hands before eating, drinking, chewing yuin, using to bacco or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Users should remove clothing and protective equipment immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

[This product is formulated for "spot" treatment of individual weeds and grasses or for treatment of large areas as instructed on this label (see specific site areas below).]

HOW TO APPLY

Determine the size of the spraying job. [One quart][This container] will treat 1350 sq ft as part of a lawn renovation/replacement program.

USING THE READY SPRAY NOZZLE (Optional subheading)

- 1. Shake container well before using.
- 2. Connect a garden hose to the Ready Spray nozzle. Make sure the dial on the nozzle is in the "OFF" position with the [green] safety tab in the valve notch.
- 3. Turn on water at faucet. Extend hose to the farthest area to be treated and work back toward the faucet so you don't come in contact with the treated area.
- 4. To BEGIN spraying, point nozzle toward treatment site and a.) bend the [green] safety tab back (located at right of yellow dial) with your thumb, b.) hold while turning yellow dial clockwise until it stops. Water will automatically mix with the product.
- Spray until wet. Walk at a steady pace while spraying using an even sweeping motion, slightly overlapping treated areas.
- 6. To STOP spraying, QUICKLY turn the dial counter clockwise until it stops and the safety tab engages into the notch on the valve. Turn water off at faucet. To relieve pressure before removing nozzle from hose, bend the safety tab back and turn dial "ON" until water stops spraying.
- 7. To STORE unused product, make sure the dial is in the "OFF" position with [green] safety tab in the valve notch. Place in cool area away from heat, sunlight or open flame.

USF TIPS

- Use this product to remove [kill] the old lawn and existing weeds and grasses
- For best results apply in spring of fall when daytime temperatures are at least 60° F.
- If the lawn is dry [under dry conditions] water lawn every other day for a week before applying [product][Chemsico Herbicide Concentrate 3A]
- Do not mow for 7 days before or after treatment
- After 7 days, prepare the soil for planting by raking or roto-tilling the lawn. [Wait 7 days after last application to rake, till or replant with seed or sod]
- · Rake up and remove loosened thatch or debris.
- Mix in starter fertilizer and soil amendments, if needed. Level the soil.
- Apply seed according to directions on seed package, or install sod. Grass seed must have good contact with soil to germinate and grow.
- Keep area moist for 2 weeks to establish new lawn, then water as needed.
- Do not make more than 2 applications per year to any given area.

STORAGE AND DISPOSAL

Pesticide Storage: Store this product only in its original container in a secure storage area away from sources of heat or open flame. Protect product from freezing. **Pesticide Disposal: If empty:** Nonrefillable container. Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals

CAUTION: Causes skin irritation. Causes moderate eye irritation. Do not get on skin or clothing. Wash thoroughly with soap and water after handling.

rirst Aid کے۔

1 II St Alu	
If in Eyes:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.
If on Skin or Clothing:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice

;ave the product container or label with you when calling a Poison Control Center, doctor, or going for treatment.

NOTICE: To the extent consistent with applicable law buyer assumes all responsibility for safety and use not in accordance with directions.

[*If you are not satisfied with this product for any reason, send your written request for a refund to the address below, together with the original dated store receipt showing the price you paid. Please allow 6-8 weeks for processing.]

[Questions? Comments call toll-free 1-800-332-5553 cr visit our vietsita]

Made in the USA

Manufactured by Chemsico, Division of United Industries Corp. P. O. Box 142642 St. Louis, MO 63114-0642 EPA Reg. No. 9688-265

@2009

CHEMSICO HERBICIDE CONCENTRATE 3A MARKETING CLAIMS

- 1. *Guaranteed Results [*Or Your Money Back]
- 2. [Better] [Best] Value

EPA Est. No 9688-MO-1

- 3. [Formula] Enters The Plant Within One To Two Hours [Won't Wash Off]
- 4. Improved Formula
- 5. [Spot] Treatment For Ornamental Garden] Replanting
- 6. Absorbed Into The Plant
- 7. Absorbed On Contact
- 8. Can Be Used Over The Root Zones Of Trees, Shrubs Or Desirable Plants
- 9. Control That Doesn't Wash Away
- 10. Controls [Hardy] [Tough] [Hard To Kill] Weeds
- 11. Dead [Weeds] [And] [Grass] In 24 Hours
- 12. Dead Weeds Guaranteed* [*Or Your Money Back]
- 13. Does Not Have Soil Activity
- 14. Do-It-Yourself Weed Killer
- 15. Economical Concentrate
- 16. Effective Even If It Rains
- 17. Eliminates [Kills] All Common Weeds And Grasses
- 18. Eliminates Roots & Weeds, [Guaranteed*]
- 19. Eliminates Weeds, [Guaranteed*]
- 20. Exclusive Formula
- 21. Fast & [And] Complete
- 22. Fast Acting [Formula]
- 23. Fast Acting Formula!
- 24. For Use [Ideal] [Can Be Used] [Use In And Around] [In] [On] [For] [Along] Flower Beds
- 25. For Use [Use] [Ideal] [Can Be Used] [Use In And Around] [In] [On] [For] [Along] [Around] [Fences], [Driveways], [Walkways], [Shrubs], [Trees] [Gardens][Ornamentals] [Walks] [Mulch Beds] [Gravel] [And] [Driveways] [Curbs]
- 26. For Walks, Drives, Fences, Patios And Similar Areas

- 27. Keeps Working, Even If It Rains
- 28. Kills All Treated Weeds
- 29. Kills [Even] Tough Weeds [And Grasses]
- 30. Kills From The Inside Out
- 31. Kills Over 155 Types Of Weeds [As Listed]
- 32. Kills Over 155 Varieties Of Broadleaf And Grassy Weeds [As Listed]
- 33. Kills The Entire Plant
- 34. Kills The Root So Weeds Won't Grow Back
- 35. Kills The Root!
- 36. Kills The Weed You See And The Root You Don't
- 7. Kills Weeds And Unwanted Grasses
- าร์8. Kills Weeds And Unwanted Grasses, Roots And All
- 39. Kills Weeds In [A] [One] Day
- 40. No Residual Activity In Soil
- 41. No Root, No Weeds, [Guaranteed]
- 42. No Soil Activity
- 43. No Soil Activity, Must Be Applied To Foliage
- 44. Overnight Results
- 45. Quick-Kill Formula
- 46. Rainfast In 15 Minutes For Control That Doesn't Wash Away [Won't Wash Away]
- 47. Rainfast In 15 Minutes Starts To Enter The Plant On Contact
- 48. Rainproof In 15 Minutes
- 49. Rainproof In 15 Minutes Hours For Control That Won't Wash Away
- 50. Replant Flowers, Trees & Shrubs [In Half The Time Of Other Brands] [The Same Weekend]
- 51. Can Be Used Around Trees & Shrubs
- 2. Satisfaction Guaranteed Or Your Money Back [With Proof Of Purchase]
- -53. See Results In [as little as][as fast as] 3 Hrs!
- 54. Starts To Work In [as little as][as fast as] 3 Hours
- 55. Starts Working In Hours
- 56. Systemic Weed And Grass Killer For [Spot] Treatment Of Unwanted Weeds And Grasses
- 57. Systemic Formula
- 58. Triple Action [Formula]
- 59. Won't Wash Away
- 60. Works First Time, Every Time,
- 61. Works In 24 Hours
- 65. Works The First Time [Guaranteed*] * Or Your-Money Back
- 66. Works 3 Ways: (1)Results in as littles as 3 hrs, (2) Kills over 155

varieties of Broadleaf & Grassy Weeds as listed, (3) Kills the Root

- 67. Starts Working Immediately!
- 68. Use on Paved & Landscaped Areas
- 69. Mix with Water
- 70. Visible Results as Fast as 3 Hours
- 71. Rainfast in 15 Minutes
- 72. [32 oz Concentrate] Makes up to 10 Gallons
- 73. [16 oz Concentrate] Makes up to 5 Gallons
- 74. [64 oz Concentrate] Makes up to 20 Gallons
 - 75. [40 oz Concentrate] Makes up to 13 Gallons
 - 76. New [Formula]
 - 77. Improved [Formula]
 - 78. New and Improved [Formula]
 - 79. Concentrated Formula
 - 80. [Good][Better] Value
 - 81. [Now] Includes Measuring cup
 - 82. {New][Covenient][Easy to Store][Easy to Use][Free] measuring cup