

9688-265

06/01/2011

1/9



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF  
CHEMICAL SAFETY AND  
POLLUTION PREVENTION

Ms. Jessica Goldberg  
Chemsico, Div. of United Industries Corp.  
P.O. Box 142642  
St. Louis, MO 63114

JUN - 1 2011

Subject: Label Amendment  
Product Name: Chemsico Herbicide Concentrate 3A  
EPA Reg. No.: 9688-265  
Application dated: March 1, 2011

Dear Ms. Goldberg:

The proposed alternate formulation of the product referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable.


Please note that marketing claims made on the pesticide label must be substantiated by data maintained in your files. If data supporting marketing claims made on the product label is not available, then those claims must be removed.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Products shipped after 18 months from the date on this notice or the next printing of the label whichever occurs first, must bear the new revised label. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA. Your release for shipment of this product constitutes acceptance of these conditions. This label supersedes all previously accepted labels. You must submit one copy of the final printed label

before the product is released for shipment. One copy of the label stamped "Accepted" is enclosed for your records. If you have any questions, please contact Tracy White by phone at (703) 308-0042 or via email at [white.tracy@epa.gov](mailto:white.tracy@epa.gov).

Sincerely,



Kathryn V. Montague  
Product Manager 23  
Herbicide Branch  
Registration Division (7505P)

Enclosure-Stamped Label


Front Panel

# Chemsico

## Herbicide Concentrate

### 3A

See Appendix For Consolidated List of Marketing Claims



Active Ingredients:

Diquat dibromide .....	2.30%
Fluazifop-p-butyl.....	1.15%
Dicamba*, Dimethylamine salt .....	0.77%
Other Ingredients .....	95.78%
[Total .....	100.00%]

\*0.054lb Dicamba acid equivalent per gallon or 0.63%

**KEEP OUT OF REACH OF CHILDREN**

**WARNING:** See {[Back] [Side] [Inside] Panel}, [Booklet] For additional Precautionary Statements, OR [Peel Open for Use Directions and Further Information

NET CONTENTS: 16 fl oz (1 pt / 473 mL); 32 fl oz (1 qt/946 mL)

### [OPTIONAL PRODUCT FACT BOX I]

**PRODUCT FACTS**

Treats up to 1500 sq ft [Pint] [Makes up to 5 gallons]  
Treats up to 3000 sq ft [Quart] [Makes up to 10 gallons]  
**KILLS WEEDS (weed icons)**  
**ALL TYPES OF WEEDS AND GRASSES**

**WHERE TO USE**

- On patios, walkways [or] [driveways] [gravel] [mulch beds]
- Around [flowers], [shrubs or trees,] [in flowerbeds][ornamentals]
- Along fences and foundations
- In large areas [For ornamental [planting bed] [garden replacement] [For Lawn Replacement]
- Edging around lawns

**AMOUNT TO USE**

For Best Results: 7 fl oz (14 Tbsp) per gallon of water  
General Weed Control (annuals): 5 fl oz (10 Tbsp) per gallon of water  
Newly Emerged Weeds: 3 fl oz (6 Tbsp) per gallon of water

**Questions & Comments:**  
(icon telephone) (icon computer)  
Call 1-800-332-5553 or visit our website.

### [OPTIONAL PRODUCT FACT BOX II]

**PRODUCT FACTS**

**WHAT IT DOES:** Kills all types of weeds and grasses [down to the root]

**WHERE TO USE: Outdoors [icon]:** On patios, walkways, driveways, flowers, shrubs and [or] trees; along fences and in large areas [for ornamental garden plot preparation] [For Lawn Replacement]

**WHEN TO USE:** For best results, apply during warm, sunny weather (above 60°F)

[Bracketed text – Optional Language]

**OPTIONAL MARKETING LANGUAGE**

[Chemsico Herbicide Concentrate 3A kills most common weeds, grasses and unwanted vegetation.] *[Illustrations]* [This product can be used [For edging around lawns] [For ornamental [planting bed] garden plot preparation] in driveways, brick and gravel walkways, curbs, along fences and foundations, near trees and shrubs, in flower beds, mulch beds, gravel, and other similar areas of the yard to get rid of undesirable vegetation.] [Chemsico Herbicide Concentrate 3A can also be used for big jobs such as flower garden preparation] [and lawn replacement [renovation]].

**[HOW IT WORKS]** [This product [is a non-selective herbicide that] will kill all vegetation contacted. It enters plants through the leaves and moves down to the roots. This will ensure that the entire plant is killed. Avoid direct spray or drift onto desirable plants, lawn grasses, shrubs and trees. Protect desirable plants and vegetation with a piece of plastic or cardboard. If desirable plants are accidentally sprayed, wash plants with water immediately.]

**[KILLS] [CONTROLS] the Following [TOUGH] WEEDS AND GRASSES:**

**[Annual weeds and grasses:** Annual ryegrass, annual bluegrass, barnyardgrass, beggarweed, black medic, blue medic, blue toadflax, brassbuttons, blue mustard, bromegrass, bur clover, buttercup, cheeseweed, chickweed, clover, common groundsel, common lambsquarters, common plantain, common ragweed, crabgrass, creeping beggarweed, diffuse lovegrass, dog fennel, evening primrose, false dandelion, fall panicum, fennel, fiddleneck, field pennycress, field sandbur, filaree, Florida pusley, foxtail, garden spurge, goosegrass, green foxtail, hemp sesbania, henbit, horseweed/marestail, ironweed, knotweed, lambsquarters, little bitter cress, London rocket, maiden cane, mallow, mayweed, mouseear chickweed\*, oxalis\*, Pennsylvania smartweed, pennywort, pigweed, prickly lettuce, prostrate spurge, puncture vine, purslane, redroot, pigweed, sandspur, shepherdspurse, smartweed, smooth cat's ear, smooth pigweed, sowthistle, spotted spurge, sprangletop, spurges, tansy mustard, tansy ragwort, teaweed, Texas panicum, tumble mustard, velvetleaf, wild geranium\*, witch grass, wild mustard, yellow nutgrass, yellow oxalis (and many other annual grasses and weeds)]

**[Perennial weeds, grasses, brush:**

Alder, artichoke thistle, bahiagrass, barnyardgrass, bentgrass, Bermudagrass, bluegrass, broadleaf plantain, brownseed, paspalum, buckhorn plantain, bull thistle, Canada thistle, cattail, ceanothus, centipedegrass, cocklebur, cogongrass, common mullein, common ragweed, coral bead, creeping Charlie, curly dock, dallisgrass, dandelion, dewberry, dog fennel, false dandelion, fescue species, field bindweed, guineagrass, hairy crabgrass, horsenettle, horseradish, iceplant, Johnsongrass, Kentucky bluegrass, kikuyugrass, knapweed, knawel, lantana, maiden cane, milkweed, mouseear chickweed\*, nimblewill, nutgrass (nutsedge), oldenlandia, orchardgrass, oxalis\*, pampasgrass, pennywort, perennial ryegrass, plantain, purple cudweed\*, purple nutsedge, quackgrass, quaking aspen, ragweed, red clover, smooth bromegrass, sourdock, sowthistle, St. Augustine grass, tall fescue,

[Bracketed text – Optional Language]

tansy ragwort, Timothy, torpedograss, trumpetcreeper, vaseygrass, Virginia creeper, white clover, whitetop, wild barley, wild blackberry, wild carrot, wild morning-glory, wild oats, yarrow, yellow nutgrass, yellow starthistle, zoysia.]  
\*annual or perennial

*Back Panel*

**STOP.** [Read and follow label instructions] [Read Entire Label Before use] [Lift Here. Press to Reseal]

**Environmental Hazards**

This pesticide is toxic to aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. *For outdoor residential use only.*



Do not allow people or pets to enter the treated area until sprays have dried.

**APPLICATION RESTRICTIONS**

Do not apply this product in a way that will contact any person, pet, either directly or through drift. Keep people and pets out of the area during application.

**USER SAFETY RECOMMENDATIONS**

Clothing and protective equipment exposed to this product should be washed in detergent and hot water. Such items should be kept and washed separately from other laundry.

[This product is formulated for "spot" treatment of individual weeds and grasses or for treatment of large areas as instructed on this label (see specific site areas below).]

**MIXING INSTRUCTIONS****TANK SPRAYER** (plastic, aluminum or stainless steel)

- Add appropriate amount of concentrate to one gallon of water
- Spot treat or spray evenly over 300 sq ft.

**DIAL TYPE HOSE-END SPRAYER**

- Set sprayer to the "fl oz/ gallon" level specified in the directions
- Use only enough product for the area to be treated.
- Close sprayer, attach to hose and apply.

**CONCENTRATE PLUS WATER [HOSE END] TYPE SPRAYER**

- Determine the amount of concentrate required
- Pour concentrate into sprayer jar to the required "fl oz" level
- Add the required amount of water to the "gals" level.
- Replace sprayer top on jar and apply

**[Two Easy Steps to Mix and Apply]**

**Step #1:** Use a clean sprayer. Carefully measure and mix the amount of Chemsico Herbicide Concentrate 3A (product) and water as directed. Food utensils such as teaspoons and measuring cups must not be used for food purposes after use with pesticides.

**Step #2:** Spray as directed. Thorough coverage is important. Flush sprayer with clean water after each use.]

**AMOUNT TO USE:**

**To kill newly emerged weeds:** 3 fl oz (6 Tbsp) per gallon water treats 300 sq ft

**For general weed control [to kill annual weeds and grasses]:** 5 fl oz (10 Tbsp) per gallon water treats 300 sq ft

**For Best Results [to kill perennial weeds and grasses]:** 7 fl oz (14 Tbsp) per gallon water treats 300 sq ft

1 Tbsp = 3 tsp

1 fl oz = 2 Tbsp

**[HOW TO APPLY]**

- Completely [wet] [cover] the foliage [leaves] of the target vegetation [plant]. Do not overspray.
- A single application controls most [listed] weeds.
- Most treated weeds usually show initial symptoms within 24 hours and complete kill in 1-2 weeks.
- Protect desirable plants with a piece of plastic or cardboard.
- If desirable plants are accidentally sprayed, wash plants with water immediately.
- Do not mow, cut or otherwise disturb treated [vegetation] [weeds] or [plants] for at least 7 days following application.
- Do not use on or around edible feed or food crops.
- Do not make more than 2 applications per year to any given area.

**[WHEN TO APPLY] [USE TIPS]**

- For best results apply during warm, sunny weather (above 60° F) when weeds are actively growing and no rain is forecast for 24 hours. Rainfall or watering 2 hours [15 minutes] after application will not wash away effectiveness.
- To avoid drift to desirable plants, apply when the air is calm.

**WHEN TO REPLANT**

- All ornamental flowers, trees and shrubs may be planted **1 day after** application.

**[WHERE TO USE] [USE SITES] [USE SITUATIONS]:**

**GENERAL WEED CONTROL:** Use along [near] fences, paths, patios, sidewalks, curbs and driveways, around ornamental trees, shrubs, flower beds and plantings, around buildings. Use for trimming and edging landscapes. **Do NOT use for spot weed treatment in lawns, since Chemsico Herbicide Concentrate 3A kills all green plants, including lawn grasses.**

**SPOT TREATMENTS:** Spray directly on actively growing weeds in and around flower beds, ornamental trees, shrubs, fences, driveways and walkways.

**LANDSCAPES:** For use in preparing areas for planting of ornamentals, trees, shrubs, desert landscapes, rock gardens, flower beds or similar plantings. Treated areas can be replanted 1 day after treatment.

**FOR LAWN RENOVATION/REPLACEMENT:**

**[HOW [ALTERNATE: WHEN] TO USE]**

1. Determine size of area to be treated—measure length and width in feet then multiply to determine coverage area in sq ft (length x width).
2. Use this product to remove [kill] the old lawn and existing weeds and grasses.
3. For best results, apply in spring or fall, when daytime temperatures are at least 60° F.
4. If the lawn is dry [Under dry conditions], water lawn every other day for a week before applying Chemsico Herbicide Concentrate 3A
5. Do not mow for 7 days before or after treatment.
6. Use 7 fl oz (14 Tbs) per gallon of water for each 300 sq ft of area to be treated.

**TIPS FOR REPLANTING**

- After 7 days, prepare the soil for planting by raking or roto-tilling the lawn. **[Wait 7 days after last application to rake, till or replant with seed or sod]**
- Rake up and remove loosened thatch or debris.
- Mix in starter fertilizer and soil amendments, if needed. Level the soil.
- Apply seed according to directions on seed package, or install sod. Grass seed must have good contact with soil to germinate and grow.
- Keep area moist for 2 weeks to establish new lawn, then water as needed.

**REFILL INSTRUCTIONS:**

For use as a refill for Chemsico Grass & Weed Killer RTU 3A [brand name]. To refill Chemsico Grass & Weed Killer RTU [brand name], remove cap from bottle to be refilled then measure [7 fl oz (14 tablespoons) and add water to make 1 gallon] [9.5 fl oz (19 tablespoons) and add water to make 1.33 gallons]. Replace cap and tightly close. Wipe off any spilled product.

**STORAGE AND DISPOSAL**

**Pesticide Storage:** Store this product only in its original container in a secure storage area away from sources of heat or open flame. Protect product from freezing. **Pesticide Disposal and Container Handling:** Nonrefillable container. Do not reuse or refill this container, except as described in the directions for use (see refill instructions). **If Empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**PRECAUTIONARY STATEMENTS**

**Hazards to Humans and Domestic Animals**

**WARNING:** Causes skin irritation. Causes moderate eye irritation. Do not get on skin or clothing. Avoid contact with eyes. Wear chemical-resistant gloves made out of any waterproof material. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

**First Aid**

<b>If on Skin or Clothing:</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a Poison Control Center or doctor for treatment advice</li> <li>•</li> </ul>
<b>If in Eyes:</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a Poison Control Center or doctor for treatment advice.</li> </ul>
<p>Have the product container or label with you when calling a Poison Control Center, doctor, or going for treatment. You may also contact 1-800-332-5553 for emergency medical treatment advice.</p>	

**NOTICE:** To the extent consistent with applicable law buyer assumes all responsibility for safety and use not in accordance with directions.

[\*If you are not satisfied with this product for any reason, send your written request for a refund to the address below, together with the original dated store receipt showing the price you paid. Please allow 6-8 weeks for processing.]

[**Questions? Comments** call toll-free 1-800-332-5553 or visit our website]

Made in the USA  
 Manufactured by Chemsico,  
 Division of United Industries Corp.  
 P. O. Box 142642  
 St. Louis, MO 63114-0642

EPA Reg. No. 9688-265

EPA Est. No 9688-MO-1  
©2009

## OPTIONAL DIRECTIONS FOR A READY- TO-SPRAY CONCENTRATE PRODUCT FOR LAWN RENOVATION

**STOP.** [Read and follow label instructions] [Read Entire Label Before use] [Lift Here. Press to Reseal]

### Environmental Hazards

This pesticide is toxic to aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. *For outdoor residential use only.*



Do not allow people or pets to enter the treated area until sprays have dried.

### APPLICATION RESTRICTIONS

Do not apply this product in a way that will contact any person, pet, either directly or through drift. Keep people and pets out of the area during application.

### USER SAFETY RECOMMENDATIONS

Clothing and protective equipment exposed to this product should be washed in detergent and hot water. Such items should be kept and washed separately from other laundry.

[This product is formulated for "spot" treatment of individual weeds and grasses or for treatment of large areas as instructed on this label (see specific site areas below).]

### HOW TO APPLY

Determine the size of the spraying job. [One quart][This container] will treat 1350 sq ft as part of a lawn renovation/replacement program.

#### USING THE READY SPRAY NOZZLE (Optional subheading)

1. *Shake container well before using.*
2. Connect a garden hose to the Ready Spray nozzle. Make sure the dial on the nozzle is in the "OFF" position with the [green] safety tab in the valve notch.
3. Turn on water at faucet. Extend hose to the farthest area to be treated and work back toward the faucet so you don't come in contact with the treated area.
4. To BEGIN spraying, point nozzle toward treatment site and a.) bend the [green] safety tab back (located at right of yellow dial) with your thumb, b.) hold while turning yellow dial clockwise until it stops. Water will automatically mix with the product.
5. Spray until wet. Walk at a steady pace while spraying using an even sweeping motion, slightly overlapping treated areas.
6. To STOP spraying, QUICKLY turn the dial counter clockwise until it stops and the safety tab engages into the notch on the valve. Turn water off at faucet. To relieve pressure before removing nozzle from hose, bend the safety tab back and turn dial "ON" until water stops spraying.
7. To STORE unused product, make sure the dial is in the "OFF" position with [green] safety tab in the valve notch. Place in cool area away from heat, sunlight or open flame.

### USE TIPS

- Use this product to remove [kill] the old lawn and existing weeds and grasses
- For best results apply in spring of fall when daytime temperatures are at least 60° F.
- If the lawn is dry [under dry conditions] water lawn every other day for a week before applying [product][Chemsico Herbicide Concentrate 3A]
- Do not mow for 7 days before or after treatment
- After 7 days, prepare the soil for planting by raking or roto-tilling the lawn. **[Wait 7 days after last application to rake, till or replant with seed or sod]**
- Rake up and remove loosened thatch or debris.
- Mix in starter fertilizer and soil amendments, if needed. Level the soil.
- Apply seed according to directions on seed package, or install sod. Grass seed must have good contact with soil to germinate and grow.
- Keep area moist for 2 weeks to establish new lawn, then water as needed.
- Do not make more than 2 applications per year to any given area.

**STORAGE AND DISPOSAL**

**Pesticide Storage:** Store this product only in its original container in a secure storage area away from sources of heat or open flame. Protect product from freezing. **Pesticide Disposal and Container Handling:** Nonrefillable container. Do not reuse or refill this container. **If Empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**PRECAUTIONARY STATEMENTS**

**Hazards to Humans and Domestic Animals**

**WARNING:** Causes skin irritation. Causes moderate eye irritation. Do not get on skin or clothing. Avoid contact with eyes. Wear chemical-resistant gloves made out of any waterproof material. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

**First Aid**

<p><b>If on Skin or Clothing:</b></p>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a Poison Control Center or doctor for treatment advice</li> </ul>
<p><b>If in Eyes:</b></p>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a Poison Control Center or doctor for treatment advice.</li> </ul>
<p>Have the product container or label with you when calling a Poison Control Center, doctor, or going for treatment. You may also contact 1-800-332-5553 for emergency medical treatment advice.</p>	

**NOTICE:** To the extent consistent with applicable law buyer assumes all responsibility for safety and use not in accordance with directions.

[\*If you are not satisfied with this product for any reason, send your written request for a refund to the address below, together with the original dated store receipt showing the price you paid. Please allow 6-8 weeks for processing.]

[Questions? Comments call toll-free 1-800-332-5553 or visit our website]

Made in the USA  
 Manufactured by Chemsico,  
 Division of United Industries Corp.  
 P. O. Box 142642  
 St. Louis, MO 63114-0642  
 EPA Reg. No. 9688-265  
 EPA Est. No 9688-MO-1

©2009

**CHEMSICO HERBICIDE CONCENTRATE 3A MARKETING CLAIMS**

1. \*Guaranteed Results [\*Or Your Money Back]
2. [Formula] Enters The Plant Within One To Two Hours [Won't Wash Off]
3. [Spot] Treatment For Ornamental Garden] Replanting
4. Absorbed Into The Plant
5. Absorbed On Contact
6. Can Be Used Over The Root Zones Of Trees, Shrubs Or Desirable Plants
7. Control That Doesn't Wash Away
8. Controls [Hardy] [Tough] [Hard To Kill] Weeds
9. Dead [Weeds] [And] [Grass] In 24 Hours
10. Dead Weeds Guaranteed\* [\*Or Your Money Back]
11. Do-It-Yourself Weed Killer
12. Economical Concentrate
13. Effective Even If It Rains
14. [Kills] All Common Weeds And Grasses
15. Roots & Weeds, [Guaranteed\*]
16. Weeds, [Guaranteed\*]
17. Fast
18. Fast Acting [Formula]
19. Fast Acting Formula!
20. For Use [Ideal] [Can Be Used] [Use In And Around] [In] [On] [For] [Along] Flower Beds
21. For Use [Use] [Ideal] [Can Be Used] [Use In And Around] [In] [On] [For] [Along] [Around] [Fences], [Driveways], [Walkways], [Shrubs], [Trees]



- [Gardens][Ornamentals] [Walks] [Mulch Beds] [Gravel] [And] [Driveways] [Curbs]
22. For Walks, Drives, Fences, Patios And Similar Areas
  23. Keeps Working, Even If It Rains
  24. Kills [Even] Tough Weeds [And Grasses]
  25. Kills From The Inside Out
  26. Kills Over 155 Types Of Weeds [As Listed]
  27. Kills Over 155 Varieties Of Broadleaf And Grassy Weeds [As Listed]
  28. Kills The Entire Plant
  29. Kills The Root So Weeds Won't Grow Back
  30. Kills The Root!
  31. Kills The Weed You See And The Root You Don't
  32. Kills Weeds And Unwanted Grasses
  33. Kills Weeds And Unwanted Grasses, Roots And All
  34. Kills Weeds In [A] [One] Day
  35. No Root, No Weeds, [Guaranteed]
  36. Must Be Applied To Foliage
  37. Overnight Results
  38. Quick-Kill Formula
  39. Rainfast In 15 Minutes For Control That Doesn't Wash Away [Won't Wash Away]
  40. Rainfast In 15 Minutes – Starts To Enter The Plant On Contact
  41. Rainproof In 15 Minutes
  42. Rainproof In 15 Minutes Hours For Control That Won't Wash Away
  43. Replant Flowers, Trees & Shrubs [In Half The Time Of Other Brands] [The Same Weekend]
  44. Can Be Used Around Trees & Shrubs
  45. Satisfaction Guaranteed Or Your Money Back [With Proof Of Purchase]
  46. See Results In [as little as][as fast as] 3 Hrs !
  47. Starts To Work In [as little as][as fast as] 3 Hours
  48. Starts Working In Hours
  49. Systemic Weed And Grass Killer For [Spot] Treatment Of Unwanted Weeds And Grasses
  50. Systemic Formula
  51. Triple Action [Formula]
  52. Won't Wash Away
  53. Works First Time, Every Time,
  54. Works In 24 Hours
  65. Works The First Time [Guaranteed\*] \* Or Your Money Back
  66. Works 3 Ways : (1)Results in as little as 3 hrs, (2) Kills over 155 varieties of Broadleaf & Grassy Weeds as listed, (3) Kills the Root
  67. Starts Working Immediately!
  68. Use on Paved & Landscaped Areas
  69. Mix with Water
  70. Visible Results as Fast as 3 Hours
  71. Rainfast in 15 Minutes
  72. [32 oz Concentrate] Makes up to 10 Gallons
  73. [16 oz Concentrate] Makes up to 5 Gallons
  74. [64 oz Concentrate] Makes up to 20 Gallons
  75. [40 oz Concentrate] Makes up to 13 Gallons
  76. Concentrated Formula
  77. [Good][Better] Value
  78. [Now] Includes Measuring cup
  79. {New}[Covenient][Easy to Store][Easy to Use][Free] measuring cup