

9688-273

05-28-2009

1/9



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460-0001

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

May 28, 2009

Mr. Eric D. Smith,
Regulatory Affairs Manager
Chemsico, Div. of United Industries Corp.
P.O. Box 142642
St. Louis, MO 63114-0642

Dear Mr. Smith:

**Subject: Amended Labeling, Response to EPA Notice of Registration Dated November 19, 2008
Chemsico Insecticide RTU OP, EPA Reg. No. 9688-273
Your Submission Dated February 5, 2009**

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable with the following provision(s):

Directions for Use, GENERAL PRECAUTIONS & USE RESTRICTIONS subsection comment(s):

1. Within the 7th bullet, replace the 2nd and 3rd sentences with: "Do not apply when windy. To prevent run-off, do not over-water the treated areas or apply prior to heavy rainfall."

Directions for Use, ALTERNATE A DIRECTIONS subsection comment(s):

2. In the subsection header "**GENERAL PRECAUTIONS 7 USE RESTRICTIONS**," replace the number "7" with the symbol "&"
3. Within the 7th bullet, replace the 2nd and 3rd sentences with: "Do not apply when windy. To prevent run-off, do not over-water the treated areas or apply prior to heavy rainfall."

Directions for Use, ALTERNATE B DIRECTIONS subsection comment(s):

4. In the subsection header "**GENERAL PRECAUTIONS 7 USE RESTRICTIONS**," replace the number "7" with the symbol "&"
5. Within the 7th bullet, replace the 2nd and 3rd sentences with: "Do not apply when windy. To prevent run-off, do not over-water the treated areas or apply prior to heavy rainfall."
6. Revise the statement "This product kills harmful garden insects including the following:" to read: "This product kills the following harmful garden insects:"

Directions for Use, ALTERNATIVE WHEN TOMATOES & VEGETABLES [FRUITS] ARE TARGETED subsection comment(s):

7. In the subsection header "**GENERAL PRECAUTIONS 7 USE RESTRICTIONS**," replace the number "7" with the symbol "&"
8. Within the 7th bullet, replace the 2nd and 3rd sentences with: "Do not apply when windy. To prevent run-off, do not over-water the treated areas or apply prior to heavy rainfall."

2/9

Directions for Use, ALTERNATIVE WHEN ROSES & FLOWERS ARE TARGETED subsection comment(s):

- 9. In the subsection header "**GENERAL PRECAUTIONS 7 USE RESTRICTIONS**," replace the number "7" with the symbol "&"
- 10. Within the 7th bullet, replace the 2nd and 3rd sentences with: "Do not apply when windy. To prevent run-off, do not over-water the treated areas or apply prior to heavy rainfall."

Directions for Use, ALTERNATIVE WHEN HOUSEPLANTS AND GARDEN ARE TARGETED subsection comment(s):

- 11. In the subsection header "**GENERAL PRECAUTIONS 7 USE RESTRICTIONS**," replace the number "7" with the symbol "&"
- 12. Within the 7th bullet, replace the 2nd and 3rd sentences with: "Do not apply when windy. To prevent run-off, do not over-water the treated areas or apply prior to heavy rainfall."

Precautionary Statements, Hazards to Humans & Domestic Animals section comment(s):


- 13. Insert the word "hands" immediately preceding the word "thoroughly."

Chemsico should note that a notice of availability of EPA's RED for products containing pyrethrins was published in the *Federal Register* on July 26, 2006 (Volume 71, Number 143, Pages 42387-42389). As a result, additional data and/or labeling changes may be required for products containing pyrethrins.

A copy of your label stamped "Accepted with Comments" is enclosed for your records. Please submit two (2) copies of the final printed labeling, incorporating the above changes, before releasing the product for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with section 6(e) of FIFRA. Your release for shipment of the product bearing amended labeling constitutes accepting of these conditions.

If you have any questions about this label review, please contact Mr. Carmen J. Rodia, Jr. at (703) 306-0327 or via e-mail at Rodia.Carmen@epa.gov.

Sincerely yours,

FOR

 Richard J. Gebken,
 Product Manager (10)
 Insecticide Branch,
 Registration Division (7505P)

Enclosure: Label stamped "Accepted with Comments"
009688-00273 D406206

Chemsico Insecticide RTU OP

ACCEPTED
 With COMMENTS
 In EPA Letter Dated:
May 28, 2009
 Under the Federal Insecticide, Fungicide
 and Rodenticide Act, As amended, for the
 pesticide Registered under EPA Reg. No:
9688-273

WATER-BASED

Kills gypsy moth • Kills on Contact • Kills listed insects • Apply anytime right up to harvest • An effective insecticide for use on vegetable and ornamental pests • Can be applied on day of harvest • Use on day of harvest • Spray up to Harvest • Use Up to Day Of Harvest • Use Indoors and Outdoors • Can be used on delicate ornamentals • Won't harm delicate ornamentals • Protects roses, vegetables, houseplants, ornamentals, trees, shrubs, flowers • Protects your whole garden [from damaging insects!] • Contains pyrethrins, a botanical insecticide • For Organic Gardening • Ideal for Organic Gardening • [For] Use on Roses, Vegetables, Houseplants, Ornamentals, Trees, Shrubs & Flowers • Use in your [Vegetable] Garden • Use in your Organic Garden •

Active Ingredients:

Pyrethrins 0.05%
 Other Ingredients:.....99.95%

KEEP OUT OF REACH OF CHILDREN

CAUTION See Back for Additional Precautionary Statements

NET CONTENTS 128 FL. OZ.

STOP. READ ENTIRE LABEL BEFORE USE.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. *For home use only.*

GENERAL PRECAUTIONS & USE RESTRICTIONS

- Apply this product only as specified on this label.
- Do not contaminate food or feedstuffs.
- Do not apply this product in a way that will contact adults, children or pets, either directly or through drift.
- Do not remain in treated area. Exit area immediately and remain outside the treated area until sprays have dried.
- Remove or cover exposed food and drinking water before application.
- Remove or cover dishes, utensils, food processing equipment and food preparation surfaces, or wash them before use.
- Do not apply directly or near water, storm drains or drainage ditches. Do not apply when windy. To prevent run-off, do not over-water the treated areas or apply in heavy rainfall.
- Do not wet plants to the point of run-off or drip.
- For Home Garden or Home Greenhouse Applications: Do not apply more than 10 time per season. Do not reapply within 3 days except under extreme pressure. In case of extreme pressure, do not reapply within 24 hours.
- For Greenhouse Grown Ornamental, Flowering and Foliage Plants: Do not apply more than 1 timer per day.
- For Post-harvest Application to Vegetables, Fruits and Nuts: Do not reapply within 7 days. Do not apply more than 10 times to sweet potatoes.
- For Outdoor Ornamental and Lawns: Do not apply more than 1 time per day.
- Remove pets, birds and cover fish aquariums before application.

PHYTOTOXICITY

Apply carefully to blooms and buds and tender new growth of foliage. If concerned about sensitivity of plants, test by spraying a portion of the plant and wait several days to determine if "burn" occurs before spraying larger areas."

[SPRAYER INSTRUCTIONS:

How to prime and care for your sprayer:

1. After shaking product well, remove cap from container and replace with sprayer hose and cap assembly. Tighten securely.
2. Turn sprayer nozzle one half turn counter-clockwise. Hold sprayer below the level of container and prime by pumping trigger 10-15 times until product is dispensed. Adjust nozzle to fine spray or jet stream as needed.
3. To store, turn nozzle to "OFF" position and store with sprayer above level of liquid in container to prevent leakage.]

TO OPERATE: SHAKE BEFORE USING. Turn nozzle to "spray" or "stream" position before using. Hold pump sprayer 18 to 24 inches from foliage or leaf surfaces being treated. Direct the spray so that upper and lower surfaces are contacted. For use indoors and outdoors or in (home) greenhouses throughout the growing season. To kill listed insects, apply this spray to provide thorough coverage of upper and lower leaf surfaces. Repeat treatment weekly. May be applied on day of harvest.

USE ON THE FOLLOWING [CROPS] [Vegetables]: Asparagus, Beans, Broccoli, Cauliflower, Cabbage, Brussels Sprouts, Celery, Cranberries, Eggplant, Lettuce, Mustard Greens, Kale, Collards, Turnips, Peppers, Potatoes, Radishes, Spinach and Tomatoes **kills:** Asparagus beetles, aphids, leafhoppers, whiteflies, mealybugs, Mexican bean beetles, 12-spotted cucumber beetles, cabbage loopers, cross-striped cabbageworms, diamond-back moth larvae, flea beetles, harlequin bugs, imported cabbageworms, stink bugs, green peach aphids, leafhoppers, fireworms, blister beetles, Colorado potato beetles and webworms.

[Optional: **KILLS:** Aphids, (including green peach), beetles (asparagus, blister, Colorado potato, flea, Mexican bean, 12-spotted cucumber), cabbageworms (cross-striped, imported), fireworms, harlequin bugs, leafhoppers, leafhoppers, loopers (cabbage), mealybugs, moth (diamondback larvae), stink bugs, webworms and whiteflies.]

USE ON THE FOLLOWING ORNAMENTALS: African Violets, Azaleas, Begonias, Camellias, Dahlias, Dogwood, Roses, Wandering Jew, Asters, Carnations, Chrysanthemums, Geraniums, Gladioli and Marigolds, **kills:** Aphids, flea beetles, mealybugs, leafhoppers and whiteflies. **To kill gypsy moth caterpillars and adults, adult Japanese beetles and Eastern and Forest tent caterpillars on contact on trees and shrubs:** Treat trees and shrubs as soon as insects emerge (usually late spring). Treat leaves, branches and tree trunks evenly, making sure to penetrate dense foliage. Repeat application every 7 days.

ON ROSES AND IN FLOWER GARDENS: Treat plants and flowers as soon as insects appear. Spray plants and flowers making sure to penetrate dense foliage. Repeat application every 7 days.

ALTERNATE A DIRECTIONS

[Optional Marketing Language] [Chemsico Insecticide RTU OP kills damaging insects that attack your tomatoes, other vegetables and fruits. Its Pyrethrins formula allows you to spray and harvest the same day!]

STOP. READ ENTIRE LABEL BEFORE USE. DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. *For home use only.*

GENERAL PRECAUTIONS 7 USE RESTRICTIONS

- Apply this product only as specified on this label.
- Do not contaminate food or feedstuffs.
- Do not apply this product in a way that will contact adults, children or pets, either directly or through drift.
- Do not remain in treated area. Exit area immediately and remain outside the treated area until sprays have dried.
- Remove or cover exposed food and drinking water before application.
- Remove or cover dishes, utensils, food processing equipment and food preparation surfaces, or wash them before use.
- Do not apply directly or near water, storm drains or drainage ditches. Do not apply when windy. To prevent run-off, do not over-water the treated areas or apply in heavy rainfall.
- Do not wet plants to the point of run-off or drip.
- For Home Garden or Home Greenhouse Applications: Do not apply more than 10 times per season. Do not reapply within 3 days except under extreme pressure. In case of extreme pressure, do not reapply within 24 hours.
- For Greenhouse Grown Ornamental, Flowering and Foliage Plants: Do not apply more than 1 time per day.
- For Post-harvest Application to Vegetables, Fruits and Nuts: Do not reapply within 7 days. Do not apply more than 10 times to sweet potatoes.
- For Outdoor Ornamental and Lawns: Do not apply more than 1 time per day.
- Remove pets, birds and cover fish aquariums before application.

PHYTOTOXICITY

Apply carefully to blooms and buds and tender new growth of foliage. If concerned about sensitivity of plants, test by spraying a

portion of the plant and wait several days to determine if "burn" occurs before spraying larger areas."

HOW TO USE

SHAKE BEFORE USING. Turn nozzle to spray position. Hold sprayer 18 to 24 inches from plant. Direct the spray so that upper and lower surfaces are contacted. For use indoors and outdoors or in (home) greenhouses throughout the growing season. Repeat treatment weekly. May be applied on day of harvest. To minimize effects on Honey Bees, spray early in the morning or at dusk.

ALTERNATE B DIRECTIONS

STOP. READ ENTIRE LABEL BEFORE USE.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. *For home use only.*

GENERAL PRECAUTIONS 7 USE RESTRICTIONS

- Apply this product only as specified on this label.
- Do not contaminate food or feedstuffs.
- Do not apply this product in a way that will contact adults, children or pets, either directly or through drift.
- Do not remain in treated area. Exit area immediately and remain outside the treated area until sprays have dried.
- Remove or cover exposed food and drinking water before application.
- Remove or cover dishes, utensils, food processing equipment and food preparation surfaces, or wash them before use.
- Do not apply directly or near water, storm drains or drainage ditches. Do not apply when windy. To prevent run-off, do not over-water the treated areas or apply in heavy rainfall.
- Do not wet plants to the point of run-off or drip.
- For Home Garden or Home Greenhouse Applications: Do not apply more than 10 time per season. Do not reapply within 3 days except under extreme pressure. In case of extreme pressure, do not reapply within 24 hours.
- For Greenhouse Grown Ornamental, Flowering and Foliage Plants: Do not apply more than 1 timer per day.
- For Post-harvest Application to Vegetables, Fruits and Nuts: Do not reapply within 7 days. Do not apply more than 10 times to sweet potatoes.
- For Outdoor Ornamental and Lawns: Do not apply more than 1 time per day.

- Remove pets, birds and cover fish aquariums before application.

PHYTOTOXICITY

Apply carefully to blooms and buds and tender new growth of foliage. If concerned about sensitivity of plants, test by spraying a portion of the plant and wait several days to determine if "burn" occurs before spraying larger areas."

TO OPERATE: SHAKE BEFORE USING. Turn nozzle to "spray" or "stream" position before using. Hold sprayer 18 to 24 inches from foliage or surfaces being treated. Direct the spray so that upper and lower surfaces are contacted. To kill listed insects, apply this spray to provide thorough coverage of upper and lower leaf surfaces. Repeat treatment weekly. May be applied on day of harvest.

TREATMENT AREAS	PESTS TO CONTROL
<p>VEGETABLES Asparagus, Beans, Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Celery, Collards, Cranberries, Eggplant, Kale, Lettuce, Mustard Greens, Peppers, Potatoes, Radishes, Spinach, Tomatoes, Turnips</p>	<p>Asparagus Beetles, Aphids, Blister Beetles, Cabbage Loopers, Colorado Potato Beetles, Cross-striped Cabbageworms, Diamondback Moth Larvae, Fireworms, Flea Beetles, Green Peach Aphids, Harlequin Bugs, Imported Cabbageworms, Leafhoppers, Leaf-tiers, Mealybugs, Mexican bean beetles, 12-Spotted Cucumber Beetles, Stink Bugs, Webworms, Whiteflies</p>
<p>ORNAMENTALS African Violets, Asters, Azaleas, Begonias, Camellias, Carnations, Chrysanthemums, Dahlias, Dogwood, Geraniums, Gladioli, Marigolds, Roses, Wandering Jew</p>	<p>Aphids, Flea Beetles, Leafhoppers,</p>

<p>ROSES AND FLOWER GARDENS Treat plants and flowers as soon as insects appear. Spray plants and flowers making sure to penetrate dense foliage. Repeat application every 7 days.</p>	Mealybugs, Whiteflies
<p>TREES AND SHRUBS Treat as soon as insects emerge (usually late spring). Treat leaves, branches and tree trunks evenly, making sure to penetrate dense foliage. Repeat application every 7 days.</p>	Eastern and Forest Tent Caterpillars, Gypsy Moth Caterpillars and Adults, Adult Japanese Beetles

ALTERNATIVE SITES AND INSECTS

This product is for use on the following vegetables, herbs, fruits and nuts:

Almond, Apple, Apricot, Arrugula, Basil, Bean, Beet, Blackberry, Blackeyed Peas, Blueberry, Broccoli, Brussels Sprouts, Cabbage, Camomile, Cantaloupe, Carrot, Casaba, Cashew, Cauliflower, Celery, Cherry, Chicory, Chives, Corn, Cranberry, Currant, Curry Leaf, Eggplant, Elderberry, Endive, Garden Peas, Garlic, Grape, Grapefruit, Honeydew, Horseradish, Kumquat, Lemon, Lentils, Lime, Lettuce, Loganberry, Loquat, Macadamia Nut, Mango Melon, Melon, Mint, Nectarine, Onion, Orange, Paprika, Parsley, Peach, Pear (Bitter Melon), Pepper (including Bell, Chili), Pimentos, Plum, Potato, Pumpkin, Radish, Raspberry, Sage, Snap Bean, Soybeans, Spinach, Strawberry, Summer Squash, Sweet Bay (Bayleaf), Sweet Potato, Swiss Chard, Tangelo, Tangerine, Tomato, Walnut, Watermelon, Yam, Zucchini

This product kills harmful garden insects including the following: Ants (excluding fire ants, harvester ants, carpenter ants and pharaoh ants), Aphids, Armyworms, Bagworms, Beetles, Cankerworms, Caterpillars (including tent), Centipedes, Chinch bugs, Cicadas, Clover mites, Corn borers, Corn earworms, Crane flies, Crickets, Cutworms, Earwigs, Firebrats, Fruit flies, Gnats, Grasshoppers, Green bugs, Green fruitworms, Green June beetles, Japanese beetles, Katydid, Lace bugs, Leafhoppers, Leafminers, Leafrollers, Mealybugs, Millipedes, Moths, Pillbugs, Rootworms, Scales, Silverfish, Sowbugs, Spider mites, Spittlebugs, Stink bugs, Thrips, Tomato hornworms, Webworms (including garden, sod), Weevils

ALTERNATIVE WHEN TOMATOES & VEGETABLES [FRUITS] ARE TARGETED

STOP. READ ENTIRE LABEL BEFORE USE.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. *For home use only.*

GENERAL PRECAUTIONS 7 USE RESTRICTIONS

- Apply this product only as specified on this label.
- Do not contaminate food or feedstuffs.
- Do not apply this product in a way that will contact adults, children or pets, either directly or through drift.
- Do not remain in treated area. Exit area immediately and remain outside the treated area until sprays have dried.
- Remove or cover exposed food and drinking water before application.
- Remove or cover dishes, utensils, food processing equipment and food preparation surfaces, or wash them before use.
- Do not apply directly or near water, storm drains or drainage ditches. Do not apply when windy. To prevent run-off, do not over-water the treated areas or apply in heavy rainfall.
- Do not wet plants to the point of run-off or drip.
- For Home Garden or Home Greenhouse Applications: Do not apply more than 10 time per season. Do not reapply within 3 days except under extreme pressure. In case of extreme pressure, do not reapply within 24 hours.
- For Greenhouse Grown Ornamental, Flowering and Foliage Plants: Do not apply more than 1 timer per day.
- For Post-harvest Application to Vegetables, Fruits and Nuts: Do not reapply within 7 days. Do not apply more than 10 times to sweet potatoes.
- For Outdoor Ornamental and Lawns: Do not apply more than 1 time per day.
- Remove pets, birds and cover fish aquariums before application.

PHYTOTOXICITY

Apply carefully to blooms and buds and tender new growth of foliage. If concerned about sensitivity of plants, test by spraying a portion of the plant and wait several days to determine if "burn" occurs before spraying larger areas."

SHAKE BEFORE USING. Turn nozzle to "spray" position before using. Hold sprayer 18 to 24 inches from plant. Direct the spray so that upper and lower leaf surfaces are thoroughly covered. For use indoors and outdoors or in (home)

greenhouses throughout the growing season. Repeat treatment weekly. May be applied on day of harvest. To minimize effects on Honey Bees, spray early in the morning or at dusk.

This product is for use on the following vegetables, herbs, fruits and nuts: Almond, Apple, Apricot, Arrugula, Basil, Bean, Beet, Blackberry, Blackeyed Peas, Blueberry, Broccoli, Brussels Sprouts, Cabbage, Carrot, Casaba, Cauliflower, Celery, Cherry, Chicory, Chives, Eggplant, Elderberry, Endive, Garden Peas, Garlic, Grape, Grapefruit, Honeydew, Horseradish, Lemon, Lime, Lettuce, Melon, Mint, Nectarine, Onion, Orange, Parsley, Peach, Pear (Bitter Melon), Pepper (including Bell, Chili), Pimentos, Plum, Potato, Pumpkin, Radish, Raspberry, Sage, Spinach, Strawberry, Summer Squash, Sweet Potato, Swiss Chard, Tomato, Watermelon, Yam, Zucchini

This product kills the following harmful garden insects: Ants (excluding fire ants, harvester ants, carpenter ants and pharaoh ants), Aphids, Armyworms, Bagworms, Beetles, Cankerworms, Caterpillars (including tent), Cicadas, Corn borers, Corn earworms, Crickets, Cutworms, Fruit flies, Gnats, Grasshoppers, Green bugs, Green fruitworms, Green June beetles, Japanese beetles, Katydid, Lace bugs, Leafhoppers, Leafminers, Leafrollers, Mealybugs, Millipedes, Pillbugs, Rootworms, Silverfish, Sowbugs, Spider mites, Spittlebugs, Stink bugs, Thrips, Tomato hornworms, Webworms (including garden, sod), Weevils

ALTERNATIVE WHEN ROSES & FLOWERS ARE TARGETED

STOP. READ ENTIRE LABEL BEFORE USE.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. *For home use only.*

GENERAL PRECAUTIONS 7 USE RESTRICTIONS

- Apply this product only as specified on this label.
- Do not contaminate food or feedstuffs.
- Do not apply this product in a way that will contact adults, children or pets, either directly or through drift.
- Do not remain in treated area. Exit area immediately and remain outside the treated area until sprays have dried.
- Remove or cover exposed food and drinking water before application.
- Remove or cover dishes, utensils, food processing equipment and food preparation surfaces, or wash them before use.
- Do not apply directly or near water, storm drains or drainage ditches. Do not

Apply when windy. To prevent run-off, do not over-water the treated areas or apply in heavy rainfall.

- Do not wet plants to the point of run-off or drip.
- For Home Garden or Home Greenhouse Applications: Do not apply more than 10 times per season. Do not reapply within 3 days except under extreme pressure. In case of extreme pressure, do not reapply within 24 hours.
- For Greenhouse Grown Ornamental, Flowering and Foliage Plants: Do not apply more than 1 time per day.
- For Post-harvest Application to Vegetables, Fruits and Nuts: Do not reapply within 7 days. Do not apply more than 10 times to sweet potatoes.
- For Outdoor Ornamental and Lawns: Do not apply more than 1 time per day.
- Remove pets, birds and cover fish aquariums before application.

PHYTOTOXICITY

Apply carefully to blooms and buds and tender new growth of foliage. If concerned about sensitivity of plants, test by spraying a portion of the plant and wait several days to determine if "burn" occurs before spraying larger areas."

SHAKE BEFORE USING. Turn nozzle to "spray" position before using. Hold sprayer 18 to 24 inches from foliage being treated. Direct the spray so that upper and lower leaf surfaces are thoroughly covered. For use indoors and outdoors or in (home) greenhouses throughout the growing season. Repeat treatment weekly.

For use on the following flowers and ornamentals including: African Violets, Azaleas, Begonias, Camellias, Dahlias, Dogwood, Roses, Wandering Jew, Asters, Carnations, Chrysanthemums, Geraniums, Gladioli and Marigolds

Kills the following harmful garden insects to: Ants (excluding fire ants, harvester ants, carpenter ants and pharaoh ants), aphids, bagworms, beetles, caterpillars (including tent), chinch bugs, clover mites, cutworms, earwigs, fruit flies, gnats, grasshoppers, green bugs, green fruitworms, green June beetles, Japanese beetles, lace bugs, leafhoppers, leafminers, leafrollers, mealybugs, millipedes, scales, spider mites, spittlebugs, stinkbugs, thrips, webworms (including garden, sod), whiteflies

ALTERNATIVE WHEN HOUSEPLANTS AND GARDEN ARE TARGETED

STOP. READ ENTIRE LABEL BEFORE USE.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. *For home use only.*

GENERAL PRECAUTIONS 7 USE RESTRICTIONS

- Apply this product only as specified on this label.
- Do not contaminate food or feedstuffs.
- Do not apply this product in a way that will contact adults, children or pets, either directly or through drift.
- Do not remain in treated area. Exit area immediately and remain outside the treated area until sprays have dried.
- Remove or cover exposed food and drinking water before application.
- Remove or cover dishes, utensils, food processing equipment and food preparation surfaces, or wash them before use.
- Do not apply directly or near water, storm drains or drainage ditches. Do not apply when windy. To prevent run-off, do not over-water the treated areas or apply in heavy rainfall.
- Do not wet plants to the point of run-off or drip.
- For Home Garden or Home Greenhouse Applications: Do not apply more than 10 time per season. Do not reapply within 3 days except under extreme pressure. In case of extreme pressure, do not reapply within 24 hours.
- For Greenhouse Grown Ornamental, Flowering and Foliage Plants: Do not apply more than 1 timer per day.
- For Post-harvest Application to Vegetables, Fruits and Nuts: Do not reapply within 7 days. Do not apply more than 10 times to sweet potatoes.
- For Outdoor Ornamental and Lawns: Do not apply more than 1 time per day.
- Remove pets, birds and cover fish aquariums before application.

PHYTOTOXICITY

Apply carefully to blooms and buds and tender new growth of foliage. If concerned about sensitivity of plants, test by spraying a portion of the plant and wait several days to determine if "burn" occurs before spraying larger areas."

SHAKE BEFORE USING. Turn nozzle to "spray" position before using. Hold sprayer 18 to 24 inches from foliage being treated. Direct the spray so that upper and lower leaf surfaces are thoroughly covered. For use indoors and outdoors or in (home) greenhouses throughout the growing season. Repeat treatment weekly. May be applied on day of harvest.

Kills the following harmful insects: Ants (excluding fire ants, harvester ants, carpenter ants and pharaoh ants), aphids, armyworms, bagworms, beetles, caterpillars (including tent), chinch bugs, clover mites, crickets, cutworms, earwigs, firebrats, fruit flies, grasshoppers, green bugs, green fruitworms, green June beetles, Japanese beetles, lace bugs, leafhoppers, leafminers, leafrollers, mealybugs, millipedes, spider mites, moths, pillbugs, rootworms, sowbugs, spittlebugs, stink bugs, thrips, tomato hornworms, webworms (including garden, sod), weevils, whiteflies

For use on the following houseplants, roses, flowers and ornamentals: African Violets, Azaleas, Begonias, Camellias, Dahlias, Dogwood, Rose, Wandering Jew, Asters, Carnations, Chrysanthemums, Geraniums, Gladioli and Marigolds

For use on the following vegetables, herbs, fruits and nuts: Almond, Apple, Apricot, Arrugula, Basil, Bean, Beet, Blackberry, Blackeyed Peas, Blueberry, Broccoli, Brussels Sprouts, Cabbage, Camomile, Cantaloupe, Carrot, Cauliflower, Celery, Cherry, Chives, Corn, Cranberry, Currant, Curry Leaf, Eggplant, Endive, Garden Peas, Garlic, Grape, Grapefruit, Honeydew, Horseradish, Lemon, Lentils, Lime, Lettuce, Melon, Mint, Nectarine, Onion, Orange, Parsley, Peach, Pear (Bitter Melon), Pepper (including Bell, Chili), Plum, Potato, Pumpkin, Radish, Raspberry, Sage, Snap Bean, Soybeans, Spinach, Strawberry, Summer Squash, Sweet Bay (Bayleaf), Sweet Potato, Tangerine, Tomato, Watermelon, Yam, Zucchini

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

Pesticide Storage: Keep this product in a tightly closed container, when not in use. Store in a cool, dry, well-ventilated area. **DO NOT TRANSPORT OR STORE THIS PRODUCT UNDER 32°F.** If freezing occurs, thaw and agitate vigorously.

Container Disposal: If empty: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. If partially filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS**Hazards to Humans and Domestic Animals**

CAUTION: Wash thoroughly with plenty of soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Environmental Hazards

This product is toxic to aquatic organisms, including fish and invertebrates. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. This product may contaminate water through runoff. This product has a potential for runoff for several weeks after application. Poorly draining soils and soils with shallow water tables are more prone to produce runoff that contains this product.

This product is high toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash-waters or rinsate. See Directions for Use for additional precautions and restrictions.

Physical or Chemical Hazards

Do not use or store near heat or open flame.

NOTICE: To the extent consistent with applicable law buyer assumes all responsibility for safety and use not in accordance with directions.

Questions or comments? Call 1-800-332-5553

[Guarantee][The Chemsico Promise]: **Satisfaction guaranteed or your money back!** If you apply [this product] [Chemsico Insecticide RTU OP] as directed and are not completely satisfied, send [proof or purchase from this package and] the original cash register receipt to the address below. We will refund the purchase price you paid.

Made in the USA for Chemsico
Division of United Industries Corporation
P.O. Box 142642, St. Louis, MO 63114-0642

EPA Reg. No. 9688-273
EPA Est. No. 9688-MO-1

© 2009