


9688-284

5/6/2010

1/10

 <p align="center"><b>U.S. ENVIRONMENTAL PROTECTION AGENCY</b>  <b>Office of Pesticide Programs</b>  <b>Registration Division (7505P)</b>  <b>Ariel Rios Building</b>  <b>1200 Pennsylvania Ave., NW</b>  <b>Washington, D.C. 20460</b></p> <p align="center">NOTICE OF PESTICIDE:  <input checked="" type="checkbox"/> Registration  <input type="checkbox"/> Reregistration          (under FIFRA, as amended)</p>	EPA Reg. Number: <b>9688-284</b>	Date of Issuance: MAY - 6 2010
	Term of Issuance: <b>conditional</b>	
	Name of Pesticide Product: <b>Chemsico Herbicide RTU 4B</b>	
Name and Address of Registrant (include ZIP Code): <b>Chemsico</b> <b>A Division of United Industries Corporation</b> <b>P.O. Box 142642</b> <b>St. Louis, MO 63114-0642</b>		
<p><b>Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.</b></p> <p>On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>The 'Basic Formulation' dated 4/20/2010 is acceptable.          This product is conditionally registered in accordance with FIFRA provided that you:</p> <ol style="list-style-type: none"> <li>1. Submit and/or cite all data required for registration review/reregistration of your product when the Agency requires all registrants of similar products to submit data.</li> <li>2. Submit the data listed below:             <ol style="list-style-type: none"> <li>a. Within one year of the date on this registration notice, Storage Stability (830.6317) and Corrosion Characteristics (830.6320) studies must be submitted. It is recommended that the observations be made at 0, 3, 6, 9, and 12 month intervals.</li> </ol> </li> <li>3. Make the following label revisions:             <ol style="list-style-type: none"> <li>a. Revise "EPA REG. NO.9688-" to "EPA REG. NO. 9688-284"</li> <li>b. An emergency contact number should be added to the First Aid section.</li> </ol> </li> </ol> <p><i>Continued on Page 2</i></p>		
Signature of Approving Official: Kathryn V. Montague Project Manager 23 Herbicide Branch Registration Division (7505P)	Date: MAY - 6 2010	

2/10

- c. Revise the "Pesticide Disposal" subheading to "Pesticide Disposal and Container Handling."

In addition, move the text, "If empty:" to immediately precede "Place in trash or offer for recycling if available." in the 'Pesticide Disposal and Container Handling' section.

- d. Remove the marketing claim, "Exclusive Formula" as it implies the product possesses unique characteristics due to its composition, which is false and misleading.

NOTE: Marketing claims made on the pesticide label must be substantiated by data maintained in your files. If data supporting marketing claims made on the product label is not available then those claims must be removed.

NOTE: Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

- 4. Submit one (1) copy of the revised final printed label for the record.

§ On page 5, remove the term "General" and the term "Use Tips" as these render the information below unenforceable.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

# Chemsico Herbicide RTU 4B

[SEE APPENDIX FOR CONSOLIDATED LIST OF MARKETING CLAIMS]

**ACCEPTED**  
with **COMMENTS**  
In EPA Letter Dated:

**MAY - 6 2010**  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

9688-284

Active Ingredients:

Diquat Dibromide.....	0.120%
Fluazifop-p-butyl.....	0.060%
Dicamba, dimethylamine salt.....	0.040%
Oxyfluorfen.....	0.034%
Other ingredients.....	99.746%
[Total.....	100.00%]

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION** See (side)(back) (inside) (panel) (booklet) for additional precautionary statements

Net Contents: 1 Gallon (128 fl oz /3.78L)

[OPTIONAL PRODUCT FACT BOX I]

**Product Facts**

Container treats [more than][over] 200 weeds [24 fl oz.]  
Container treats [more than][over] 500 weeds [1/2 gal, 2L][Container treats 150 sq ft]  
Container treats [more than][over] 1000 weeds [1 gal, 4 L][Container treats 300 sq ft]  
Container treats [more than][over] 1300 weeds [5L] [Container treats 390 sq ft]  
Container treats [more than][over] 1500 weeds [6L] [Container treats 470 sq ft]  
Container treats [more than][over] 2000 weeds [2 gal] [Container treats 600 sq ft]

**KILLS WEEDS**

[illustrate grassy, broadleaf and woody weeds]  
ALL TYPES OF WEEDS [AND][&] GRASSES

**WHERE TO USE:**

- [On patios, walkways or driveways]
- [In flower [beds] [gardens]
- [Around established shrubs & trees]
- [Along fences [and foundations]
- [Other areas in your yard (except in lawns)]
- [Edging around lawns]
- [In landscaping]
- [Around ornamentals]

**Questions & comments:**(phone icon) (computer icon)  
Call 800-332-5533 or www.(address)

[OPTIONAL PRODUCT FACT BOX II]

**PRODUCT FACTS**

**WHAT IT DOES:** Kills all types of weeds and grasses [down to the root].  
Prevents [weeds][weed and grass][re-growth] for up to 1 month] by creating a  
[an invisible barrier [that prevents new weeds from germinating]

**WHERE TO USE: Outdoors [icon]:** On patios, walkways, driveways, around  
flowers, shrubs and [or] trees; along fences, foundations, and in large areas

**WHEN TO USE:** For best results, apply during warm, sunny weather (above  
60°F)

**Questions & Comments:**

(icon telephone) (icon computer)  
Call 1-800-332-5553 or visit our website.

2/10

**OPTIONAL MARKETING LANGUAGE**

[Chemsico Herbicide RTU 4B eliminates all types of [common][existing] weeds and grasses [as listed] and prevents new weeds from growing all season long. (illustrations) This product can be used [for] [edging around lawns] [ornamental garden plot preparation] in driveways, walkways, curbs, along fences and foundations, near trees and shrubs, in flower beds, mulch beds and other similar areas of the yard to get rid of undesirable vegetation.]

[This product [is a non-selective herbicide that] will kill any vegetation contacted and [it] will prevent [re-growth] [new weeds and vegetation from emerging] for up to 1 month. It enters plants through the leaves and moves down to the roots. This will ensure that the entire plant is eliminated. [Chemsico Herbicide RTU 4B][It][This product] also provides a [protective][invisible] barrier that prevents [weeds and grasses][new weeds] from [emerging][germinating][growing] for up to one [1] [month]. Avoid direct spray or drift onto desirable plants, lawn grasses, shrubs, and trees. Protect desirable plants and vegetation with a piece of plastic or cardboard. If desirable plants are accidentally sprayed, wash plants with water immediately.]

[This container covers approximately 300 sq. ft. Coverage may be reduced if large brush species are treated.]

**[KILLS] [CONTROLS] MOST COMMON [TOUGH] WEEDS AND GRASSES AND PREVENTS RE-GROWTH FOR UP TO ONE MONTH:**

**[Annual weeds and grasses:** Annual ryegrass, annual bluegrass, barnyardgrass, beggarweed, black medic, blue medic, blue toadflax, brassbuttons, blue mustard, bromegrass, bur clover, buttercup, cheeseweed, chickweed, clover, common groundsel, common lambsquarters, common plantain, common ragweed, crabgrass, creeping beggarweed, diffuse lovegrass, dog fennel, evening primrose, false dandelion, fall panicum, fennel, fiddleneck, field pennycress, field sandbur, filaree, Florida pusley, foxtail, garden spurge, goosegrass, green foxtail, hemp sesbania, henbit, horseweed/marestail, ironweed, knotweed, lambsquarters, little bitter cress, London rocket, maiden cane, mallow, mayweed, mouseear chickweed\*, oxalis\*, Pennsylvania smartweed, pennywort, pigweed, prickly lettuce, prostrate spurge, puncture vine, purslane, redroot, pigweed, sandspur, shepherdspurge, smartweed, smooth cat's ear, smooth pigweed, sowthistle, spotted spurge, sprangletop, spurges, tansy mustard, tansy ragwort, teaweed, Texas panicum, tumble mustard, velvetleaf, wild geranium\*, witch grass, wild mustard, yellow nutgrass, yellow oxalis (and many other annual grasses and weeds)]

**[Perennial weeds, grasses, brush:**

Alder, artichoke thistle, bahiagrass, barnyardgrass, bentgrass, Bermudagrass, bluegrass, broadleaf plantain, brownseed, paspalum, buckhorn plantain, bull thistle, Canada thistle, cattail, ceanothus, centipedegrass, cocklebur, cogongrass, common

mullein, common ragweed, coral bead, creeping Charlie, curly dock, dallisgrass, dandelion, dewberry, dog fennel, false dandelion, fescue species, field bindweed, guineagrass, hairy crabgrass, horsetail, horseradish, iceplant, Johnsongrass, Kentucky bluegrass, kikuyugrass, knapweed, knawel, lantana, maiden cane, milkweed, mouseear chickweed\*, nimblewill, nutgrass (nutsedge), oldenlandia, orchardgrass, oxalis\*, pampasgrass, pennywort, perennial ryegrass, plantain, purple cudweed\*, purple nutsedge, quackgrass, quaking aspen, ragweed, red clover, smooth bromegrass, sourdock, sowthistle, St. Augustine grass, tall fescue, tansy ragwort, Timothy, torpedograss, trumpet creeper, vaseygrass, Virginia creeper, white clover, whitetop, wild barley, wild blackberry, wild carrot, wild morning-glory, wild oats, yarrow, yellow nutgrass, yellow starthistle, zoysia.]  
\*annual or perennial

*Back Panel*

**STOP. [Read and follow label instructions] [Read Entire Label Before use] [Lift Here. Press to Reseal]**

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. *For outdoor residential use only.*



Do not allow people or pets to enter the treated area until sprays have dried.

**APPLICATION RESTRICTIONS**

Do not apply this product in a way that will contact any person, pet, either directly or through drift. Keep people and pets out of the area during application.

**USER SAFETY RECOMMENDATIONS**

Clothing and protective equipment exposed to this product should be washed in detergent and hot water. Such items should be kept and washed separately from other laundry.

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Users should remove clothing and protective equipment immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

**[How to use] [Application Instructions]**

Chemsico Herbicide RTU 4b is pre-mixed and ready to use and is formulated for "spot" treatment of weeds and grasses. [It is ideal for tough to reach weeds found in flowerbeds.] Use it on driveways and walkways, or around fences, trees, flower beds, shrubs and other areas in your yard (except in lawns).

One application of [this product][Chemsico Herbicide RTU 4B] will [Prevent re-growth for up to one month.] [Provide season-long protection from re-growth.]


**[OPTION A: Hand Sprayer Application]**

How to prime and care for your sprayer:

1. CONNECT TRIGGER SPRAYER. Unscrew and discard the [white] cap on the bottle. Insert the hose into the bottle and tighten the cap securely.
2. PRIME SPRAYER. Turn the sprayer nozzle one-half turn counter-clockwise. Hold the sprayer lower than the bottle and squeeze the trigger several times until it sprays. Adjust the nozzle to coarse spray pattern. Avoid sprays which are too fine because they can drift and damage other plants.

**[OPTION B: Trigger Sprayer applicator]**

1. Turn nozzle to coarse spray pattern.
2. Avoid sprays which are too fine because they can drift and damage other plants.

**[OPTION C: Nested Sprayer applicator]**

1. Pull tab outward
2. Rotate lock ring counterclockwise to unlock.
3. Pull sprayer to uncoil tubing.
4. To replace, return sprayer to bottle opening.
5. Drape tubing through slot in the spray handle.
6. Turn lock ring clockwise to lock.

**[How To Apply]**

- Completely [wet] [cover] the foliage [leaves] of the target vegetation [plant].
- Sprayed plants begin yellowing and wilting in as little as 3 hrs, with complete kill, including the roots, in 1 to 2 weeks.
- Thoroughly cover treated [bare][soil] areas to prevent new weeds and grasses from [growing][emerging] .
- Protect desirable plants with a piece of plastic or cardboard.
- If desirable plants are accidentally sprayed, wash plants with water immediately.

**[When to Apply] [Use Tips]**

- For best results apply during warm, sunny weather (above 60°F) when weeds are actively growing and no rain is forecast for 24 hours. Rainfall or watering 15 minutes after application will not wash away effectiveness.
- To avoid drift to desirable plants, apply when the air is calm.
- Do not mow, cut or otherwise disturb treated [vegetation] [weeds] or [plants] for at least 7 days following application.
- Do not use on or around edible feed or food crops.
- Do not use in areas that are to be planted or seeded within 1 month
- Do not use around newly planted trees, shrubs or flowers
- Do not make more than 2 applications per year to any given area.

**[Where to Use] [Use Sites] [Use Situations]:**

**[GENERAL WEED CONTROL:]** Use along [near] fences, paths, patios, sidewalks, curbs and driveways, around established ornamental trees, shrubs, flower beds and plantings, around buildings. Use for trimming and edging landscapes. **Do NOT use for spot weed treatment in lawns, since Chemsico Herbicide RTU 4B kills all green plants, including lawn grasses.**

**[Tips for Replanting] [Replanting Instructions]**

When replanting trees, shrubs or flowers in an area treated with [Chemsico Herbicide RTU 4B][this product] within the last [30days][1 month]:

- [Using gardening gloves] dig the planting hole
- Set aside the soil removed from the hole
- Place the plant in the hole according to the [instructions][guide] on the plant
- Fill the hole with planting soil or other untreated soil
- Spread the soil removed from the hole in an area where no [vegetation][plants][is][are] desired

**STORAGE AND DISPOSAL****[OPTION A: Hand Sprayer Applicator]**

**Pesticide Storage:** Turn the nozzle to "OFF" position and store with sprayer above the level of liquid in container to prevent leakage. Store this product in its original container in a secure storage area **Pesticide Disposal: If empty:** Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**[OPTION B: Trigger Sprayer]**

**Pesticide Storage:** Store this product in its original container in a secure storage area. **Pesticide Disposal: If empty:** Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**PRECAUTIONARY STATEMENTS**

**Hazards to Humans and Domestic Animals**

**CAUTION.** Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

**First Aid**

<p><b>If in Eyes:</b></p>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a Poison Control Center or doctor for treatment advice.</li> </ul>
<p><b>If on Skin or Clothing:</b></p>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a Poison Control Center or doctor for treatment advice</li> </ul>
<p>Have the product container or label with you when calling a Poison Control Center, doctor, or going for treatment.</p>	

**Environmental Hazards**

This pesticide is toxic to aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application

equipment over the treated area will help avoid run off to water bodies or drainage systems.

**NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.**

Made in the USA by Chemsico, Division of United Industries Corp., P. O. Box 142642, St. Louis, MO 63114-0642

[Questions or Comments? call 1-800-332-5553]

EPA Reg. No. 9688-

EPA Est. No. 9688-MO-1

© 2010

**ALTERNATE LABEL FORMAT**

**STOP. [Read and follow label instructions] [Read Entire Label Before use] [Lift Here. Press to Reseal]**

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. *For outdoor residential use only.*



Do not allow people or pets to enter the treated area until sprays have dried.

**APPLICATION RESTRICTIONS**

Do not apply this product in a way that will contact any person, pet, either directly or through drift. Keep people and pets out of the area during application.

**USER SAFETY RECOMMENDATIONS**

Clothing and protective equipment exposed to this product should be washed in detergent and hot water. Such items should be kept and washed separately from other laundry.

215

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Users should remove clothing and protective equipment immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

### [Hand Sprayer Application]

How to prime and care for your sprayer:

1. CONNECT TRIGGER SPRAYER. Unscrew and discard the [white] cap on the bottle. Insert the hose into the bottle and tighten the cap securely.
2. PRIME SPRAYER. Turn the sprayer nozzle one-half turn counter-clockwise. Hold the sprayer lower than the bottle and squeeze the trigger several times until it sprays. Adjust the nozzle to coarse spray pattern. Avoid sprays which are too fine because they can drift and damage other plants.

### [EZSPRAY™ Directions] [EZSPRAY® Directions]

1. Remove sprayer from side holster. Unwrap the tubing (Graphical representation.)
2. Remove seal from top of cap. Unplug cap. (Graphical representation.)
3. Securely snap the [color] plug into hole on cap. (Graphical representation.)
4. Remove plastic tab near bottom of sprayer to activate batteries. (Graphical representation.)
5. Twist nozzle to adjust spray from CLOSE to SPRAY or STREAM. (Graphical representation.)
6. When priming the sprayer, hold sprayer level to the ground. Sprayer will not prime if it is held at an angle. Once primed it will spray in any direction (graphical representation)

### [HOW TO USE THE EZSPRAY™] [HOW TO USE THE EZSPRAY®]

1. Aim toward target weeds/plants, and away from people and pets.
2. Press the trigger to spray.
3. Release the trigger to stop spray.

**After use:** 1. Twist nozzle completely to CLOSE position. 2. Secure sprayer upright in holder. 3. **Failure to adjust nozzle completely to CLOSE position and properly secure sprayer in holder may result in leakage and damage to property or injury to people or animals.**

**To replace batteries:** 1. Push release button near nozzle and lift up on battery hatch. 2. Remove used batteries and insert two new AA batteries **in correct positions** as marked per diagram inside of battery compartment. Never insert the

positive end where the negative end belongs and vice versa. **Always** use a complete set of new batteries of the same type when replacing batteries. **Never** mix alkaline, carbon-zinc or rechargeable batteries. 3. Securely close battery compartment door. 4. **Always** follow manufacturer's recommendations for use and disposal of batteries. **Additional Operating Notes:** Do not submerge in water. Before each use inspect sprayer carefully, make sure hose is flexible and not kinked, worn or cracked, and that all connections are tight. When storing sprayer for prolonged periods remove batteries.

### [How to use] [Application Instructions] [When To Use]

Chemsico Herbicide RTU 4B is pre-mixed and ready to use and is formulated for "spot" treatment of weeds and grasses. [It is ideal for tough to reach weeds found in flowerbeds.] Use it on driveways and walkways, or around fences, trees, flower beds, shrubs and other areas in your yard.

One application of [this product][Chemsico Herbicide RTU 4B] will [Prevent re-growth for up to one month.]

### [How To Apply] [Alt: General Weed Control]

- Completely [wet] [cover] the foliage [leaves] of the target vegetation [plant].
- Sprayed plants begin yellowing and wilting in as little as 3 hrs, with complete kill, including the roots, in 1 to 2 weeks.
- Thoroughly cover treated areas to prevent new weeds and grasses from [growing][emerging]
- [Prevents re-growth for up to three months] [Provides season-long protection from re-growth]
- Protect desirable plants with a piece of plastic or cardboard.
- If desirable plants are accidentally sprayed, wash plants with water immediately.

### [When to Apply] [Use Tips] [General Use Tips]

- For best results apply during warm, sunny weather (above 60°F) when weeds are actively growing and no rain is forecast for 24 hours. Rainfall or watering 15 minutes] after application will not wash away effectiveness.
- To avoid drift to desirable plants, apply when the air is calm.
- Do not mow, cut or otherwise disturb treated [vegetation] [weeds] or [plants] for at least 7 days following application.
- Do not use on or around edible feed or food crops.
- Do not use in areas that are to be planted or seeded within 3 months
- Do not use around newly planted trees, shrubs or flowers
- Do not make more than 2 applications per year to any given area.

Not recommended for spot weed treatment in established lawns since lawn grasses will also be killed.

**[Tips for Replanting] [Replanting Instructions]**

When replanting trees, shrubs or flowers in an area treated with [Chemsico Herbicide RTU 4A][this product] within the last [30days][1 month]:

- [Using gardening gloves] dig the planting hole
- Set aside the soil removed from the hole
- Place the plant in the hole according to the [instructions][guide] on the plant
- Fill the hole with planting soil or other untreated soil
- Spread the soil removed from the hole in an area where no [vegetation][plants][is][are] desired

**REFILL DIRECTIONS**

Refill only with Chemsico Herbicide Concentrate 4B. Remove cap. Carefully measure and mix 7 fl oz (14 tablespoons) in one gallon of water. Replace and tightly close cap. Wipe off any spilled product.

**STORAGE AND DISPOSAL**

**[ Hand Sprayer Applicator]**

**Pesticide Storage:** Turn the nozzle to "OFF" position and store with sprayer above the level of liquid in container to prevent leakage. Store this product in its original container in a secure storage area. **Pesticide Disposal: If empty:** Nonrefillable container. Do not reuse or refill this container unless the directions for use allow a different (concentrated) product to be diluted in the container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**[EZSPRAY Sprayer]**

**Pesticide Storage:** Turn the nozzle to "CLOSE" position. To prevent leakage, attach sprayer to clip. Store this product in its original container in a secure storage area. **Pesticide Disposal: If empty:** Nonrefillable container. Do not reuse or refill this container unless the directions for use allow a different (concentrated) product to be diluted in the container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**PRECAUTIONARY STATEMENTS**

**Hazards to Humans and Domestic Animals**

**CAUTION.** Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

**First Aid**

<p><b>If in Eyes:</b></p>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a Poison Control Center or doctor for treatment advice.</li> </ul>
<p><b>If on Skin or Clothing:</b></p>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a Poison Control Center or doctor for treatment advice</li> </ul>
<p>Have the product container or label with you when calling a Poison Control Center, doctor, or going for treatment.</p>	

**Environmental Hazards**

This pesticide is toxic to aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

**NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.**

2/10



Made in the USA by Chemsico  
 Division of United Industries Corp.  
 P. O. Box 142642  
 St. Louis, MO 63114-0642

[Questions or Comments? call 1-800-332-5553]

EPA Reg. No. 9688-

EPA Est. No. 9688-MO-1

© 2010

### APPENDIX CHEMSICO HERBICIDE RTU 4B OPTIONAL MARKETING CLAIMS

1. \*Guaranteed Results [or your money back]
2. [Better] [Best] value
3. [Formula] enters the plant within one to two hours [won't wash off]
4. Improved Formula
5. Absorbed into the plant
6. Absorbed on Contact
7. Can be Used Over the Root Zones of Trees, Shrubs or Desirable Plants
8. Control that doesn't wash away
9. Controls [Hardy] [Tough] [Hard To Kill] Weeds and Grasses
10. Dead [weeds] [and] [grass] in 24 hours [and they'll never come back]
11. Dead Weeds Guaranteed\* [\*Or Your Money Back]
12. Do-it-yourself weed killer
13. Effective even if it rains
14. Eliminates [kills] all common weeds and grasses
15. Eliminates Roots & Weeds, [Guaranteed\*]
16. Eliminates Weeds, [Guaranteed\*]
17. Exclusive Formula
18. Fast & [and] complete
19. Fast Acting [Formula]
20. Fastest Replanting Available
21. For [Spot] Treatment of Unwanted Weeds and Grasses
22. For use [Ideal] [Can be Used] [Use in and around] [in] [on] [for] [along] flowerbeds

23. For Use [Use] [Ideal] [Can be Used] [Use in and around] [in] [on] [for] [along] [around] [fences], [driveways], [walkways], [shrubs], [trees] [ornamentals] [Walks] [Mulch Beds] [Gravel] [and] [Driveways] [Curbs]
24. For walks, drives, fences, patios and similar areas
25. Keeps Working, Even If it Rains
26. Kills All Treated Weeds
27. Kills Even Tough Weeds & Grasses
28. Kills from the Inside Out
29. Kills over 155 types of weeds [as listed]
30. Kills over 155 varieties of broadleaf and grassy weeds [as listed]
31. Kills the Entire Plant
32. Kills the Root
33. Kills the Root So Weeds Won't Grow Back
34. Kills the Root!
35. Kills the Weed you see and the Root you Don't
36. Kills Weeds and Unwanted Grasses
37. Kills Weeds and Unwanted Grasses, [Roots and All]
38. Kills Weeds in [a] [one] day
39. No Measuring
40. No Mixing [Required] [Necessary]
41. No Root, No Weeds, [Guaranteed]
42. Not even the leading brand [is faster] [is as fast]
43. Quick-Kill Formula
44. Rainfast in 15 minutes for control that doesn't wash away [won't wash away]
45. Rainfast in 15 Minutes – Starts to enter the Plant on Contact
46. Rainproof in 15 Minutes
47. Rainfast in 15 Minutes
48. [Rainfast][Rainproof] in 15 minutes for Control That Won't Wash Away
49. Ready-To-Use
50. Replant flowers, trees & shrubs [in half the time of other brands] [the same weekend]
51. Can be used around trees & shrubs
52. Satisfaction guaranteed [or your money back] [with proof of purchase]
53. See Results in 24 hrs!
54. Starts to work in 24 hours
55. Starts Working in Hours
56. Systemic formula
57. Systemic Weed and Grass Killer
58. Water-based
59. Won't Wash Away
60. Works First Time, [Every time]

[Bracket text = Optional Language]

219

61. Works in 24 hours
62. Works 4 Ways : (1)Results in 24 hrs, (2) Kills over 155 varieties of Broadleaf & Grassy Weeds as listed, (3) Kills the Root (4) Prevents re-growth for up to 1 month
63. Starts Working Immediately !
64. Use on Paved & Landscaped Areas
65. Visible Results as Fast as 3 Hours
66. [Prevents][Controls][Kills] weeds for up to 1 month
67. [One application] kills and prevents [weeds][weeds and grasses][from coming back][all season long][for 1 month]
68. Kills weeds and forms a protective barrier to prevent [new weeds][growth]
69. Apply Once and you're done
70. Once & Done
71. [Weed] killer plus preventer
72. Kills existing weeds down to the root and prevents and new weeds and grasses from growing for up to 1 month
73. Kills weeds fast and prevents new weeds for up to 1 month
74. New !
75. New Formula !
76. Dual Action Formula
77. Long Lasting [Formula]
78. Quick Kill [& long Lasting][Formula]
79. Kills and Prevents [New] Weed[s] [Growth]
80. Fast Results [Guaranteed\*]
81. Keeps your weed out [for up to [1month][30 days]
82. No new weed growth for up to [1 month][30days]
83. Lasting [residual] weed [control][kill]
84. Long Lasting [Control][kill]
85. Guaranteed\* weed kill [for up to 1 month][for up to 30 days]
86. Kills weeds dead for up to [30 days][1 month]
87. [Only] Use once for up to 30 days [1 month] weed [control][kill]
88. [Only] Use once for long lasting weed [kill][control]
89. Use only once for up to [30 days][1 month] weed elimination
90. Use once for up to [30 days][1month] weed [control][kill]
91. Up to [30 days][1 month] without weeds [and unwanted grass]
92. Up to 1 month [30 days] without new weed growth
93. Extensive weed control for up to [30 days][1 month]
94. Once & Done !
95. Only one application needed [for long lasting control][1 month control]
96. Dual Action [kills and prevents weeds]
97. Kills the weeds you see, prevents the ones you don't for up to 1 month [30 days]
98. Eliminate and prevent weeds for up to 30 days [1 month]
99. Creates Barrier [preventing new weed growth] for up to 1 month [30 days]
100. Weeds don't return for up to 1 month [30 days]
101. Creates and invisible barrier for up to 1 month [30 days]

[Bracket text = Optional Language]