



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

JAN 03 2012

OFFICE OF CHEMICAL, SAFETY
AND POLLUTION PREVENTION

Jessica Goldberg
Chemsico, Div. of United Industries Corp.
P.O. Box 142642
St. Louis, MO 63114

Subject: Fast-Track Amendment to add an alternate picture which indicates that the bait station is child tamper-resistant
EPA Registration # 9688-291; 9688-285
Primary Brand Name: Chemsico Refillable Bait Station; Chemsico Disposable Bait Station
Submission Date: October 24, 2011; November 2, 2011

Dear Ms. Goldberg:

The labels referred to above, submitted under FIFRA, as amended, are **acceptable**. Please submit one final printed copy for the above mentioned labels before releasing the product for shipment. If you have any questions, please contact Gene Benbow at (703) 347-0235 or via email at benbow.gene@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read "John Hebert", written over a large, loopy flourish.

John Hebert
Product Manager 07
Insecticide-Rodenticide Branch
Registration Division (7505P)

Chemsico Refillable Bait Station

**THIS BAIT STATION IS RESISTANT TO TAMPERING BY CHILDREN
Use Indoors Only**

REFILLABLE MOUSE POISON BAIT STATION
Contains Bitrex

For Use in Homes and Residential Buildings

Indoor [House Mouse] [Rodent] Control
Kills House Mice

Moisture Resistant Bait

House Mice usually consume a lethal dose in a single feeding, but it may take two or more days from the time of bait consumption for these rodents to die. House mice cease feeding after consuming a toxic dose. This product is effective against anti-coagulant-resistant house mice.

ACTIVE INGREDIENT:

Bromethalin (CAS No. 63333-35-7) 0.01%

OTHER INGREDIENTS 99.99%

TOTAL 100.00%

KEEP OUT OF THE REACH OF CHILDREN

CAUTION:

**MAY BE HARMFUL IF EATEN
BY CHILDREN OR PETS**

**SEE SIDE/BACK PANEL FOR
PRECAUTIONARY STATEMENTS**

ACCEPTED
JAN 03 2012
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
Registered under
EPA Reg. No. **9688-291**

[NET WT:] [NET CONTENTS:] [X - 0.5 oz. bait blocks] [X oz - total]

[NOTE] Refill package of bait blocks included with the [refillable] [reusable] Bait Station (s) (if applicable) will contain from 1 to X, with X having a total net weight of 16 ounces or less.

SIDE/BACK PANEL

STOP: Read all Directions and Precautions before use

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

May be harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Keep away from humans, domestic animals and pets. Do not get in eyes, on skin, or on clothing. Wear waterproof gloves when handling bait or bait station. Wash hands with soap and water after handling bait station.

FIRST AID

Have product container or label with you when calling a poison control center or doctor for treatment. You may also contact the Hotline Number at 1-800-332-5553 for health concerns, emergency medical treatment information or pesticide incidents.

- If Swallowed**
- Call a poison control center, doctor, or HOT LINE NUMBER 1-800-332-5553 immediately for treatment advice.
 - Have person sip a glass of water if able to swallow.
 - Do not induce vomiting unless told to do so by a poison control center or doctor.
 - Do not give anything by mouth to an unconscious person.

- If in Eyes**
- Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present after the first 5 minutes, then continue rinsing eye.
 - Call a poison control center or doctor for treatment advice.

- If On Skin or Clothing**
- Take off contaminated clothing.
 - Rinse skin immediately with plenty of water for 15-20 minutes.
 - Call a poison control center, doctor, or HOT LINE NUMBER 1-800-332-5553 immediately for treatment advice.

TREATMENT FOR PET POISONING

If an animal eats this bait, call a veterinarian at once.

NOTE TO PHYSICIAN or VETERINARIAN

Contains the nerve poison bromethalin. This product is not an anticoagulant type rodenticide. For humans or animals ingesting bait and/or showing poisoning signs (such as muscle tremors, loss of hind limb use, or seizures for animals), limit absorption by either emesis or gastric lavage. Sublethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to mammals and birds. Dogs and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water.

SIDE/BACK PANEL

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions. Use this product only for the sites, pests, and application methods described on this label.

To help prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Dispose of product container and unused, spoiled and unconsumed bait as specified on this label.

USE RESTRICTIONS: DO NOT USE THIS PRODUCT OUTDOORS OR IN AREAS ACCESSIBLE TO PETS. This bait station may be used in indoor areas accessible to children, consistent with all use restrictions and other requirements indicated in this label.

Do not place this [ready-to-use] [refillable] [reusable] bait station in any area where there is a possibility of contaminating food or surfaces that come into direct contact with food.

SELECTION OF TREATMENT AREAS: Determine areas where house mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in corners and concealed places, between floors and walls, or in locations where house mice or their signs have been seen. Remove as much alternative food, water and harborage as possible prior to bait application.

APPLICATION DIRECTIONS: The active ingredient in this product is different from anticoagulant rodenticides. Individual house mice cease feeding after consuming a toxic dose.

House Mice: Place the bait station in areas where house mice or their signs have been seen. If additional units are to be used, place bait stations 8 to 12 feet apart. Highest bait consumption is expected to occur on the first day or two after treatment. After several days, inspect bait placements and replace with new bait at sites where there is heavy feeding or where there is continued evidence of house mouse activity. Continue baiting until all signs of house mouse activity have ceased.


While wearing waterproof gloves, collect and properly dispose of all dead house mice and used baits. To discourage reinfestation, limit sources of rodent food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment.

SIDE/BACK PANEL

DIRECTIONS FOR USE (CONTINUED)

INSTRUCTIONS FOR OPENING, FILLING , REFILLING AND RECLOSING THE MOUSE BAIT STATION):

1. To open the Bait Station, put on waterproof gloves and push down and turn cap counter-clockwise to remove.



2. If refilling, discard any remaining bait in the bait station. Place refill block on the pin in the center of the bait station opening.



3. Replace cap and turn clockwise to re-secure cap.
4. CLEAN AROUND THE BAIT STATION AREA BY REMOVING ALL REMAINING BAIT & BAIT CRUMBS. DISPOSE OF WATERPROOF GLOVES AND BAIT CRUMBS ACCORDING TO "PESTICIDE DISPOSAL BELOW." ENSURE THAT GLOVES & BAIT ARE DISPOSED OUT OF REACH OF CHILDREN, PETS AND WILDLIFE.

DIRECTIONS FOR USE (CONTINUED)

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container except as described in the directions for use.. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTICE OF WARRANTY

To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in strict accordance with directions for use.

Distributed by
Chemsico, Div. Of United Industries Corp.
P.O. Box 142642
St Louis, MO 63114

EPA Reg. No 9688-291
EPA Est. 9688-MO-1

{Lot/Code/Product/Revision Numbers as Needed}

BAIT STATION STICKER

7/8

{TEXT FOR STICKER TO BE AFFIXED TO EACH, [REFILLABLE] [REUSABLE] BAIT STATION}

Chemsico Refillable Bait Station

Net Weight: 0.5 oz.

**THIS BAIT STATION IS RESISTANT TO TAMPERING BY CHILDREN
DO NOT ALLOW CHILDREN OR PETS TO PLAY WITH BAIT STATIONS**

CAUTION: May be harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Keep away from humans, domestic animals and pets. Do not get in eyes, on skin, or on clothing. Wash hands with soap and water after handling bait station.

See outer package label for additional precautionary statements, first aid information and directions for use. Do not use in areas accessible to pets or nontarget wildlife. **DO NOT USE THIS PRODUCT OUTDOORS.**

Active Ingredient: Bromethalin (CAS No. 63333-35-7)	0.01%
Other Ingredients	<u>99.99%</u>
Total	100.00%

Distributed by
Chemsico, Div Of United Industries Corp.
P.O. Box 142642
St. Louis, MO 63114

EPA Reg. No. 9688-291
EPA Est. No. 9688-MO-1

8/8

CONSOLIDATED LIST OF MARKETING CLAIMS

{6 MONTH INTRODUCTORY CLAIMS - used during first six months of commercialization only}

New
New Bait Station
New Refillable Bait Station

{OPTIONAL MARKETING CLAIMS for Front, Back, Side Panel or Label Sticker}

Contains [X] bait blocks
Special nibble ridges mice love to chew
Nibble ridges increase mice (bait) acceptance
[X] Refillable [Reusable] bait station[s]
Bait station fits in room and cabinet corners and along walls
Small amount of space required for placement
Minimal space required for placement
{Optional Icon} Kid Tamper Resistant
{Optional Icon} Child Tamper Resistant
{Optional Icon} Kid Tamper Resistant Station
{Optional Icon} Child Tamper Resistant Station
{Optional Icon} Kid Tested Station
{Optional Icon} Child Tested Station
Easy to Refill
Refillable
Reusable
Station is Child Resistant
Kid Tested
Child Tested
Kid Resistant
Child Resistant
Kid Resistant Station
Child Resistant Station

One of the following pictograms will be used in place of the {Optional Icon} as noted above. The phrase noted in the list will replace the text in the pictogram as appropriate.

