



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

December 15, 2025

Morgan Shaffer
Sr. Regulatory Director
Chemsico, A Div. Of United Industries Corp.
P.O. Box 142642
St. Louis, MO 63114

Subject: Label Amendment - Registration Review Mitigation for MCPP
Product Name: CHEMSICO SPOT WEED KILLER TFA
EPA Registration Number: 9688-292
Case Number: 472218
Application Dates: December 21, 2020

Dear Morgan Shaffer:

The Agency, in accordance with the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, has completed reviewing all the information submitted with your application to support the Registration Review of the above referenced product in connection with the MCPP Interim Decision, and has concluded that your submission is acceptable. The label referred to above, submitted in connection with registration under FIFRA, as amended, is acceptable.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling and must be used at your next label printing. You must

submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 12 months from the date of this letter. After 12 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

If you have any questions about this letter, please contact Kelsi Grogan by phone at 202-566-2228, or via email at grogan.kelsi@epa.gov.

Sincerely,

A handwritten signature in dark ink, appearing to read "Kevin Costello", is positioned above the typed name.

Kevin Costello, Branch Chief
Risk Management and Implementation Branch 2
Pesticide Re-Evaluation Division
Office of Pesticide Programs

ENCLOSURE: Stamped label

CHEMSICO

Spot Weed Killer TFA

Active Ingredients:

*2,4-D, dimethylamine salt	0.593%
†Mecoprop-p, dimethylamine salt	0.144%
‡Dicamba, dimethylamine salt	0.066%
Other Ingredients	99.197%
Total	100.000%

Contains: *0.493% 2,4-D equivalent, †0.119% Mecoprop-p equivalent, ‡0.055% Dicamba equivalent. Contains single isomer form of MCPP-p

KEEP OUT OF REACH OF CHILDREN

CAUTION See back for additional precautionary statements

Net Contents 17 oz (1 lb 1 oz/481.3 g)

ACCEPTED

Dec 15, 2025

Under the Federal Insecticide, Fungicide
and Rodenticide Act as amended, for the
pesticide registered under
EPA Reg. No. 9688-292

Optional Product Fact Box

PRODUCT FACTS

What It Does:

[Kills Listed Major Broadleaf Weeds including Dandelion, Chickweed and Clover] [Kills over 200 types of brush & weeds listed including Poison Ivy, Poison Oak, Blackberry & Kudzu] [Kills Major Broadleaf Weeds as listed including Dandelion, Chickweed and Clover]

Where To Use: (icon weeds)

Lawns: Kills the Weeds not the Lawn

When To Use:

Do not apply when daytime temperatures are above 85° F as lawn injury can occur

Questions & Comments: (icon phone) (icon computer)

Call 1-800-332-5553 or visit our website www.website.com

STOP. READ ENTIRE LABEL BEFORE USE.

FIRST AID

If Swallowed: Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person. **If on Skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. Call a Poison Control Center or doctor for treatment advice.

Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Avoid contact with clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Physical or Chemical Hazards

Contents under pressure. Do not use or store near heat or open flame. Exposure to temperatures above 130° F may cause bursting

Environmental Hazards

This product is toxic to fish and aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and non-target plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters. Do not contaminate domestic or irrigation waters. Do not apply when weather conditions favor drift from target area.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

NON-TARGET ORGANISM ADVISORY: This product is toxic to plants and may adversely impact the forage and habitat of non-target organisms, including pollinators, in areas adjacent to the treated site. Protect the forage and habitat of non-target organisms by following label directions intended to minimize spray drift.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.



Do not allow people or pets to enter the treated area until sprays have dried.

- Shake well before each use
- Spray just enough product to lightly cover weeds. **Excessive spraying can injure some lawns.** Do not spray weeds growing within the dripline of trees. Do not apply when daytime temperatures are above 85° F as lawn injury can occur
- Spray only the weeds not the entire lawn
- Weeds will begin wilting and browning overnight
- Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.

USE RESTRICTIONS

- ☐ Limited to 2 spot treatments per year (a spot application is defined as an area no greater than 1000 sq. ft. per acre)
- ☐ Minimum of 30 days between applications
- ☐ Maximum of .046 lbs ae 2, 4-D [(list product amount in fl. Oz)] per 1000 sq. ft.
- ☐ Broadcast applications greater than 0.75 lbs Mecoprop-p acid equivalent per acre are prohibited. Spot treatment applications greater than 1.2 lbs Mecoprop-p acid equivalent per acre are prohibited.

PRECAUTIONS

- Some hard-to-kill weeds may require re-treatment. Wait at least 30 days between applications — some weeds can take that long to die.
- ☐ Do not water treated area within 6 hours after application or apply if rain is expected that day.
- ☐ Do not use this product on or near desirable plants, including within the dripline of the roots of desirable trees and shrubs, since injury may result. Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays and oceans. Do not apply when windy. To prevent product runoff, do not over-water the treated area(s) to the point of runoff or apply when raining or when rain is expected that day.

STORAGE AND DISPOSAL

Pesticide Storage: Store in a cool dry area away from heat or open flame. **Pesticide Disposal and Container Handling:** Do Not Puncture or Incinerate. Nonrefillable Container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling, if available. **If partly filled:** Call your local solid waste agency for disposal instructions.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

[*GUARANTEED RESULTS OR YOUR MONEY BACK

If you are not satisfied with this product for any reason send your written request for a refund to the address below, together with the dated store receipt showing the price you paid. Please allow 6-8 weeks for processing]

[Contains NO CFC's or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols.]

Questions or comments? Call toll free 1-800-332-5553.

Chemsico, Division of United Industries Corporation
PO Box 142642
St. Louis, MO 63114-0642

EPA Reg. No. 9688-292
EPA Est. No. 9688-MO-1
© 2025

{Optional Marketing Claims}

1. Won't harm lawns
2. Kills [listed weeds][weeds listed] down to the root, not the lawn
3. Kills 200+ listed [weed-types][types of weeds] [Kills 200+ [weed-types][types of weeds] listed]
4. Kills [weed roots][the roots]
5. Kills over 200 types of brush and weeds as listed
6. Kills the [weeds][brushy weeds]brush and weeds] not the lawn
7. Water-based
8. Ready-to-use [aerosol]
9. See Results in Hours
10. Overnight Results
11. Kills [listed major broadleaf weeds][major broadleaf weeds listed]!
12. Kills poison Ivy and Poison Oak
13. Can't be washed [away][off} by rain
14. [Rain fast][Rainproof] in hours
15. Rainproof in hours-[for control that] won't wash away
16. Kills the weeds-not the lawn
17. [Guaranteed results] [or your money back]*[For terms of guarantee see back panel]*
18. Just aim and spray
19. Accushot® Foaming Spray
20. Use [spray][on][in] lawns
21. [Foam makes it] easy to see sprayed areas
22. Quick [foaming] action
23. Fast [weed] knockdown
24. Easy to use
25. Spot weed control

BRUSHY and BROADLEAF WEEDS			
Annual yellow sweetclover	Cockle	Musk thistle	Spiny amaranth
Ash	Cocklebur	Mustard	Spiny cocklebur
Aster	Common mullein	Narrowleaf plantain	Spiny sowthistle
Austrian fieldcress	Creeping Jenny (Creeping Charlie)	Narrowleaf vetch	Spotted catsear
Bedstraw	Cudweed	Nettle	Spotted spurge
Beggaricks	Curl dock	Orange hawkweed	Spurweed
Betony, Florida	Daisy, English	Oriental cocklebur	Singing nettle
Bindweed, field	Daisy fleabane	Oxalis	Strawberry, India mock
Bird vetch	Daisy, oxeye	Parsley-plant	Sumac
Bitter wintercress	Dandelion	Parsnip	Tall nettle
Bittercress, hairy	Dichondra	Pearwort	Tall vervain
Bitterweed	Dogbane	Pennycress	Tansy ragwort
Blackberry	Dogfennel	Pennywort	Tansy mustard
Black cherry	Dollarweed	Pepperglass	Tanweed
Black-eyed Susan	Elderberry	Pepperweed	Thistle
Black medic	False dandelion	Pigweed	Trailing crownvetch
Black mustard	False flax	Pineywoods bedstraw	Trumpet vine
Blackseed plantain	False sunflower	Plains coreopsis (tickseed)	Turnble mustard
Blessed thistle	Fiddleneck	Plantain	Turnble pigweed
Bloodflower milkweed	Florida pusley	Poison ivy	Velvetleaf
Blue lettuce	Frenchweed	Poison oak	Venice mallow
Blue vervain	Gallsoga	Pokeweed	Virginia buttonweed
Bracted plantain	Goathread	Poorfoe	Virginia creeper
Brambles	Goldenrod	Prairie sunflower	Virginia pepperweed
Brassbuttons	Gooseberry	Prickly lettuce	Water pennywort
Birch	Ground ivy	Prickly sida	Wayleaf bulthistle
Bristly oxtongue	Gumweed	Prostrate knotweed	Western dematis
Broadleaf dock	Hackberry	Prostrate pigweed	Western salsify
Broadleaf plantain	Hairy fleabane	Prostrate spurge	White mustard
Broomweed	Hawkweed	Prostrate vervain	Wild aster
Buckhorn	Healall	Puncturevine	Wild buckwheat
Buckhorn plantain	Heartleaf drymary	Purslane, common	Wild carrot
Bulbous buttercup	Heathaster	Ragweed	Wild cherry
Bull thistle	Hedge bindweed	Raspberry	Wild four-o'clock
Bullnettle	Hedge mustard	Red sorrel	Wild garlic
Burclover	Hemp	Redroot pigweed	Wild geranium
Burdock	Henbit	Redstem filaree	Wild lettuce
Burning nettle	Hoary cress	Rough cinquefoil	Wild marigold
Burweed	Hoary plantain	Rough fleabane	Wild mustard
Buttercup	Hoary vervain	Russian pigweed	Wild onion
Buttonweed	Horsenettle	Russian thistle	Wild parsnip
Canada thistle	Jimsonweed	Sagebrush	Wild plum
Carolina geranium	Knawel	Scarlet pimpernel	Wild radish
Carpetweed	Knotweed	Scotch thistle	Wild rape
Catchweed bedstraw	Kochia	Sheep sorrel	Wild strawberry
Catnip	Kudzu	Sheepspurge	Wild sweet potato
Catsear	Lambsquarters	Slender plantain	Wild vetch
Cedar	Lespedeza	Smallflower galinsoga	Woodsorrel
Chickweed, common	Lilac	Smooth dock	Woolly croton
Chickweed, mouseear	Mallow	Smooth pigweed	Woolly morningglory
Chicory	Matchweed	Snowberry	Woolly plantain
Cinquefoil	Mexicanweed	Sorrel	Wormseed
Clover, crimson	Milk vetch	Sowthistle	Yarrow
Clover, hop	Morningglory	Spanishneedles	Yellow rocket
Clover, red	Mouseear hawkweed	Speedwell	Yellowflower pepperweed
Clover, strawberry	Mugwort	Fleabane	Cranesbill
Clover, sweet	Multiflora rose		Fillaree
Clover, white	English Daisy		
Deadnettle	Wild Violet		
Soliva			

and other broadleaf weeds