



## OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

April 17, 2025

Michael G. Sarli  
mike.sarli@spectrumbrands.com  
CHEMSICO

Subject: Non-PRIA (Pesticide Registration Improvement Act) Labeling Amendment - Minor label changes and optional marketing claims related to an optional sprayer  
Product Name: CHEMSICO GRASS & WEED KILLER RTU 3A  
Admin Number: 9688-293  
EPA Receipt Date: 12/14/2021  
Action Case Number: 00482809

Dear Michael G. Sarli:

The amended labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable.

This approval does not affect any terms or conditions that were previously imposed on this registration. You continue to be subject to existing terms or conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one (1) copy of the final printed labeling before you release this product for shipment with the new labeling. In accordance with 40 CFR § 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR § 152.3.

The label submitted with the application has been stamped "Accepted Only Indicated Revisions Reviewed" and is enclosed for your records.

Should you wish to add/retain a reference to your company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by EPA. If the website is false or misleading, the product will be considered to be misbranded and sale or distribution of the product is unlawful under FIFRA section 12(a)(1)(E). 40 CFR § 156.10(a)(5) lists examples of statements the EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the EPA find or if it is brought to our attention that a website contains statements or claims substantially differing from statements or claims made in connection with obtaining a FIFRA section 3 registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

Your release for shipment of this product constitutes acceptance of these terms. If these terms are not complied with, this registration will be subject to cancellation in accordance with FIFRA section 6.

If you have questions, please contact Francisco Llarena-Arias via email at [llarena-arias.francisco@epa.gov](mailto:llarena-arias.francisco@epa.gov).

Sincerely,

A handwritten signature in black ink, reading "Francisco Llarena-Arias". The script is elegant and cursive, with the first letters of each word being capitalized and prominent.

Francisco Llarena-Arias, Environmental Protection Specialist  
FHB, RD  
Office of Pesticide Programs

# *Chemsico Grass & Weed Killer RTU 3A*

(SEE APPENDIX FOR CONSOLIDATED LIST OF MARKETING CLAIMS AND FULL WEED LIST)

## Active Ingredients:

Diquat Dibromide .....	0.12%
Fluazifop-p-butyl.....	0.06%
Dicamba, dimethylamine salt .....	0.04%
Other ingredients.....	99.78%
Total .....	100.00%

## KEEP OUT OF REACH OF CHILDREN

CAUTION See back [Alternate: inside] booklet [Alternate: panel] for additional precautionary statements

Net Contents:

## First Aid

<b>If in Eyes:</b>	<ul style="list-style-type: none"> <li><b>IMMEDIATELY</b> hold eye open and rinse <b>thoroughly</b> and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.</li> </ul>
<b>If on Skin or Clothing:</b>	<ul style="list-style-type: none"> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a Poison Control Center or doctor for treatment advice</li> </ul>
Have the product container or label with you when calling a Poison Control Center, doctor, or going for treatment.	
<b>Note to Physician:</b> If in eyes, treat symptomatically. Symptoms may develop gradually. Severe damage may be caused by apparently trivial contact and healing may be delayed. Medical supervision should be continued until healing is complete.	

## PRECAUTIONARY STATEMENTS

### Hazards to Humans and Domestic Animals

**CAUTION.** May cause eye irritation. Protective eyewear is strongly recommended when applying this product. Avoid contact with eyes or clothing.

**Personal Protective Equipment (PPE):** Wear long-sleeved shirt, long pants, shoes, and socks.

### Environmental Hazards

This pesticide is toxic to **fish and** aquatic invertebrates. **DO NOT** apply directly to water. **DO NOT** contaminate water when disposing of equipment washwaters. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. This product may impact surface water quality due to runoff of rain water. This is especially true for poorly draining soils and soils with shallow ground water. This product is classified as having a high potential for reaching surface water via runoff. This chemical has properties and characteristics associated with chemicals detected in groundwater. This chemical may leach into groundwater if used in areas where soils are permeable, particularly where the water table is shallow. A level, well maintained vegetative buffer strip between areas to which this product is applied and surface water features such as ponds, streams, and springs will reduce the potential loading of fluzifop-p-butyl from runoff water and sediment. Runoff of this product will be reduced by avoiding applications when rainfall or irrigation is expected to occur within 48 hours. **NON-TARGET ORGANISM ADVISORY:** This product is toxic to plants and may adversely impact the forage and habitat of non-target organisms, including pollinators, in areas adjacent to the treated site. Protect the forage and habitat of non-target organisms by following label directions intended to minimize spray drift.

### USER SAFETY RECOMMENDATIONS

Clothing and protective equipment exposed to this product should be washed in detergent and hot water. Such items should be kept and washed separately from other laundry.

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Users should remove clothing and protective equipment immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. *For outdoor residential use only.*

## STOP. Read entire label before use



**DO NOT** allow people or pets to touch treated plants until the sprays have dried.

### APPLICATION RESTRICTIONS

**DO NOT** apply this product in a way that will contact any person or pet, either directly or through drift. Only persons applying this product may be in the area during application. **DO NOT** mow, cut or otherwise disturb treated [vegetation] [weeds] or [plants] for at least 7 days following application. **DO NOT** use on or around edible feed or food crops. **DO NOT** apply this product via backpack sprayer.

### SPRAY DRIFT ADVISORIES

#### Handheld Technology Applications:

Take precautions to minimize spray drift.

### When to Apply

- For best results apply during warm, sunny weather (above 60°F) when weeds are actively growing. [Rainfall or watering 15[Alternates: 10, 20,25,30] minutes after application will not wash away effectiveness.]
- To avoid drift to desirable plants, apply when the air is calm.

## [WHEN TO REPLANT]

- All ornamental flowers, trees and (&) shrubs may be planted **1 day after** application.

## FOR LAWN RENOVATION/REPLACEMENT

1. Determine size of area to be treated—measure length and width in feet then multiply to determine coverage area in sq ft (length x width).
2. Use this product to remove [Alternate: kill] the old lawn and existing weeds and grasses.
3. For best results, apply in spring or fall, when daytime temperatures are at least 60°F.
4. If the lawn is dry [Under dry conditions], water lawn every other day for a week before applying Chemsico Grass & Weed Killer RTU 3A.
5. **DO NOT** mow for 7 days before or after treatment.
6. One gallon treats 300 sq ft.

### TIPS FOR REPLANTING

- After 7 days, prepare the soil for planting by raking or roto-tilling the lawn. [Alternate: Wait 7 days after last application to rake, till or replant with seed or sod]
- Rake up and remove loosened thatch or debris.
- Mix in starter fertilizer and soil amendments, if needed. Level the soil.
- Apply seed according to directions on seed package, or install sod. Grass seed must have good contact with soil to germinate and grow.
- Keep area moist for 2 weeks to establish new lawn, then water as needed.

## How to use

Chemsico Grass & Weed Killer RTU 3A is pre-mixed and ready to use and is formulated for “spot” treatment of weeds and grasses. [It is ideal for tough to reach weeds found in flowerbeds.] Use it on driveways and walkways, or around fences, trees, flower beds, shrubs and other areas in your yard. [It can also be used for lawn renovation.]

## How To Apply\*

- Completely wet [Alternate: cover] the foliage [leaves] of the target vegetation. **DO NOT** overspray.
- Sprayed plants begin yellowing and wilting in about 24 hrs, with complete kill, including the roots, in 1 to 2 weeks.
- Protect desirable plants with a piece of plastic or cardboard.
- If desirable plants are accidentally sprayed, wash plants with water immediately.

**Not recommended for spot weed treatment in established lawns since lawn grasses will also be killed.**

*(Note to Reviewer: Only one of the following sprayer options will be used on the marketed product label)*

### [OPTION A: Sprinkler Cap Applicator]

Chemsico Grass & Weed Killer RTU 3A is an easy edger for use along driveways, walkways, curbs, sidewalk cracks, around landscaping, ornamentals, trees, and shrubs. Use in larger areas such as patios and brick and gravel walks. [This product treats 1200 linear feet (3 inch wide band)]

1. Remove cap from applicator head and make sure that the applicator head is screwed firmly on the bottle.
2. Hold the bottle about 2 to 6 inches from the area to be treated. Invert the bottle and apply product to thoroughly cover unwanted vegetation. The width of the stream may be adjusted by either raising or lowering the bottle.
3. Use just enough product to completely cover [Alternate: wet] the [vegetation] .

### [OPTION B: Hand Sprayer Application]

How to prime and care for your sprayer:

1. CONNECT TRIGGER SPRAYER. Unscrew and discard the [white] cap on the bottle. Insert the hose into the bottle and tighten the cap securely.
2. PRIME SPRAYER. Turn the sprayer nozzle one-half turn counter-clockwise. Hold the sprayer lower than the bottle and squeeze the trigger several times until it sprays. Adjust the nozzle to coarse spray pattern. Avoid sprays which are too fine because they can drift and damage other plants.
3. Spray unwanted grass & weeds until completely covered [Alternate: wet].

### [OPTION C: Trigger Sprayer applicator]

1. Turn nozzle to coarse spray pattern. Avoid sprays which are too fine because they can drift and damage other plants.

2. Spray unwanted grass & weeds until completely covered [Alternate: wet].



#### [OPTION D: Nested Sprayer Application]

1. Pull tab outward.
2. Rotate lock ring counterclockwise to unlock.
3. Pull sprayer to uncoil tubing.
4. Prime sprayer. Turn the sprayer nozzle one-half turn counter-clockwise. Hold the sprayer lower than the bottle and squeeze the trigger several times until it sprays. Adjust the nozzle to coarse spray pattern. Avoid sprays which are too fine because they can drift and damage other plants.
5. Spray unwanted grass & weeds until completely covered [Alternate: wet].
6. To replace, return sprayer to bottle opening.
7. Drape tubing through slot in the spray handle.
8. Turn lock ring clockwise to lock.

#### [OPTION E: Captive Sprayer Application]

##### HOW TO USE

###### BEFORE USE:

1. Shake well before each use.
2. Peel sticker from flip-top cap and open cap. Discard sticker.
3. Remove sprayer from its slot beneath the bottle handle and remove and discard plastic wrap. Pull black hose tip to completely extend tubing.
4. Firmly press black hose tip into opening in cap until it snaps into place.
5. Hold sprayer below the level of the container and prime by pumping trigger several times until product is dispensed.
6. Adjust nozzle to desired setting.

###### AFTER USE:

7. To store, turn sprayer nozzle off.
8. **DO NOT** disconnect hose.
9. Return sprayer to its slot. Hose can be pushed back into sprayer handle.

#### [OPTION F: Captive Sprayer Application with Snap Adapt Cap]

##### HOW TO USE

###### BEFORE USE:

1. Shake well before each use.
2. Open flip top closure
3. Remove sprayer from its slot beneath the bottle handle and unwrap the tubing. Pull hose plug to completely extend tubing.
4. Firmly press hose plug into opening in cap until it snaps into place.
5. Slide switch on hose plug counter-clockwise to "OPEN"
6. Adjust nozzle to desired setting, SPRAY or STREAM
7. Hold sprayer below the level of the container and prime by pumping trigger several times until product is dispensed.

###### AFTER USE:

1. To store, turn sprayer nozzle off.
2. Turn hose plug switch clockwise to "CLOSED"
3. **DO NOT** disconnect hose.
4. Return sprayer to its slot. Hose can be pushed back into sprayer handle.

#### [OPTION G: AUTO TRIGGER SPRAYER Application]

1. Shake well before use.
2. Remove plastic tab near top of sprayer to activate batteries
3. Twist nozzle to adjust spray from CLOSE to SPRAY or STREAM.
4. [Press the trigger to spray]. Spray just enough to cover area to be treated. Avoid contamination of food, feedstuffs and domestic water supplies. All food-processing surfaces and utensils must be covered during treatment or thoroughly washed before use. Remove pets and birds and cover fish aquariums before spraying.
5. Release the trigger to stop spray.

Keep the reusable auto trigger [sprayer] for use on compatible refills.

#### [OPTION H: Directions for Easy Action Pump]

##### [EASY ACTION PUMP Directions] [Alternate: HOW TO USE THE EASY ACTION PUMP]

1. For the initial use, remove the tie that is securing the handle to the base of the pump.
2. **REMOVE THE WAND** from the holster and **PULL THE HOSE** from the storage compartment.
3. Make sure the sprayer wand is securely tightened to the spray handle.
4. **TURN THE PUMP HANDLE CLOCKWISE** to tightly seal the pump to the bottle and unlock the pump handle for pumping.
5. **RAISE THE PUMP HANDLE FROM THE BOTTLE AND PUMP** until you begin to feel resistance.

6. Secure the pump handle for carrying by pushing the handle into the base of the pump and turn the handle counterclockwise one quarter turn to lock.
7. **BEGIN SPRAYING** by pushing down on the spray handle trigger.
8. **ROTATE THE NOZZLE AT THE TIP** of the wand to adjust the spray from a direct spray to a broadcast mist.
9. For continuous spray, push the trigger down and slide it forward to lock. **SLIDE THE TRIGGER BACK TO RELEASE** it from the lock position.

**Note:** If sprayer does not function properly, remove nozzle cover and check nozzle and holes in rubber component for obstructions. Replace nozzle cover and use as instructed above.]

#### [OPTION I: Directions for Easy Action Pump]

##### [EASY ACTION PUMP Directions] [HOW TO USE THE EASY ACTION PUMP]

1. For the initial use, remove the tie from the handle and the base of the pump.
2. **REMOVE THE WAND** from the holster and **PULL THE HOSE** from the storage compartment.
3. **TURN THE PUMP COLLAR CLOCKWISE** to make sure the pump is tightly sealed on the bottle.
4. **TURN THE PUMP HANDLE COUNTERCLOCKWISE** one-eighth turn to release the handle.
5. Raise the pump handle from the bottle and pump until you begin to feel resistance (10-20 pumps).
6. When you begin to feel resistance, push the pump handle into the base of the pump and turn the handle clockwise one-eighth turn to secure it for carrying.
7. Once the pump handle is secured **BEGIN SPRAYING** by pushing down on the spray handle trigger.
8. **ROTATE THE NOZZLE AT THE TIP** of the wand to adjust the spray from a direct spray to a broadcast mist.

**Note:** If sprayer does not function properly, remove nozzle cover and check nozzle and holes in rubber component for obstructions. Replace nozzle cover and use as instructed above.

#### [(OPTION J: Directions for EZSPRAY™ Sprayer and AccuShot™ Sprayer]

##### [Optional Sub Heading: Operating Instructions for AccuShot Sprayer]

1. [Unwrap sprayer.] Remove sprayer from side holder. [Unwrap the tubing] [Gently pull tubing out].
2. Remove seal from top of cap. Unplug cap.
3. Securely snap the [yellow] plug into hole on cap.
4. Remove plastic tab near [top] [bottom] of sprayer to activate batteries.
5. Twist nozzle to adjust spray from CLOSE to SPRAY or STREAM.
6. [When priming the sprayer, hold sprayer level to the ground. Sprayer may not prime if it is held at an angle. Once primed, it will spray in any direction.]

##### [Alternate AccuShot Sprayer Directions]

1. Remove cap and replace with reusable AccuShot Sprayer. Make sure sprayer cap is tightly closed before use
2. Twist nozzle to adjust spray from CLOSE to SPRAY or STREAM.
3. [When priming the sprayer, hold sprayer level to the ground. Sprayer may not prime if it is held at an angle. Once primed, it will spray in any direction.]

#### HOW TO USE THE EzSpray™

1. Aim toward target [weeds/plants] [Area to be treated], and away from people and pets.
2. [To improve accuracy, use slider to extend wand.][Use slider to extend wand and to improve accuracy.]
3. Press the trigger to spray.
4. Release the trigger to stop spray.

**After use:** 1. Twist nozzle completely to CLOSE position. 2. Secure sprayer [upright] [tip down] in [holder] [holster]. 3. **Failure to adjust nozzle completely to CLOSE position and properly secure sprayer in [holder][holster] may result in leakage and damage to property or injury to people or animals.**

**[Keep reusable AccuShot sprayer for use with Chemsico Grass & Weed Killer RTU 3A]**

**To replace batteries:** 1. [Slide battery compartment door to unlatch and open.] [Push release button near nozzle and lift up on battery hatch.] .] [Use screwdriver to open battery compartment] 2. Remove used batteries and insert [four] [two] new AA batteries **in correct positions** as marked per diagram inside of battery compartment. Never insert the positive end where the negative end belongs and vice versa. **Always** use a complete set of new batteries of the same type when replacing batteries. **Never** mix alkaline, carbon-zinc or rechargeable batteries. 3. Securely close battery compartment door. 4. **Always** follow manufacturer's recommendations for use and disposal of batteries. **Additional Operating Notes: DO NOT** submerge in water. Before each use inspect sprayer carefully, make sure hose is flexible and not kinked, worn or cracked, and that all connections are tight. When storing sprayer for prolonged periods remove batteries.



### [OPTION K: Directions for EZSPRAY™ Sprayer and AccuShot™ Sprayer with Snap Adapt Cap]

1. Shake well before each use
  2. Remove sprayer from side [holster] [holder]. [ Unwrap the tubing] [Gently pull tubing out].
  3. Open flip top closure
  4. Securely snap the hose plug into opening in cap until it snaps into place.
  5. Slide switch on hose plug counter-clockwise to "OPEN"
  6. Remove plastic tab near [top] [bottom] of sprayer to activate batteries.
  7. Twist nozzle to adjust spray from CLOSE to SPRAY or STREAM.
  8. [When priming the sprayer, hold sprayer level to the ground. Squeeze and hold trigger until liquid comes out the nozzle. Sprayer may not prime if it is held at an angle. Once primed, it will spray in any direction.]
- 
1. [Alternate AccuShot Sprayer Directions with Snap Adapt Cap] *Remove cap and replace with reusable AccuShot cap and Sprayer. Make sure sprayer cap is tightly closed before use*
  2. Twist nozzle to adjust spray from CLOSE to SPRAY or STREAM.
  3. Slide switch on hose plug counter-clockwise to "OPEN"
  4. [When priming the sprayer, hold sprayer level to the ground. Sprayer may not prime if it is held at an angle. Once primed, it will spray in any direction.]

### HOW TO USE THE EzSpray™[Accushot Sprayer] (For use with Snap Adapt Cap version of Directions)

- Aim toward target [site] [area to be treated], and away from people and pets.
- [To improve accuracy, use slider to extend wand.][Use slider to extend wand and to improve accuracy.]
- Press the trigger to spray.
- Release the trigger to stop spray.

**After use:** 1. Twist sprayer nozzle completely to CLOSE position. 2. Turn hose plug switch clockwise to "CLOSED". 3. Secure sprayer upright [tip down] in [holster] [holder]. 4. **Failure to adjust nozzle completely to CLOSE position and properly secure sprayer in [holster] [holder] may result in leakage and damage to property or injury to people or animals.**

### [Keep reusable AccuShot sprayer for use with Chemsico Grass & Weed Killer RTU 3A]

**To replace batteries:** 1. [Slide battery compartment door to unlatch and open.] [Use screwdriver to open battery compartment [Push release button near nozzle and lift up on battery hatch.]] 2. Remove used batteries and insert [four] [two] new AA batteries **in correct positions** as marked per diagram inside of battery compartment. Never insert the positive end where the negative end belongs and vice versa. **Always** use a complete set of new batteries of the same type when replacing batteries. **Never** mix alkaline, carbon-zinc or rechargeable batteries. 3. Securely close battery compartment door. 4. **Always** follow manufacturer's recommendations for use and disposal of batteries.

**Additional Operating Notes:** • **DO NOT** submerge in water. • Before each use, inspect sprayer carefully, making sure hose is flexible and not kinked, worn or cracked, and that all connections are tight. • When storing sprayer for prolonged periods, remove batteries.

## REFILL DIRECTIONS

Refill only with Chemsico Herbicide Concentrate 3A. Remove cap. Carefully measure and mix 7 fl oz (14 Tbsp) in one gallon of water. Replace and tightly close cap. Wipe off any spilled product.

### {OPTION L} [DIRECTIONS FOR Flip & Go SPRAYER PRODUCT]

**For Initial Use Only:** Remove Battery Isolation Strip [from] [beneath] sprayer and discard.

#### HOW TO USE

#### BEFORE USE:

1. Shake well before each use.
2. Flip [Rotate] [Raise] the [nozzle extension] wand up to the ["Ready to Use"] spray position.
3. Rotate nozzle from OFF ["X"] position to [desired] spray position.
4. Slide the lock [switch] [button] [away from [trigger] [button]] [up] to the unlocked [open] [spray] position.
5. [Grab bottle and let arm hang naturally.] Press button down to spray.

#### AFTER USE:

6. [When] Once spraying is completed, slide the lock [switch] [button] towards trigger [button]] [down] to the locked [closed] position.
7. Rotate nozzle to OFF ["X"] position and flip [rotate] the [nozzle extension] wand down to storage position.

**To replace batteries:** While the lock is in the locked [closed] position, rotate sprayer counterclockwise and lift [pull up] on the sprayer. Push [Press] battery door tab and pull to open [remove] battery door. Insert and align new batteries to correct "+" and "-" designations as shown near the battery door. Close [Replace] battery door. Replace the sprayer on the bottle in the same position it was removed from, matching the arrows on the front of the sprayer and bottle. Rotate sprayer clockwise until the sprayer lines up with the front of the bottle.

**[Keep reusable Flip & Go sprayer for use with [Product Name]]**



### **STORAGE AND DISPOSAL**(For use with **Hand Sprayer or Nested Sprayer Application**)

**Pesticide Storage:** Turn the nozzle to "OFF" position and store with sprayer above the level of liquid in container to prevent leakage. **To prevent accidental poisoning, never store this product in food, drink, or unlabeled containers.**

**Pesticide Disposal: If empty:** Nonrefillable container. **DO NOT** reuse or refill this container. Offer for recycling, if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

### **STORAGE AND DISPOSAL** (For use with **Trigger Sprayer or Sprinkler Cap**)

**Pesticide Storage:** Store in a cool, dry area away from heat or open flame. **To prevent accidental poisoning, never store this product in food, drink, or unlabeled containers.**

**Pesticide Disposal: If empty:** Nonrefillable container. **DO NOT** reuse or refill this container. Offer for recycling, if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

### **STORAGE AND DISPOSAL** (For use with Auto Trigger [Sprayer])

**Pesticide Storage:** Store in original container in a cool, dry area away from heat or open flame and in an area inaccessible to children and pets. Keep from freezing. **To prevent accidental poisoning, never store this product in food, drink, or unlabeled containers.**

**Pesticide Disposal: Reusable Auto Trigger [Sprayer]:** **DO NOT** discard. Keep the Auto Trigger [Sprayer] for use on Chemsico Grass & Weed Killer RTU 3A. **If Empty:** Non-refillable container. **DO NOT** reuse or refill this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

### **STORAGE AND DISPOSAL** (for use with EASY ACTION PUMP)

**Pesticide Storage:** Slowly turn the pump handle counterclockwise to loosen the pump mechanism from the bottle to release pressure. Turn the handle back clockwise to seal the unit for storage. Turn the handle counterclockwise one quarter turn to lock the handle. Push the hose back into the storage compartment. Place the wand back in the holster. Store this product in its original container in a secure storage area. **To prevent accidental poisoning, never store this product in food, drink, or unlabeled containers.**

**Pesticide Disposal: If empty:** Nonrefillable container. **DO NOT** reuse or refill this container unless the directions for use allow a different (concentrated) product to be diluted in the container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

### **STORAGE AND DISPOSAL** (For use with Option I Easy Action Pump)

**Pesticide Storage:** Slowly turn the pump collar counterclockwise to loosen the seal and release pressure. Turn the collar back clockwise to retighten the seal. Push the hose back into the storage compartment. Place the wand back in the holster. Store this product in its original container in a secure storage area. **To prevent accidental poisoning, never store this product in food, drink, or unlabeled containers.** **Pesticide Disposal: If empty:** Nonrefillable container. **DO NOT** reuse or refill this container unless the directions for use allow a different (concentrated) product to be diluted in the container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

### **STORAGE AND DISPOSAL**(For use with EZSPRAY Sprayer)

**Pesticide Storage:** Turn the nozzle to "CLOSE" position. To prevent leakage, attach sprayer to clip. Store this product only in its original container in a secure storage area away from sources of heat or open flame. Protect product from freezing. **To prevent accidental poisoning, never store this product in food, drink, or unlabeled containers.**

**Pesticide Disposal: If empty:** Nonrefillable container. **DO NOT** reuse or refill this container. Offer for recycling, if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

### **STORAGE AND DISPOSAL** (For use with AccuShot Sprayer)

**Pesticide Storage:** Turn the nozzle to "CLOSE" position. To prevent leakage, attach sprayer to clip. Store this product only in its original container in a secure storage area away from sources of heat or open flame and in an area inaccessible to children and pets. Keep from freezing. **To prevent accidental poisoning, never store this product in food, drink, or unlabeled containers.**

**Pesticide Disposal: DO NOT** discard the AccuShot Sprayer. Keep the AccuShot Sprayer for use on Chemsico Grass & Weed Killer RTU 3A. Nonrefillable container. **DO NOT** reuse or refill this container unless the directions for use allow a different (concentrated) product to be diluted in the container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

### **STORAGE AND DISPOSAL** (For use with AccuShot Sprayer) with Snap Adapt Cap)

**Pesticide Storage:** Turn the nozzle to "CLOSE" position. To prevent leakage, place sprayer in holster. Store this product only in its original container in a secure storage area away from sources of heat or open flame and in an area inaccessible to children and pets. Keep from freezing. **To prevent accidental poisoning, never store this product in food, drink, or unlabeled containers.**

**Pesticide Disposal: DO NOT** discard the AccuShot Sprayer. Keep the AccuShot Sprayer for use on Chemsico Grass & Weed Killer RTU 3A. Nonrefillable container. **DO NOT** reuse or refill this container unless the directions for use allow a different (concentrated) product to be

diluted in the container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

## STORAGE AND DISPOSAL {For use with Flip and Go Sprayer Option L and other sprayers as appropriate}

**Pesticide Storage:** Turn the nozzle to "CLOSE" position. To prevent leakage, [flip] [rotate] the [nozzle extension] [wand] down to storage position. Store this product only in its original container in a secure storage area away from sources of heat or open flame and in an area inaccessible to children and pets. Keep from freezing. **Pesticide Disposal:** [Do not discard the Flip and Go Sprayer. Keep the Flip and Go Sprayer for use on new refill container.] Nonrefillable container. Do not reuse or refill this container unless the directions for use allow for reuse on a different (concentrated) product to be diluted in the container or reuse on a new refill container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

## Alternate Label Format: For Use with SmartOnes™ Precision Sprayer

### First Aid

<b>If in Eyes:</b>	<ul style="list-style-type: none"> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a Poison Control Center or doctor for treatment advice.</li> </ul>
<b>If on Skin or Clothing:</b>	<ul style="list-style-type: none"> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a Poison Control Center or doctor for treatment advice</li> </ul>
Have the product container or label with you when calling a Poison Control Center, doctor, or going for treatment.	

## PRECAUTIONARY STATEMENTS

### First Aid

<b>If in Eyes:</b>	<ul style="list-style-type: none"> <li><b>IMMEDIATELY</b> hold eye open and rinse <b>thoroughly</b> and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.</li> </ul>
<b>If on Skin or Clothing:</b>	<ul style="list-style-type: none"> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a Poison Control Center or doctor for treatment advice</li> </ul>
Have the product container or label with you when calling a Poison Control Center, doctor, or going for treatment.	
<b>Note to Physician:</b> If in eyes, treat symptomatically. Symptoms may develop gradually. Severe damage may be caused by apparently trivial contact and healing may be delayed. Medical supervision should be continued until healing is complete.	

## PRECAUTIONARY STATEMENTS

### Hazards to Humans and Domestic Animals

**CAUTION.** May cause eye irritation. Protective eyewear is strongly recommended when applying this product. Avoid contact with eyes or clothing.

**Personal Protective Equipment (PPE):** Wear long-sleeved shirt, long pants, shoes, and socks.

### Environmental Hazards

This pesticide is toxic to fish and aquatic invertebrates. **DO NOT** apply directly to water. **DO NOT** contaminate water when disposing of equipment washwaters. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. This product may impact surface water quality due to runoff of rain water. This is especially true for poorly draining soils and soils with shallow ground water. This product is classified as having a high potential for reaching surface water via runoff. This chemical has properties and characteristics associated with chemicals detected in groundwater. This chemical may leach into groundwater if used in areas where soils are permeable, particularly where the water table is shallow. A level, well maintained vegetative buffer strip between areas to which this product is applied and surface water features such as ponds, streams, and springs will reduce the potential loading of fluazifop-p-butyl from runoff water and sediment. Runoff of this product will be reduced by avoiding applications when rainfall or irrigation is expected to occur within 48 hours. **NON-TARGET ORGANISM ADVISORY:** This product is toxic to plants and may adversely impact the forage and habitat of non-target organisms.

including pollinators, in areas adjacent to the treated site. Protect the forage and habitat of non-target organisms by following label directions intended to minimize spray drift.

#### **USER SAFETY RECOMMENDATIONS**

Clothing and protective equipment exposed to this product should be washed in detergent and hot water. Such items should be kept and washed separately from other laundry.

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Users should remove clothing and protective equipment immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

## **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. *For outdoor residential use only.*

### **STOP. Read entire label before use**



Do not allow people or pets to touch treated plants until the sprays have dried.

#### **APPLICATION RESTRICTIONS**

**DO NOT** apply this product in a way that will contact any person or pet, either directly or through drift. Only persons applying this product may be in the area during application. **DO NOT** mow, cut or otherwise disturb treated [vegetation] [weeds] or [plants] for at least 7 days following application. **DO NOT** use on or around edible feed or food crops. **DO NOT** apply this product via backpack sprayer.

#### **SPRAY DRIFT ADVISORIES**

##### **Handheld Technology Applications:**

Take precautions to minimize spray drift.

## **When to Apply**

- For best results apply during warm, sunny weather (above 60°F) when weeds are actively growing and no rain is forecast for 24 hours. Rainfall or watering 2 hours [15 minutes] after application will not wash away effectiveness.
- To avoid drift to desirable plants, apply when the air is calm.

## **How To Apply\***

- Completely wet [Alternate: cover] the foliage [Alternate: leaves] of the target vegetation. Do not overspray.
- Sprayed plants begin yellowing and wilting in about 24 hrs, with complete kill, including the roots, in 1 to 2 weeks.
- If desirable plants are accidentally sprayed, wash plants with water immediately.

*\*Visual symptoms and time to complete kill will depend on weed and grass type, temperature and application rate.*

## **How to use**

Chemsico Grass & Weed Killer RTU 3A is pre-mixed and ready to use and is formulated for "spot" treatment of weeds and grasses. [It is ideal for tough to reach weeds found in flowerbeds.] Use it on driveways and walkways, or around fences, trees, flower beds, shrubs and other areas in your yard.

#### **[OPTION M: Directions for SmartOnes™ Precision Sprayer]**

1. Shake well before use.
2. Remove protective cap and retain for storage of unused product.
3. To activate, set locking dial to ON. Set to OFF when not in use.
4. Insert cartridge upside down in the cone of the SmartOnes™ Precision Sprayer.
5. Lock handle firmly in place.
6. Place the SmartOnes™ Precision Sprayer over the weed to be treated.
7. Gently push handle down to release the product. Spray covers an area 8.9cm (3.5inches) in diameter.

Note: Do not press on the pump nozzle when the cartridge is not inserted upside down in the cone of the SmartOnes Precision Sprayer. Do not point Towards the face.

Keep Smart Ones Precision Sprayer for use with interchangeable cartridges.

**STORAGE AND DISPOSAL** (For use with SmartOnes™ Precision Sprayer)

**Pesticide Storage:** Store in original container in a cool, dry area away from heat or open flame and in an area inaccessible to children and pets. Keep from freezing. **Pesticide Disposal: If empty:** Non-refillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**NOTICE: To the extent required by applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.**

Chemsico, A Division of United Industries Corp., P. O. Box 142642, St. Louis, MO 63114-0642

**[Questions or Comments?** call 1-800-332-5553]

[\*\*If you are not satisfied with this product for any reason, send your written request for a refund to the address below, together with the original dated store receipt showing the price you paid. Please allow 6-8 weeks for processing.]

EPA Reg. No. 9688-293

EPA Est. No. 9688-MO-1 © 2021

## OPTIONAL MARKETING LANGUAGE

[Chemsico Grass & Weed Killer RTU 3A eliminates all types of common weeds and grasses [as listed]. (*illustrations*) This product can be used [for] [edging around lawns] [ornamental garden plot preparation] in driveways, walkways, curbs, along fences and foundations, near trees and shrubs, in flower beds, mulch beds and other similar areas of the yard to get rid of undesirable vegetation.]

[This product [is a non-selective herbicide that] will kill any vegetation contacted. It enters plants through the leaves and moves down to the roots. This will ensure that the entire plant is eliminated. Avoid direct spray or drift onto desirable plants, lawn grasses, shrubs, and trees. Protect desirable plants and vegetation with a piece of plastic or cardboard. If desirable plants are accidentally sprayed, wash plants with water immediately. This product has no soil activity and thus will not affect nearby untreated plants.]

[This container covers approximately 300 sq. ft. Coverage may be reduced if large brush species are treated.]

## OPTIONAL MARKETING CLAIMS

1. \*\*Guaranteed Results [or your money back] [Money Back Guarantee\*\*]
2. [Better] [Best] value
3. [Formula] enters the plant within one to two hours [won't wash off]
4. Improved Formula
5. [Spot] Treatment for Ornamental Garden] Replanting
6. Absorbed into the plant
7. Absorbed on Contact
8. Can be Used Over the Root Zones of Trees, Shrubs or Desirable Plants
9. Control that doesn't wash away
10. Controls [Hardy] [Tough] [Hard To Kill] Weeds and Grasses
11. Dead [weeds] [and] [grass] in 24 hours [and they'll never come back]
12. Dead Weeds Guaranteed\*\* [\*\*Or Your Money Back]
13. Does not have soil activity
14. Do-it-yourself weed killer
15. Effective even if it rains
16. Eliminates [Alternate: kills] all common weeds and grasses
17. Eliminates Roots & Weeds, [Guaranteed\*\*]
18. Eliminates Weeds, [Guaranteed\*\*]
19. Exclusive Formula
20. Fast & complete
21. Fast Acting [Formula]
22. Faster results than the leading brand
23. Fastest Replanting Available
24. For [Spot] Treatment of Unwanted Weeds and Grasses
25. For use [Alternates: Ideal; Can be used];in [Alternates: on;for;along; in and around] flowerbeds
26. For Use [Use] [Ideal] [Can be Used] [Use in and around] [in] [on] [for] [along] [around] [fences], [driveways], [walkways], [shrubs], [trees] [ornamentals] [Walks] [Mulch Beds] [Gravel] [and] [Driveways] [Curbs]
27. For walks, drives, fences, patios and similar areas
28. Keeps Working, Even If it Rains
29. Kills All Treated Weeds
30. Kills Even Tough Weeds & Grasses
31. Kills from the Inside Out
32. Kills over 500 [500+] types of weeds [weed types] as listed
33. Kills over 500 [500+] varieties of broadleaf and grassy weeds as listed
34. Kills 521 [types of] weeds as listed
35. Kills all weeds as listed
36. Kills the Entire Plant
37. Kills the Root
38. Kills the Root So Weeds Won't Grow Back
39. Kills the Root!
40. Kills the Weed you see and the Root you Don't
41. Kills Weeds and Unwanted Grasses
42. Kills Weeds and Unwanted Grasses, [Roots and All]
43. Kills Weeds in [a] [one] day
44. No Measuring
45. No Mixing [Required] [Necessary]
46. No residual activity in soil
47. No Root, No Weeds, [Guaranteed\*\*]
48. No Soil Activity
49. Not even the leading brand [is faster] [is as fast]
50. Overnight results
51. Quick-Kill Formula
52. Rainfast in 2 hours for control that doesn't wash away [won't wash away]

53. Rainfast in Hours – Starts to enter the Plant on Contact
54. Rainproof in 2 hours
55. Rainproof in 2 Hours for Control That Won't Wash Away
56. Ready-To-Use
57. Replant flowers, trees & shrubs [in half the time of other brands] [the same weekend]
58. Can be used around trees & shrubs
59. Satisfaction guaranteed [or your money back] [with proof of purchase]
60. See Results in 24 hrs!
61. Starts to work in 24 hours
62. Starts Working in Hours
63. Systemic formula
64. Systemic Weed and Grass Killer
65. Triple Action Formula
66. Water-based
67. Won't Wash Away
68. Works the First Time, [Every time]
69. Works in 24 hours
70. Works the first time [guaranteed\*\*] \*\* Or Your Money Back
71. Works 3 Ways : (1)Results in 24 hrs, (2) Kills over 155 varieties of Broadleaf & Grassy Weeds as listed, (3) Kills the Root
72. Starts Working Immediately !
73. Use on Paved & Landscaped Areas
74. Visible Results [as Fast as] [in] 3 Hours
75. Rainfast in [10]15 [20] [25] [30] Minutes
76. Rainproof in [10]15 [20] [25] [30] Minutes
77. Rain resistant in [10]15 [20] [25] [30] Minutes
78. Plant new flowers, trees & shrubs in treated area after just 1 day
79. Optional Graphic Icon (May appear in black & white or color) :



80. Kills weeds AND grass
81. Read back label [for more information]
82. See inside booklet for complete Directions for Use, including How to Use, How and When to Apply and Replanting Tips
83. One gallon covers 300 sq ft
84. 1.33 gallons covers 399 sq ft
85. Treated, dead weeds [and grasses] will gradually decompose and disappear
86. Dead weeds [and grasses] gradually decompose [and disappear]
87. Dead weeds [and grasses] eventually decompose [and disappear]
88. Dead weeds [and grasses] decompose [and disappear]
89. If you would prefer to remove the dead weeds [and grasses] by hand, wait up to 7 days after treatment to allow the product to do its job and kill the weeds and grasses to the root
90. [If you'd prefer], wait 7 days for product to kill weeds [and grasses] to the root then remove by hand
91. [If you'd prefer], wait 7 days then pull dead weeds [and grasses]
92. [If you'd prefer], pull dead weeds [and grasses] after 7 days
93. [If you'd prefer], pull them after 7 days
94. **[How it Works :]** Weeds [and grasses] have different types of roots and need different chemicals in order to kill each type. These chemicals work to kill the cells of the weeds [and grasses] by entering the plant through the leaves and moving down to the roots.
95. **[How it Works :]** Weeds [and grasses] have different types of roots and need different chemicals in order to kill each type
96. **[How it Works :]** Different chemicals are needed to kill different root types
97. **[How it Works :]** Different chemicals are needed to kill different weeds [and grasses]
98. **[How it Works :]** These chemicals work to kill the cells of the weeds [and grasses] by entering the plant through the leaves and moving down to the roots
99. **[How it Works :]** These chemicals kill weed [and grass] cells by entering through leaves and moving to roots
100. **[How it Works :]** These chemicals kill weeds [and grasses] by killing the plant cells
101. **[How it Works :]** **Diquat Dibromide** : Burn down agent [Lets you see the product is working [fast]]. **Fluazifop-p-butyl** : Kills grasses to the root. **Dicamba** : Kills listed [tough] broadleaf [dandelion-type][thistle-type] weeds to the root. Weeds and grasses have different types of roots and need different chemicals in order to kill each type. These chemicals work to kill the cells of the weeds and grasses by entering the plant through the leaves and moving down to the roots.
102. **[How it Works :]** **Diquat Dibromide** : Burn down agent [Lets you see the product is working [fast]].
103. **[How it Works :]** **Fluazifop-p-butyl** : Kills grasses to the root.
104. **[How it Works :]** **Dicamba** : Kills listed [tough] broadleaf [dandelion-type][thistle-type] weeds to the root.
105. **[How it Works :]** Weeds and grasses have different types of roots and need different chemicals in order to kill each type; these chemicals work to kill the cells of the weeds and grasses by entering the plant through the leaves and moving down to the roots
106. **[How it Works :]** Weeds and grasses have different types of roots and need different chemicals in order to kill each type
107. **[What to Expect :]** \*Visual symptoms and time to complete kill will depend on weed [or grass] type, temperature and application rate. Examples of visual symptoms you can expect to see as the product works are yellowing/browning of leaves and leaves curling, twisting, wilting and shriveling. Treated, dead weeds [and grasses] will gradually decompose and disappear. If you would



prefer to remove the dead weeds [and grasses] by hand, wait up to 7 days after treatment to allow the product to do its job and kill the weeds and grasses to the root.

108. **[What to Expect :]** \*Visual symptoms and time to complete kill [will] depend on weed [and grass] type, temperature and application rate
109. **[What to Expect :]** \*Visual symptoms and time to 100% kill [will] depend on weed [and grass] type, temperature and application rate
110. **[What to Expect :]** Weed [and grass] type, temperature and application rate affect visual symptoms and time to complete [100%] kill
111. **[What to Expect :]** Examples of visual symptoms you can expect to see as the product works are yellowing/browning of leaves and leaves curling, twisting, wilting and shriveling.
112. **[What to Expect :]** Examples of visual symptoms are yellowing/browning of leaves and leaves curling, twisting, wilting and shriveling.
113. **[What to Expect :]** Expected visual symptoms: yellowing/browning of leaves and leaves curling, twisting, wilting and shriveling.
114. **[What to Expect :]** Expected visual symptoms: leaves yellowing/browning, then curling, twisting, wilting and shriveling.
115. **[When to Use :]** For best results, apply when max daytime temperature is above 60°. The higher the temperature, the faster the product will work. To avoid drift to desirable plants, don't apply when it's windy
116. **[When to Use :]** [For best results], apply when max daytime temperature is above 60°
117. **[When to Use :]** [For best results], apply when temperature is above 60°
118. **[When to Use :]** [For best results], apply above 60°
119. **[When to Use :]** The higher the temperature, the faster the product will work
120. **[When to Use :]** Works faster at higher temperatures
121. **[When to Use :]** To avoid drift to desirable plants, don't apply when it's windy
122. **[Where to use :]** [Use] On [patios] [walkways] , [driveways] [flower beds]; [around] [flowers][shrubs] & [trees]] ; [along [fences] & [foundations]] & [in large areas]
123. **[What it Does :]** Kills all types of listed weeds & grasses, including dandelion, clover, chickweed, plantain, annual bluegrass and crabgrass. [see inside for complete list]
124. **[What it Does :]** Kills all types of listed weeds & grasses
125. Effective formula [- Diquat, Fluazifop-p-buyl, Dicamba -] for killing weeds [and grass]
126. Contains three active ingredients [- Diquat, Fluazifop, Dicamba -] for [quick] weed [and grass] killing [power]
127. [Powered by][Built on][Fueled by][Charged with] 3 Active Ingredients [- Diquat, Fluazifop-p-buyl, Dicamba -] [for [quick] weed [and grass] killing [power]]!
128. Tri[ple]-Powered Weed [and grass] Killing Formula [- Diquat, Fluazifop-p-buyl, Dicamba]

#### **Optional Marketing Claims- Sprayer Claims**

129. EzSpray Power Action Sprayer [batteries included]
130. [Please Read Before Use] – When Priming, Hold Sprayer Level to the Ground. If Held at an Angle, Sprayer Will not Prime
131. EzSpray Easy Setup
132. Continuous Spray
133. Increased Pressure for (5 Minute) Continuous Spray
134. Up to 5 [10] [X] minutes of Continuous Spray
135. Adjustable Spray Patterns [For Spot Application][Covers Large Area]
136. Extended Wand for Hard-to-Reach Areas
137. Locking Trigger Reduces Hand Fatigue
138. Easy Action Pump [Sprayer]
139. No Assembly Required
140. Reusable Battery Sprayer
141. Battery Powered Sprayer
142. Reusable Auto Trigger [Sprayer]
143. For Use with Reusable Auto Trigger [Sprayer]
144. Refill
145. Continuous [Adjustable] Spray [for Entire Home Protection]
146. Continuous Action Power Sprayer
147. Continuous Power Trigger [Spray]
148. Press and Hold Technology
149. EZSpray
150. Comfort Power Sprayer [Trigger]
151. Reduces[No] Hand Fatigue
152. No pumping [no squeezing], just press to spray
153. Batteries [not] included
154. Includes [X] AA Batteries
155. AccuShot
156. AccuShot Sprayer
157. [Just] Aim & Spray
158. Comfort-Power-Precision



159. With Extendable Wand [for improved accuracy]
160. With Adjustable Wand [for improved accuracy]
161. For use with Reusable AccuShot Sprayer
- [Flip & Go Sprayer Claims]*
162. [new] Flip & Go Sprayer [is] Designed for small spaces {"New" reference to be used only for a 6 month Duration after introduction into the marketplace}
163. Designed for [your] accuracy
164. [new] Flip & Go Sprayer features a [built with] lightweight bottle [design] {"New" reference to be used only for a 6 month duration after introduction into the marketplace}
165. Balanced [Intuitive] [Modern] [Sleek] design
166. [new] Flip & Go Sprayer features a slim bottle [profile] [for convenient storage] {"New" reference to be used only for a 6 month duration after introduction into the marketplace}
167. [new] Flip & Go Sprayer [has] [3] [different] spray patterns [for multiple applications] [for precise treatments] [ideal for indoor/outdoor use] {"New" reference to be used only for a 6 month duration after introduction into the marketplace}
168. indoor/outdoor use] {"New" reference to be used only for a 6 month duration after introduction into the marketplace}
169. [Accurate] [continuous] spray [technology]
170. [new] Flip and Go Sprayer features an Accurate nozzle [and] [extension] [wand] {"New" reference to be used only for a 6 month duration after introduction into the marketplace}
171. All-in-one battery power [powered] sprayer
172. [Contains] [Includes] AA Batteries
173. Replaceable batteries
174. [new] Flip and Go with continuous [Power] Sprayer [Technology] {"New" reference to be used only for a 6 month duration after introduction into the marketplace}
175. [new] Flip and Go [is] [[Designed] [ideal] [perfect]] for [small area(s)] spot treatment {"New" reference to be used only for a 6 month duration after introduction into the marketplace}
176. [new] Flip and Go featuring a [an] [Easy] [simple] [precise] pivot [extension] wand {"New" reference to be used only for a 6 month duration after introduction into the marketplace}
177. [new] Flip and Go [is] easy to maneuver [in] [to] [under] [hard to reach places] {"New" reference to be used only for a 6 month duration after introduction into the marketplace}
178. Sprays in hard to reach places
179. Extended [powerful] spray
180. [new] Flip and Go [with] Flip and go spray [sprayer] {"New" reference to be used only for a 6 month duration after introduction into the marketplace}
181. [Just] point [aim] [flip] and spray [shoot] [treat]
182. [Just] [Simply] Flip & Spray
183. [new] Flip and Go featuring [features] multiple spray patterns {"New" reference to be used only for a 6 month duration after introduction into the marketplace}
184. [new] Flip and Go with a [power] [precision] spray wand {"New" reference to be used only for a 6 month duration after introduction into the marketplace}
185. Precise [precision] spray [pattern]
186. [new] Flip and Go functions with [just] a [simple] press of a button {"New" reference to be used only for a 6 month duration after introduction into the marketplace}
187. Spray with a [simple] press of a button
188. Reusable sprayer
189. [new] Flip and Go Bottle fits [[on] [in] under cabinets [shelves] [under sinks] [with ease] {"New" reference to be used only for a 6 month duration after introduction into the marketplace}
190. Flip and Go [for] convenient Storage
191. Easy to store [store] [Storage] [bottle]
192. [new] Flip and Go [is designed to] Fit[s] on most shelves [in small storage areas] {"New" reference to be used only for a 6 month duration after introduction into the marketplace}
193. Lock button prevents drips [spills] [leaks] in storage
194. [new] Flip and Go [with a] locking trigger prevents drips [leaks] [spills] [in storage] {"New" reference to be used only for a 6 month duration after introduction into the marketplace}
195. 1 [One] [Single] Hand [usage] [design] [grip]
196. 1 [One] [Single] hand spraying [operation]
197. [new] Flip and Go [design] has single hand usage [operation] allowing you to keep 1 [one] hand free for ability to easily move away [curtains] [rugs] [furniture] [or other items] {"New" reference to be used only for a 6 month duration after introduction into the marketplace}
198. Comfort grip [design] [handle]
199. Flip and Go [features] Comfort & Accuracy [all] in one
200. Convenient [easy to grab] [handle] [fits] [for] all hand sizes
201. [Easy] balance grip
202. [new] Flip and Go [features] with [Easy] [little] no set-up {"New" reference to be used only for a 6 month duration after introduction into the marketplace}
203. Easy to grab [handle] [design]
204. Easy [Simple] to [hold] use
205. Grab and Go

206.No bending [over] required

207.Easy control [with one hand]

208.[new] Flip and Go [is] designed for [your] comfort [balance] [comfort & balance] {"New" reference to be used only for a 6 month duration after introduction into the marketplace}

{Optional images to accompany Flip and Go Sprayer directions}



OPTIONAL PICTURES AND ACCOMPANYING LANGUAGE (Note to Reviewer: Pictures will not appear on product label without text that lists the type of weed, time difference between the pictures, application rate and description of visual symptoms)



Pre-Application      3 hours      6 hours      24 hours

- Pictured Weed: Plantain
- Application Rate: 7 fl oz/gallon of water
- Examples of visual symptoms you can expect to see as the product works are yellowing/browning of leaves and leaves curling, twisting, wilting and shriveling. [Visual symptoms include leaves yellowing/browning, curling, twisting, wilting and shriveling.]
- [Treated, dead weeds [and grasses] will gradually decompose and disappear. If you would prefer to remove the dead weeds [and grasses] by hand, wait up to 7 days after treatment to allow the product to do its job and kill the weeds and grasses to the root.]

#### OPTIONAL LANGUAGE FOR PICTURES

1. \*Visual symptoms and time to complete kill [will] depend on weed [and grass] type, temperature and application rate
2. \*Visual symptoms and time to 100% kill [will] depend on weed [and grass] type, temperature and application rate
3. \*Weed [and grass] type, temperature and application rate affect visual symptoms and time to complete kill
4. Examples of visual symptoms you can expect to see as the product works are yellowing/browning of leaves and leaves curling, twisting, wilting and shriveling.
5. Examples of visual symptoms are yellowing/browning of leaves and leaves curling, twisting, wilting and shriveling.
6. Expected visual symptoms: yellowing/browning of leaves and leaves curling, twisting, wilting and shriveling.
7. Expected visual symptoms: leaves yellowing/browning, then curling, twisting, wilting and shriveling.

#### OPTIONAL MARKETING LANGUAGE FOR BACK PANEL DISPLAY ONLY

##### Option 1:

[Also] Try our [Weed Stop] lawn weed killers

- [Spectracide Weed Stop for Lawns Concentrate]
- [Spectracide Weed Stop for Lawns]
- [Spectracide Weed Stop for Lawns Plus Crabgrass Killer Concentrate]
- [Spectracide Weed Stop for Lawns Plus Crabgrass Killer]
- [Spectracide Weed Stop for Lawns Plus Crabgrass Preventer Granules]



##### Option 2:

[Try our] [Spectracide Weed Stop for Lawns] [Spectracide Weed Stop for Lawns Concentrate] [Spectracide Weed Stop for Lawns Plus Crabgrass Killer] [Spectracide Weed Stop for Lawns Plus Crabgrass Killer Concentrate] [Spectracide Weed Stop for Lawns Plus Crabgrass Preventer Granules]



Option 3:

Kill weeds down to the root with[Spectracide Weed Stop for Lawns] [Spectracide Weed Stop for Lawns Concentrate] [Spectracide Weed Stop for Lawns Plus Crabgrass Killer] [Spectracide Weed Stop for Lawns Plus Crabgrass Killer Concentrate]



OPTIONAL PRODUCTS FACTS BOXES

**Product Facts**

Container treats [more than][over] 200 weeds [24 fl oz.]  
Container treats [more than][over] 500 weeds [1/2 gal, 2L][Container treats 150 sq ft]  
Container treats [more than][over] 1000 weeds [1 gal, 4 L][Container treats 300 sq ft]  
Container treats [more than][over] 1300 weeds [5L] [Container treats 390 sq ft]  
Container treats [more than][over] 1500 weeds [6L] [Container treats 470 sq ft]  
Container treats [more than][over] 2000 weeds [2 gal] [Container treats 600 sq ft]

**KILLS WEEDS**

[illustrate grassy, broadleaf and woody weeds]  
ALL TYPES OF WEEDS [AND][&] GRASSES as listed

**WHERE TO USE:**

- On patios, walkways or driveways
- In flower beds
- Around shrubs [and][&] trees
- Along fences [and][&] foundations
- Other areas in your yard
- Edging around lawns
- For ornamental garden plot preparation
- Lawn renovation

**Questions & comments:**

Call 800-332-5533 or www.(address)

**Product Facts**

**WHAT IT DOES:** Kills all types of weeds and grasses [down to the root]

**WHERE TO USE:** Outdoors [icon]: On patios, walkways, driveways; around flowers, shrubs and [or] trees; along fences, foundations, and in large areas [for ornamental garden plot preparation] [For Lawn Replacement]

**WHEN TO USE:** For best results, apply during warm, sunny weather (above 60°F)

**Questions & Comments:**

Call 1-800-332-5553 or visit our website.

**Optional Weed List**

**[KILLS] [CONTROLS] MOST COMMON [TOUGH] WEEDS AND GRASSES INCLUDING:**

alder	black cottonwood	bushy aster
Alkali Mallow	Black medick	bushy buttonweed
Alsike Clover	Black mustard	Buttonweed
alyce clover	black willow	california rose
amur honeysuckle	Blackberry	Canada thistle
Annual Bluegrass (Poa annua)	Black-eyed Susan	Carolina geranium (wild)
Annual Bluegrass (Poa annua)	Blackseed plantain	Carpetweed
annual mouse-ear chickweed	Blessed thistle	catchweed
annual oxalis	bloodflower	Catchweed bedstraw
annual purple cudweed	Bloodflower milkweed	Catnip
annual ryegrass	Blue lettuce	Catsear
Annual Sowthistle	blue medick	catsear dandelion
annual wild geranium	Blue Mustard	cattail
annual yellow sweet clover	blue toadflax	ceanothus
arkansas rose	Blue vervain	Cedar
Artichoke	bluegrass	centipedegrass
artichoke thistle	bluegum	Chamber bitter
Ash	box elder	chamise
asiatic pennywort	Bracted plantain	cheeseweed
Aspen	Brambles	cherry
Aster	Brass buttons	chickweed
Austrian fieldcress	Brazil Pusley	Chicory
bahiagrass	brazilian pepper	choke cherry
Ball Mustard	Bristly Mallow	Cinquefoil
bamboo	Bristly oxtongue	Clover
barnyardgrass	broadleaf plantain	Cockle
Bedstraw	broadleaf signalgrass	cocklebur
beggartick	Broad-leaved dock	coffeebean
beggarweed	bromegrass	coffeeweed
bentgrass	Broomweed	cogongrass
Bermudagrass	brownseed	common burdock
bidens	Buckhorn	Common Buttonweed (poorjoe)
big leaf maple	buckhorn (narrowleaf) plantain	Common Chickweed
Bigroot Morningglory	buckwheat	common cinquefoil
Bi-lobed Speedwell	Bulbous buttercup	Common Dandelion
bindweed (wild morningglory)	bull nettle	common groundsel
Birch	bull thistle	common lambsquarters
Bird vetch	Bur Ragweed	Common Lespedeza
bird's-eye pearlwort	burclover	Common Mallow
bitter sneezeweed	Burdock	common mullein
Bitter wintercress	Burning nettle	common plantain
Bitterweed	Burweed	Common Purslane
Black cherry	bush honeysuckle	common ragweed

common sowthistle	elm	ground ivy (creeping charlie)
Common Speedwell	English Daisy	Groundsel
common vetch	eucalyptus	guineagrass
Common Yarrow	evening primrose	Gumweed
coral bead	evergreen blackberry	Hackberry
corn chamomile	facelis	Hairy Beggarticks
Corn Speedwell	fall dandelion	Hairy Bittercress
Corn spurry	fall panicum	hairy buttercup
cotton thistle	False dandelion (∞spotted catsear & common catsear)	hairy crabgrass
coyote	false flax	Hairy fleabane
coyote brush	False sunflower	Hairy Galinsoga
crabgrass	fennel	Hairy Vetch
Cranesbill	fescue	Hawkweed
creeping beggarweed	fescue species	hawthorn
creeping bentgrass	Field bindweed	hazel
Creeping Buttercup	(∞morningglory & creeping jenny)	Healall
creeping Charlie	field horsetail rush	Heartleaf drymary
Creeping Jenny (Creeping Charlie)	Field oxeye-daisy (∞creeping oxeye)	Heath Aster
Creeping Woodsorrel	field pansy	Hedge bindweed
Crimson Clover	field pennycress	Hedge mustard
croton	field violet	Hemp
Crowfootgrass	filaree	hemp sesbania
Cudweed	Fleabane	henbit
Cupid shaving brush	flix weed	himalayan blackberry
curly dock	Flodman Thistle (prairie)	Hoary cress
curly indigo	Florida Betony	Hoary plantain
cutleaf evening primrose	florida prickly blackberry	Hoary vervain
Daisy Fleabane (annual)	Florida pusley	honeysuckle
dallisgrass	florida yellow woodsorrel	Hop Clover
dandelion	foxtail	horsenettle
Dayflower	french broom	horseradish
dead nettle	Frenchweed	horsetail
dewberry	Galinsoga	horsetail rush
Dichondra	garden spurge	horseweed/marestail
diffuse lovegrass	garlic mustard	iceplant
distaff thistle	Giant Foxtail	Indian Mock Strawberry
Dock	giant ragweed	Indian Mustard
dog fennel	giant reed	Innocence (Blue-eyed Mary)
Dogbane	Goathead	ironweed
Dogfennel	goatsbeard	italian thistle
Dollarweed (pennywort)	Goldenrod	Ivyleaf Morningglory
Doveweed	Gooseberry	Ivyleaf Speedwell
drummonds thistle	goosegrass	japanese honeysuckle
Dwarf Mallow	gray thistle	jewelweed
Elderberry	great burdock	Jimsonweed, Devil's Snare
elk thistle	green foxtail	Johnny-Jumpup violet



Johnsongrass	Mouseear hawkweed	plains coreopsis (tickseed)
jungerice	Mugwort	Plains tickseed
Kentucky bluegrass	Multiflora rose	plantain
kikuyugrass	Musk thistle	Platte Thistle
Kikuyugrass (seedling)	Mustard	plumeless thistle
knapweed	narrow leaved willow	poison hemlock
knawel	narrowleaf cudweed	Poison Ivy
knotweed	narrowleaf plantain	Poison Oak
Kochia	Narrowleaf vetch	Poison Sumac
Kudzu	Nettle	Pokeweed
Ladysthumb Smartweed	nightshade (silverleaf)	Poorjoe
lambquarters	nimblewill	poplar
Lanceleaf Ragweed	Northern Bedstraw	povertyweed
lantana	nutgrass	Prairie sunflower
Large Crabgrass	oak	Prickly lettuce (compass plant)
Large Flower Pusley	oakleaf fleabane	Prickly sida
Lawn Burweed (spurweed)	Old world diamond flower	primrose
leafy thistle	oldenlandia	Prostrate knotweed
Lespedeza	oldfield cinquefoil	Prostrate pigweed
Lilac	Orange hawkweed	prostrate spurge
little bittercress	orchardgrass	Prostrate Verbain
little mallow	Oriental cocklebur	prostrate vervain
locoweed	Oxalis	puncture vine
locust	(*yellow woodsorrel & creeping woodsorrel)	Purple Amaranth
London rocket	Oxeye Daisy	Purple Aster
lupine	Pale Smartweed	Purple cudweed
mackenize willow	pampas grass	purple deadnettle
madrone	parsley-piert	purple nutsedge
mallow	Parsnip	purslane
maple	paspalum	Purslane Speedwell
Marcela	Pearlwort	quackgrass
marshelder	Pennsylvania smartweed	quaking aspen
Matchweed	Pennycress (Frenchweed)	Rabbit Foot Clover
mayweed	pennywort	ragweed
Meadow Hawkweed	Peppergrass	Raspberry
meadow thistle	Pepperweed	red alder
mesquite	perennial mouse-ear chickweed	red clover
Mexican Morningglory	perennial oxalis	Red Morning glory
Mexicanweed	Perennial Pepperweed	Red sorrel (∞sheep sorrel)
milk thistle	perennial purple cudweed	redroot
Milk vetch	perennial wild geranium	Redroot Pigweed
milkweed	Persian Speedwell	Redstem filaree
mimosa∞	persimmon	Redweed
Moneywort	pigweed	Rough cinquefoil
Morning glory	Pineappleweed	Rough fleabane
Mouseear Chickweed	Pineywoods bedstraw	roundleafed marigold



rush	Spiny sowthistle	Trumpet vine
Russian pigweed	Spotted Catsear (false dandelion)	tufted knotweed
Russian thistle	spotted knapweed	tumble mustard
Sage	spotted spurge	Tumble pigweed
Sagebrush	sprangletop	vaseygrass
salmonberry	sprawling horseweed	velvetleaf
saltcedar	Spurge	Venice mallow
sandspur	Spurweed	veronica
sassafras	St. Augustine grass	vetch
Scarlet pimpernel	st. johnswort	vine maple
scotch broom	Star of Bethlehem	violet
Scotch thistle	Sticky Chickweed	Violet Woodsorrel
scouler's willow	Stinging (burning) nettle	virginia buttonweed
Sheep sorrel	stinkweed	Virginia creeper
Shepherd's purse	stitchwort	Virginia Pepperweed (peppergrass)
shiny cudweed	Strawberry Clover	wandering cudweed
showy evening primrose	Sumac	Water pennywort
sibara	sunflower	Wavyleaf bullthistle
Slender Amaranth	swamp smartweed	Wavyleaf Thistle
Slender plantain	Sweet Clover	Western clematis
Slender Speedwell	sweet gum	Western Ragweed
slender-flower thistle	swinecress	Western salsify
smallflower buttercup	tall fescue	Western Yarrow
Smallflower galinsoga	Tall Morning glory	White Clover
smartweed	Tall nettle	(∞Dutch clover, honeysuckle clover, white trefoil, & purplewort)
Smooth Bedstraw	tall thistle	White Heath Aster
smooth bromegrass	Tall vervain	White mustard
smooth cat's ear	tan oak	White Prairie Aster
Smooth chaff-flower	tansy mustard	White Sweet Clover
Smooth Crabgrass	tansy ragwort	Whitestem Filaree
Smooth dock	Tanweed	whitetop
smooth pigweed	tarweed	Wild aster
Smutgrass (seedling)	teaweed	wild barley
sneezeweed	Texas panicum	Wild Blackberry
Snow Speedwell	thimbleberry	Wild buckwheat
Snowberry	Thistle	wild carrot
Soliva	three flower beggarweed	Wild cherry
Sorrel	Thymeleaf Speedwell	wild four-o'clock
sour dock	tick trefoil	Wild garlic
southern wild rose	Timothy	Wild geranium
sowthistle	toadflax	wild grape
Spanish needles	torpedograss	Wild lettuce
spatterdock	trailing blackberry	Wild marigold
speedwell (veronica)	trailing crownvetch	wild morningglory
Spiny amaranth	tree tobacco	Wild mustard (yellow rocket)
Spiny cocklebur	trumpet creeper	wild oats

Wild onion	witchgrass	Yellow Hawkweed
Wild parsnip	witchweed	yellow nutgrass
Wild plum	Wood Nettle	Yellow Nutsedge
Wild radish	Woodsorrel	yellow oxalis
Wild rape	Woolly croton	Yellow rocket
wild rose (multiflora)	Woolly morning glory	yellow starthistle
Wild strawberry	Woolly plantain	Yellow Sweet Clover
Wild sweet potato	woolly vetch	Yellow Thistle (horrible)
Wild vetch	woollyleaf bursage	Yellow Woodsorrel (Oxalis)
Wild Violet	Wormseed	Yellow Yarrow
willow	Wormseed Mustard	Yellowflower pepperweed
winter speedwell	yarrow	yellowspine thistle
winter vetch	Yellow Foxtail	zoysia

∞annual or perennial