



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of  
Chemical Safety  
and Pollution Prevention  
Registration Division (H7504P)  
1200 Pennsylvania Avenue, N.W.  
Washington, D.C. 20460

NOTICE OF PESTICIDE:

Registration  
 Reregistration  
(under FIFRA, as amended)

EPA Reg. Number:

9688-316

Date of Issuance:

Term of Issuance:

Conditional

Name of Pesticide Product:

**CHEMSICO  
Pesticide Granules PL-II**

Name and Address of Registrant (include ZIP Code):

**Chemsico  
Division of United Industries Corporation  
P.O. Box 142642  
St. Louis, MO 63114-0642**

**Note:** Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data. See the data requirements in the attached DCI ID# GDCI-128897-1249 issued December 13, 2012 and DCIID# GDCI-128897-1104 issued February 1, 2012 for Lambda-Cyhalothrin. For information on the DCI you may contact Wilhelmena Livingston in the OPP Product Re-evaluation Division at 703- 308-8025 or by email at livingston.wilhelmenal@epa.gov.

(Continued on page 2)

Signature of Approving Official:

See page # 2  
Mark Suarez, Product Manager (11)  
Insecticide Branch, Registration Division (7504P)

Date:

SEP 25 2013

2. Revise the EPA Registration Number to read. EPA Registration Number 9688-316.

3. You must submit Storage and Corrosion Characteristics data within one year of the date of this letter.


Submit two copies of the final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

If you have any questions, please contact Melody Banks on 703 305 5413 or via email at banks.melody@epa.gov.

A stamped copy of the label is enclosed for your records.

Sincerely yours,



Mark Suarez  
Product Manager  
Insecticide Branch  
Registration Division

# CHEMSICO Pesticide Granules PL II

Lawn Fungicide/Insecticide Granules

For outdoor residential use only.

(see back page for list of optional marketing claims)

**ACCEPTED**  
SEP 25 2013

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 9688-316

Active Ingredients:

Propiconazole .....	0.30%
Lambda-cyhalothrin .....	0.02%
Other Ingredients .....	99.68%
Total .....	100.00%

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION** See back [booklet] for additional precautionary statements

**NET Wt 10 lb (4.5 kg)**

[Bracketed Text] = Optional language

## OPTIONAL MARKETING LANGUAGE

### OPTION A

Chemsico Pesticide Granules PL II protects lawns from damaging [diseases] [fungus] and insects. Its formula can actually [prevent] [and] [control] [listed fungi and lawn diseases they cause] [fungus] and kill insects at the same time.]

### OPTION B

Chemsico Pesticide Granules PL II [prevents] [controls] and stops a wide variety of listed [fungi and lawn diseases they cause] [fungus] and insects on lawns. It works against listed fungi and lawn diseases they cause for up to 2 weeks.

[Prevents] [and] [kills][controls] *Black Spot, Brown Patch, Dollar Spot, Powdery Mildew, Rust and Leaf Spot*

## OPTIONAL PRODUCT FACT BOX

### PRODUCT FACTS

#### What It Does:

[Prevents] [and] [kills][Controls] *Black Spot, Brown Patch, Rust, Powdery Mildew and Other Listed [Fungi and Lawn Diseases they cause] [Fungus].* Kills Listed Insects on Contact.

#### Where To Use: (icon outdoors)

Outdoors on Lawns

#### Questions & Comments: (icon phone) (icon computer)

Call 1-800-332-5553 or Visit our Website at [www.spectracide.com](http://www.spectracide.com)

## STOP. READ ENTIRE LABEL BEFORE USE. DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.



Keep children and pets off treated area until product has been watered in and lawn is dry.

In New York State, this product may not be applied to lawns within 100 ft of a coastal marsh, or a stream that drains directly into a coastal marsh.

### Three Easy Steps to Use this Product

Step #1: Determine size of job, measure the area to be treated

Step #2: Use spreader setting chart to determine the appropriate setting for your spreader.

Step #3: Treat as indicated in the rate chart. Thorough coverage is important. Water in granules immediately after application

**Note:**

- Do not apply more than 3 times per year per location
- Do not allow product to run off from target site or apply within 24 hours of rain.
- Application is prohibited directly into sewers or drains, or to an area like a gutter where drainage to sewers, storm drains, water bodies or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.
- Do not make applications during rain. Apply this product only to the lawn area. Water after application. Do not water to the point of run-off.

**WHEN TO USE**

This product is highly effective when it is used to prevent listed fungi and the lawn diseases they cause. Start treating when grass begins to turn green in the spring or when signs of lawn diseases caused by the listed fungi and insect damage are first noticed. For best control treat every two weeks.

**HOW TO APPLY**

Apply Chemsico Pesticide Granules PL II at a rate of 4 pounds/1000 sq ft over the area to be treated using a properly calibrated drop or rotary-type spreader when conditions are favorable for disease development according to the manufacturer's directions. Check frequently to make sure the spreader is operating properly and distributing product evenly. A more uniform application may be achieved by spreading half of the required amount of product over the area and then applying the remaining half in swaths at a right angle to the first. Avoid skips and excessive overlaps during application. Water lawn after application.

**INSECTS CONTROLLED**

Ants [Argentine, Southern, Field, Alleghany mound, Honey, Pavement, Nuisance, Crazy], Armyworms, Blacklegged ticks, Crickets, Cutworms, Earwigs, Fleas, Japanese Beetle (adults), Grasshoppers, Billbugs, Hyperodes weevils, Mole Crickets, Chinch bugs, Lawn moths (Sod webworms), Leafhoppers, Millipedes, Palmetto bugs, Sowbugs, Mites, Spittlebugs and Waterbugs.

**FUNGI CONTROLLED**

*Colletotrichum graminicola* (Anthracnose), *Rhizoctonia solani* (Brown patch), *Gloeocercospora sorghi* (Copper spot), *Sclerotinia homoeocarpa* (Dollar spot), *Fusarium nivale* (Fusarium Patch), *Laetisaria fuciformis* (Red Patch), *Bipolaris* spp., *Drechslera* spp. (Leaf spot including septoria, zonate), *Bipolaris* spp., *Drechslera* spp. (Melting out), *Sclerotium rofsii* (Crown rot), *Urocystis agropyri* (flag smut), *Erysiphe graminis* (Powdery mildew), *Puccinia graminis* (Rust), *Ustilago striiformis*, (Stripe smut)

**STORAGE AND DISPOSAL**

**Storage:** Store in cool, dry place away from heat or open flame. **Disposal:** If empty: Nonrefillable Container. Do not reuse or refill this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or disposal instructions. Never place unused product down any indoor or outdoor drain.

**PRECAUTIONARY STATEMENTS**  
**Hazards to Humans and Domestic Animals**

**CAUTION:** Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

**First Aid**

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice. Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.

You may also contact 1-800-917-5438 for emergency medical treatment information.

**Environmental Hazards**

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

**NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.**

(\*If you are not satisfied with this product for any reason send your written request for a refund to the address below, together with the dated store receipt showing the price you paid. Please allow 6-8 weeks for processing.)

**[Questions or comments? Call 1-800-332-5553]**

Made in the USA for Chemsico  
Division of United Industries Corporation  
P.O. Box 142642, St. Louis, MO 63114-0642

EPA Reg. No. 9688-

EPA Est. No. 9688-MO-1

© 2012

**OPTIONAL MARKETING CLAIMS**

1. [Prevents] [and] [Kills] listed fungi and the lawn diseases they cause and insects on lawns
2. [Prevents] [and] [Controls] listed fungi and the lawn diseases they cause and insects on lawns
3. Protects lawns
4. [Prevents] [and] [Kills] brown patch, powdery mildew, black spot, rust, blights, leaf spot and mold
5. [Prevents] [and] [Controls] brown patch, powdery mildew, black spot, rust, blights, leaf spot and mold
6. Protects home lawns from ants, aphids, crickets and many [other] [more] listed insects
7. Kills harmful insects by contact
8. kills listed insects [insect pests] by contact
9. Protects for up to 2 weeks against listed fungi and the lawn diseases they cause
10. Water-Based
11. \*Guaranteed Results or Your Money Back
12. Money Back Guarantee\*
13. Dual Action [Formula]
14. 2 uses [in] [with] 1 [product]
15. 2 uses [in] [with] 1 [formula]
16. Controls 2 problems [in] [with] 1 [product]
17. Controls 2 problems [in] [with] 1 [formula]
18. 2 Products in 1
19. Kills major listed insects [by contact]
20. Kills [20] [27] [25+] [more than 25] listed insects [by contact]
21. Controls [major] listed insects [by contact]
22. Controls [20] [27] [25+] [more than 25] listed insects [by contact]
23. [Controls] [and] [Prevents] [all] [major] listed fungi and the lawn diseases they cause
24. [Controls] [and] [Prevents] [all] listed [major] lawn fungus
25. [Controls] [and] [Kills] [all] listed [major] lawn fungus
26. [Controls] [and] [Kills] [all] [major] listed fungi and the lawn diseases they cause

Spreader Make and Model	4 lb/ 1000 sq ft
CYCLONE Rotary	X
K-GRO Rotary	X
Drop	X
REPUBLIC	
EZ Drop #530	X
EZ Drop #540	X
SCOTT'S	
SpeedyGreen 2000	X
SpeedyGreen 3000	X
AccuGreen 1000	X
AccuGreen 2000	X
AccuGreen 3000	X
Drop	X
SEARS Rotary	X
Drop	X
HEARTHWAY Rotary	X
PRECISION Rotary (#S850)	X
RED DEVIL Rotary	X
TRUE TEMPER Rotary	X
Rotary	X

Note: The spreader settings listed above are approximate. Accurately weigh a few pounds into your spreader and apply to a measured area. Then adjust spreader setting if necessary, in order to assure correct rate of application.

6/6