



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

March 21, 2024

Michael G. Sarli
Sr. Director Regulatory
Chemsico, A Div. Of United Industries Corp.
P.O. Box 142642
St. Louis, MO 63114

Subject: Notification per PRN 98-10 – add a few optional marketing claims and graphics and clarifying some of the previously approved verbiage.
Product Name: Chemsico Herbicide RTU DDI
EPA Registration Number: 9688-349
Application Date: 04/11/2022 & 10/19/2022
Case Number: 00478163 & 00480539

Dear Michael G. Sarli:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped “NOTIFICATION” and placed in our records.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.

Page 2 of 2
EPA Reg. No. 9688-349
Case No. 00478163 & 00480539

If you have any questions, please contact Francisco Llarena-Arias at 202-566-2816 or at llarena-arias.francisco@epa.gov.

A handwritten signature in black ink, appearing to read 'Francisco Llarena-Arias', is centered on the page. The signature is fluid and cursive, with a large initial 'F' and 'L'.

Francisco Llarena-Arias
For Lydia Crawford,
Acting Product Manager 24
Fungicide & Herbicide Branch
Registration Division (7505P)

NOTIFICATION

9688-349

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

03/21/2024

Chemsico Herbicide RTU DDI

Intended for outdoor residential use only.

Active Ingredients:

Diquat dibromide	0.090%
Imazapyr, Isopropylamine salt	0.148%
Dicamba, Dimethylamine salt.....	0.030%
Other Ingredients	99.732%
Total	100.000%

- Contains 0.007 lbs. diquat dibromide per US gallon
- Contains 0.012 lbs. imazapyr, isopropylamine salt per US gallon
- Contains 0.002 lbs. dicamba, dimethylamine salt per US gallon

KEEP OUT OF REACH OF CHILDREN

CAUTION: See Back [Alternate: Inside] Booklet [Alternate: Panel] For additional Precautionary Statements, [Alternate: Peel Open for Use Directions and Further Information]

NET CONTENTS: 32 fl oz (1 qt / 946 mL); 64 fl oz (2 qt / 1.89 L); 1 gal.(128 fl oz/ 3.78 L); 1.33 gal (170 fl oz/5.0 L); 2 gal (256 oz / 7.56L)

First Aid

If in Eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a Poison Control Center or doctor for treatment advice.
If on Skin or Clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a Poison Control Center or doctor for treatment advice.
<p>Have the product container or label with you when calling a Poison Control Center, doctor, or going for treatment. You may also contact 1-xxx-xxx-xxxx for emergency medical treatment information.</p>	

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

Environmental Hazards

This pesticide is toxic to aquatic invertebrates. To protect the environment, **DO NOT** allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STOP. Read Entire Label Before use [Alternate: Read and follow label instructions] [Lift Here. Press to Reseal]



Pets & people may reenter treated area once sprays have dried.

APPLICATION RESTRICTIONS

- **DO NOT** apply this product in a way that will contact any person or pet, either directly or through drift.
- Keep people and pets out of the area during application.
- Apply on a sunny day with temperatures above 60°F.
- **DO NOT** apply to or allow product to drift onto desirable plants.
- Only apply to areas where no vegetation is desired for one year.
- Avoid product runoff to nearby desirable plants.
- Protect desirable plants with a piece of plastic or cardboard.
- If desirable plants are accidentally sprayed, wash plants with water immediately.
- **DO NOT** apply near bodies of water including fish pools, ponds, lakes or streams.
- **DO NOT** apply over the root systems of desirable plants. For trees and shrubs, **DO NOT** apply closer than twice the distance from the trunk to the drip line as roots may be within this area.

- **DO NOT** apply to slopes in landscape as movement on soil surfaces may damage desirable plants down slope.
- **DO NOT** apply next to a fence if desirable vegetation is growing on the other side, or if future planting is intended.
- **DO NOT** use before planting lawns, fruits, vegetables, flowers, or other plants because this product remains active in soil for up to one year.
- In soils with heavy clay, weed control may exceed one year.
- **DO NOT use on desirable lawns.**
 - The single max use rate is 1 gal of product per 500 sq ft (equivalent to 0.007 lbs. diquat dibromide, 0.012 lbs. imazapyr, isopropylamine salt, and 0.002 lbs. dicamba, dimethylamine salt per 500 sq ft).
 - The maximum yearly use rate is 3 gal of product per 500 sq ft (a total of 0.021 lbs. diquat dibromide, 0.036 lbs. imazapyr, isopropylamine salt, and 0.006 lbs. dicamba, dimethylamine salt per 500 sq ft).
 - The maximum number of applications per year is 3.
 - The minimum reapplication interval is 3 months.

HOW TO APPLY

[Step 1] Measure area to be treated.

[Step 2] Calculate total area to determine appropriate product mixing. To calculate total area: LENGTH X WIDTH = TOTAL SQ. FT.

[Step 3] Apply [evenly] [to areas] where no vegetation or plant growth is desired for at least [1][one][year][12][twelve][months]

[Step 4]

{Option A;} [Remove cap. Turn jug upside down. Hold jug about waist-high when applying. Tilt bottle slightly to adjust product flow. Allow spray to soak into ground, avoiding runoff to nearby desirable vegetation.]

{OPTION B} [SPRAYER INSTRUCTIONS]

[How to prime and care for your sprayer:]

1. [After shaking product well,] remove cap from container and replace with sprayer hose and cap assembly. Tighten securely.
2. Turn sprayer nozzle one half-turn counterclockwise. Hold sprayer below the level of container and prime by pumping trigger 10 to 15 times until product is dispensed. Adjust nozzle to fine spray or jet stream as needed.
3. To store, turn nozzle to "OFF" position and [store with sprayer above level of liquid in container to prevent leakage] [store sprayer on hook located near bottle handle to prevent leakage].
4. Avoid contamination of food, feedstuffs and domestic water supplies. All food-processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Remove pets and birds and cover fish aquariums before spraying.

{OPTION C} [OPTIONAL DIRECTIONS FOR TRIGGER SPRAYER PRODUCT]

HOW TO USE

1. [Shake well before each use.]
2. Adjust nozzle to narrow fan spray, to prevent excessive wetting and waste of product. Spray just enough to cover area to be treated.

3. Avoid contamination of food, feedstuffs and domestic water supplies. All food-processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Remove pets and birds and cover fish aquariums before spraying.

{OPTION D} [OPTIONAL DIRECTIONS FOR NESTED SPRAYER APPLICATOR]

HOW TO USE

1. [Shake well before each use.]
2. Pull tab outward.
3. Rotate lock ring counterclockwise to unlock.
4. Pull sprayer to uncoil tubing.
5. Turn sprayer nozzle one half-turn counterclockwise. Hold sprayer below the level of container and prime by pumping trigger 10 to 15 times until product is dispensed. Adjust nozzle to fine spray or jet stream as needed.
6. To store, turn nozzle to "OFF" position and return sprayer to bottle opening.
7. Drape tubing through slot in the spray handle.
8. Turn lock ring clockwise to lock.
9. Avoid contamination of food, feedstuffs and domestic water supplies. All food-processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Remove pets and birds and cover fish aquariums before spraying.

{OPTION E} [OPTIONAL DIRECTIONS FOR CAPTIVE SPRAYER PRODUCT]

HOW TO USE

BEFORE USE:

1. [Shake well before each use.]
2. Peel sticker from flip-top cap and open cap. Discard sticker.
3. Remove sprayer from its slot beneath the bottle handle and remove and discard plastic wrap. Pull black hose tip to completely extend tubing.
4. Firmly press black hose tip into opening in cap until it snaps into place.
5. Hold sprayer below the level of the container and prime by pumping trigger several times until product is dispensed.
6. Adjust nozzle to desired setting.

AFTER USE:

7. To store, turn sprayer nozzle off.
8. **DO NOT** disconnect hose.
9. Return sprayer to its slot. Hose can be pushed back into sprayer handle.

{OPTION F} [AUTO TRIGGER [SPRAYER] DIRECTIONS]

1. [Shake well before use.]
2. Remove plastic tab near top of sprayer to activate batteries
3. Twist nozzle to adjust spray from CLOSE to SPRAY or STREAM.
4. [Press the trigger to spray]. Spray just enough to cover area to be treated. Avoid contamination of food, feedstuffs and domestic water supplies. All food-processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Remove pets and birds and cover fish aquariums before spraying.
5. Release the trigger to stop spray.

Keep the reusable auto trigger [sprayer] for use on compatible refills.

[Bracketed Text] = Optional Language {Bracketed Text} = Note to Reviewer

{OPTION G1} [OPERATING INSTRUCTIONS FOR EZ SPRAY™][AccuShot Sprayer]

1. Remove sprayer from side holder. [Unwrap the tubing] [Gently pull tubing out].
2. Remove seal from top of cap. Unplug cap.
3. Securely snap the [green] plug into hole on cap.
4. Remove plastic tab near [top] [bottom] of sprayer to activate batteries.
5. Twist nozzle to adjust spray from CLOSE to SPRAY or STREAM.
6. [When priming the sprayer, hold sprayer level to the ground. Sprayer may not prime if it is held at an angle. Once primed, it will spray in any direction.]

{OPTION G2 – Alternate to G1} [OPERATING INSTRUCTIONS FOR AccuShot Sprayer]

1. Remove cap and replace with reusable AccuShot Sprayer. Make sure sprayer cap is tightly closed before use
2. Twist nozzle to adjust spray from CLOSE to SPRAY or STREAM.
3. [When priming the sprayer, hold sprayer level to the ground. Sprayer may not prime if it is held at an angle. Once primed, it will spray in any direction.]

HOW TO USE THE EZ SPRAY™[AccuShot Sprayer]

- Aim toward target [site] [area to be treated], and away from people and pets.
- [To improve accuracy, use slider to extend wand.][Use slider to extend wand and to improve accuracy.]
- Press the trigger to spray.
- Release the trigger to stop spray.

After use: 1. Twist nozzle completely to CLOSE position. 2. Secure sprayer [upright] [tip down] in [holster] [holder]. 3. **Failure to adjust nozzle completely to CLOSE position and properly secure sprayer in [holster] [holder] may result in leakage and damage to property or injury to people or animals.**

[Keep reusable AccuShot sprayer for use with Chemsico Herbicide RTU DDI {or any alternate brand name or supplemental distributor registration associated with EPA Reg. No. 9688-349}]

To replace batteries: 1. [Slide battery compartment door to unlatch and open.] [Push release button near nozzle and lift up on battery hatch.] [Use screwdriver to open battery compartment] 2. Remove used batteries and insert [four] [two] new AA batteries **in correct positions** as marked per diagram inside of battery compartment. Never insert the positive end where the negative end belongs and vice versa. **Always** use a complete set of new batteries of the same type when replacing batteries. **Never** mix alkaline, carbon-zinc or rechargeable batteries. 3. Securely close battery compartment door. 4. **Always** follow manufacturer's specifications for use and disposal of batteries.

Additional Operating Notes: • **DO NOT** submerge in water. • Before each use, inspect sprayer carefully, making sure hose is flexible and not kinked, worn or cracked, and that all connections are tight. • When storing sprayer for prolonged periods, remove batteries.

(Option H1) **[Directions for EzSpray™ Sprayer and AccuShot™ Sprayer with Snap Adapt Cap]**

[Optional Subheading: How to Use [AccuShot Sprayer™] [Alternate: EzSpray™]]

1. [Unwrap sprayer.] Remove sprayer from side holder [Alternate: holster]. [Unwrap the tubing] [Gently pull tubing out].
2. Open flip top closure
3. Securely snap the hose plug into opening in cap until it snaps into place.
4. Slide switch on hose plug counter-clockwise to “OPEN”
5. Remove plastic tab near [top] [bottom] of sprayer to activate batteries.
6. Twist nozzle to adjust spray from CLOSE to SPRAY or STREAM.
7. [When priming the sprayer, hold sprayer level to the ground. Squeeze and hold trigger until liquid comes out the nozzle. Sprayer may not prime if it is held at an angle. Once primed, it will spray in any direction.]

{OPTION H2 – Alternate to H1} **[AccuShot Sprayer Directions with Snap Adapt Cap]**

1. Remove cap and replace with reusable AccuShot cap and Sprayer. Make sure sprayer cap is tightly closed before use
2. Twist nozzle to adjust spray from CLOSE to SPRAY or STREAM.
3. Slide switch on hose plug counter-clockwise to “OPEN”
4. [When priming the sprayer, hold sprayer level to the ground. Sprayer may not prime if it is held at an angle. Once primed, it will spray in any direction.]

[Optional Subheading: How To Use the AccuShot™ Sprayer [Alternate: EzSpray™]] *(For use with Snap Adapt Cap version of Directions)*

- Aim toward target [site] [area to be treated], and away from people and pets.
- [To improve accuracy, use slider to extend wand.][Use slider to extend wand and to improve accuracy.]
- Press the trigger to spray.
- Release the trigger to stop spray.

After use: 1. Twist sprayer nozzle completely to CLOSE position. 2. Turn hose plug switch clockwise to “CLOSED”. 3. Secure sprayer upright [tip down] in [holster] [holder]. 4. **Failure to adjust nozzle completely to CLOSE position and properly secure sprayer in [holster] [holder] may result in leakage and damage to property or injury to people or animals.**

[Keep reusable AccuShot sprayer for use with Chemsico Herbicide RTU DDI {or any alternate brand name or supplemental distributor registration associated with EPA Reg. No. 9688-349}]

(Optional Directions for Replacing Batteries)

[To replace batteries: 1. [Slide battery compartment door to unlatch and open.] [Use screwdriver to open battery compartment [Push release button near nozzle and lift up on battery hatch.]] 2. Remove used batteries and insert [four] [two] new AA batteries **in correct positions** as marked per diagram

inside of battery compartment. Never insert the positive end where the negative end belongs and vice versa. **Always** use a complete set of new batteries of the same type when replacing batteries. **Never** mix alkaline, carbon-zinc or rechargeable batteries. 3. Securely close battery compartment door. 4. **Always** follow manufacturer's specifications for use and disposal of batteries.]

Additional Operating Notes: DO NOT submerge in water. Before each use, inspect sprayer carefully, making sure hose is flexible and not kinked, worn or cracked, and that all connections are tight. When storing sprayer for prolonged periods, remove batteries.

[WHERE TO APPLY]

[Apply to the following areas: [[driveways], [gravel areas], [patios], [parking areas], [sidewalks], [brick walls], [brick walkways], [brick pathways], [gravel walks], [gravel walkways], [gravel paths], [along [fences], [fence lines] [curbs] [rock landscapes] [mulch areas,][and] [cracks in sidewalks] [where no vegetation is desired]].

IMPORTANT

Use only where no vegetation growth is desired for at least [1] [one] year. In soils with heavy clay, weed control may exceed [1] [one] year. Re-treatment every [3] [three] [4] [four] [6] [six] [8] [eight] [10] [ten] months may be necessary in areas of heavy rainfall.

Does not kill all seeds, woody and semi-woody plants, and propagules in the soil, including tubers and rhizomes.

{To Accompany Sprayer Direction Options A-E}

STORAGE AND DISPOSAL

Pesticide Storage: Store in cool dry area away from heat or open flame.

Pesticide Disposal: Nonrefillable container. **DO NOT** reuse or refill this container unless the directions for use allow a different (concentrated) product to be diluted in the container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

{To Accompany Sprayer Direction Options F}

STORAGE AND DISPOSAL (For use with Auto Trigger [Sprayer])

Pesticide Storage: Store in original container in a cool, dry area away from heat or open flame and in an area inaccessible to children and pets. Keep from freezing.

Pesticide Disposal: Reusable Auto Trigger [Sprayer]: DO NOT discard. Keep the Auto Trigger [Sprayer] for use on Chemsico Home Insect Control LN. **If Empty:** Non-refillable container. **DO NOT** reuse or refill this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

{To Accompany Sprayer Direction Options G&H for EZ Spray}

STORAGE AND DISPOSAL {FOR EZ SPRAY™}

Pesticide Storage: Turn the nozzle to "CLOSE" position. To prevent leakage, attach sprayer to clip. Store this product only in its original container in a secure storage area away from sources of heat or

open flame and in an area inaccessible to children and pets. Keep from freezing. **Pesticide Disposal:** Nonrefillable container. **DO NOT** reuse or refill this container unless the directions for use allow a different (concentrated) product to be diluted in the container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

{To Accompany Sprayer Direction Options G&H for AccuShot Sprayer}

STORAGE AND DISPOSAL {FOR AccuShot Sprayer}

Pesticide Storage: Turn the nozzle to “CLOSE” position. To prevent leakage, attach sprayer to clip. Store this product only in its original container in a secure storage area away from sources of heat or open flame and in an area inaccessible to children and pets. Keep from freezing. **Pesticide Disposal:** **DO NOT** discard the AccuShot Sprayer. Keep the AccuShot Sprayer for use on Herbicide RTU DDI Nonrefillable container. **DO NOT** reuse or refill this container unless the directions for use allow a different (concentrated) product to be diluted in the container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTICE: To the extent consistent with applicable law buyer assumes all responsibility for safety and use not in accordance with directions.

[*If you are not satisfied with this product for any reason, send your written request for a refund to the address below, together with the original dated store receipt showing the price you paid. Please allow 6-8 weeks for processing.]

[Questions? Comments call toll-free 1-800-332-5553 or visit our website]

Chemsico, Division of United Industries Corp.
P. O. Box 142642
St. Louis, MO 63114-0642
EPA Reg. No. 9688-265
EPA Est. No 9688-MO-1

©2022

{Optional Marketing Claims:}

{Note to Reviewer: Commercial label may include the addition of Spanish translation of approved text}

{Misc.}

1. Outdoor Use Only
2. Water-based
3. Fast-acting
4. Money back guarantee*
5. Guaranteed* results or your money back
6. Kills the weed top to bottom
7. Kills the root
8. **Tip and Pour**
9. Pets & people may reenter treated area once sprays have dried.
10. Why Chemsico Herbicide RTU DDI? [Weed] [Plant] [Vegetation] [&] [Grass] free area for up to [1] [one] [year] [12] [twelve] [months] [365 days] {or - any number of days, weeks, months or years up to 12 months (52 weeks / 365 days / 1 year)}
11. Use [Chemsico Herbicide RTU DDI] to [kill] [control] [prevent] [weeds] [vegetation] [plants] [plant growth] for up to [1] [one] year {or - any number of days, weeks, months or years up to 12 months (52 weeks / 365 days / 1 year)}
*If you are not satisfied with this product for any reason, send your written request for a refund to the address below, together with the original dated store receipt showing the price you paid. Please allow 6-8 weeks for processing.

{Where to Use}

12. [Use on] [For [control of]] [Controls] [weeds] [vegetation] [plants] [plant growth] [in [on]] [driveways], [gravel areas], [patios], [parking areas], [sidewalks], [brick walks], [brick walkways], [brick pathways], [gravel walks], [gravel walkways], [gravel paths], [along fences], [fence lines], [curbs], [rock landscapes] [mulch areas] [and] [cracks in sidewalks]] [for up to [1] [one] [year] [12] [twelve] [months] [365 days] {or - any number of days, weeks, months or years up to 12 months (52 weeks / 365 days / 1 year)}
13. Use on driveways, patios, gravel paths, fence lines and rock landscapes where no vegetation is desired
14. [For] use where no plant growth is desired
15. Use on driveways, patios, walkways
16. Not for use [on] [near] [around] desirable [grasses] [vegetation] [plants]

{Coverage}

17. 1 [quart] [qt] [32 fl oz] (0.0018 lbs. diquat dibromide, 0.0030 lbs. imazapyr, isopropylamine salt, and 0.0005 lbs. dicamba, dimethylamine salt) [covers] [treats] [up to] 125 [square feet] [sq. ft.] [ft²]
18. ½ [gallon] [gal] [64 fl oz] (0.004 lbs. diquat dibromide, 0.006 lbs. imazapyr, isopropylamine salt, and 0.001 lbs. dicamba, dimethylamine salt) [covers] [treats] [up to] 250 [square feet] [sq. ft.] [ft²]
19. 1 [gallon] [gal] [128 fl oz] (0.007 lbs. diquat dibromide, 0.012 lbs. imazapyr, isopropylamine salt, and 0.002 lbs. dicamba, dimethylamine salt) [covers] [treats] [up to] 500 [square feet] [sq. ft.] [ft²]
20. 1.25 gallon] [gal] [128 fl oz] (0.009 lbs. diquat dibromide, 0.015 lbs. imazapyr, isopropylamine salt, and 0.003 lbs. dicamba, dimethylamine salt) [covers] [treats] [up to] 625 [square feet] [sq. ft.] [ft²]
21. 1.33 [gallon] [gal] [170 fl oz] (0.009 lbs. diquat dibromide, 0.016 lbs. imazapyr, isopropylamine salt, and 0.003 lbs. dicamba, dimethylamine salt) [covers] [treats] [up to] 665 [square feet] [sq. ft.] [ft²]
22. 2 [gallons] [gals] [256 fl oz] (0.014 lbs. diquat dibromide, 0.024 lbs. imazapyr, isopropylamine salt, and 0.004 lbs. dicamba, dimethylamine salt) [covers] [treats] [up to] 1000 [square feet] [sq. ft.] [ft²]

[Bracketed Text] = Optional Language

{Bracketed Text} = Note to Reviewer

Page 9 of 14

{Active Ingredients}

23. Works [3] [three] ways
24. **[How it Works :] Diquat Dibromide** : Burn down agent [Lets you see the product is working [fast]].
Dicamba : Kills listed [tough] broadleaf [dandelion-type][thistle-type] weeds to the root. Weeds and grasses have different types of roots and need different chemicals in order to kill each type. These chemicals work to kill the cells of the weeds and grasses by entering the plant through the leaves and moving down to the roots. **Imazapyr** : Kills listed weeds and grasses to the root and provides residual control for up to [1] [one] year [365 days]. {or - any number of days, weeks, months or years up to 12 months (52 weeks / 365 days / 1 year)}
25. **[How it Works:] Diquat Dibromide** : Burn down agent [Lets you see the product is working [fast]].
26. **[How it Works:] Dicamba** : Kills [listed] [tough] broadleaf [dandelion-type][thistle-type] weeds to the root.
27. **[How it Works:] Imazapyr** : Kills [listed] weeds and grasses to the root and provides residual control for up to [1] [one] year [365 days]. {or - any number of days, weeks, months or years up to 12 months (52 weeks / 365 days / 1 year)}
28. **Diquat** : Kills it fast
29. **Dicamba** : Kills broadleaf weeds
30. **Imazapyr** : [Prevents regrowth of weeds and grasses] [and] [kills grassy weeds like ...] for up to [1] [one] year [365 days]. {or - any number of days, weeks, months or years up to 12 months (52 weeks / 365 days / 1 year)}
31. [Triple][Active][Control][Technology]
32. [Triple Defense Technology]
33. Triple Actives [for Maximum Control]
34. Kills weeds and grasses, roots [&] [and] all

{Rainfast}

35. [Rainfast] [Rainsafe] [Rainproof] [Rain Safe] [Rain Proof] within [1/2] [hr.] [hour] [30] [min.] [minutes] [1] [one] [hr.] [hour] [60] [min.] [minutes]
36. Rain can fall [in] [1/2] [hr.] [hour] [30] [min.] [minutes] [1] [one] [hr.] [hour] [60] [min.] [minutes] [after application] [without washing off]

{Residual}

37. [Kills] [Controls] [Prevents] [[perennial] [annual [broadleaf weeds]] [vines] [and] [grasses]] [for up to [1] [one] [year] [12] [twelve] [months] [365 days] {or - any number of days, weeks, months or years up to 12 months (52 weeks / 365 days / 1 year)}
38. One application [kills] [controls] [&] [prevents] [weeds] [vegetation] [plants] [and] [plant growth] for up to [1] [one] [year] [12] [twelve] [months] [365 days] {or - any number of days, weeks, months or years up to 12 months (52 weeks / 365 days / 1 year)}
39. [Kills weeds] [&] [and] their germinating seeds
40. [Kills weeds] [&] [and] [prevents [weeds] [vegetation] [plants] [and] [plant growth] up to [1] [one] [year] [12] [twelve] [months] [365 days] {or - any number of days, weeks, months or years up to 12 months (52 weeks / 364 days / 1 year)}
41. Prevents new [weeds] [vegetation] [plants] [and] [plant growth] for up to [1] [one] [year] [12] [twelve] [months] [365 days] {or - any number of days, weeks, months or years up to 12 months (52 weeks / 365 days / 1 year)}
42. No [regrowth] [weeds] [vegetation] [plants] [and] [plant growth] for up to [1] [one] [year] [12] [twelve] [months] [365 days] {or - any number of days, weeks, months or years up to 12 months (52 weeks / 365 days / 1 year)}

43. [To] keep treated ground clear of [weeds] [vegetation] [plants] [and] [plant growth] for up to [1] [one] [year] [12] [twelve] [months] [365 days] {or - any number of days, weeks, months or years up to 12 months (52 weeks / 365 days / 1 year)}
44. Prevents listed [weeds] [vegetation] [plants] [and] [plant growth] from [emerging] [growing] for up to [1] [one] [year] [12] [twelve] [months] [365 days] {or - any number of days, weeks, months or years up to 12 months (52 weeks / 365 days / 1 year)}
45. Pre-emergent and post-emergent control up to [1] [one] [year] [12] [twelve] [months] [365 days] {or - any number of days, weeks, months or years up to 12 months (52 weeks / 365 days / 1 year)}
46. Formulated to prevent [unwanted] [new] [weed[s]] [grass[es]], [plant[s] [vegetation] [regrowth] [new growth] [growth] for up to [1] [one] [year] [12] [twelve] [months] [365 days] {or - any number of days, weeks, months or years up to 12 months (52 weeks / 365 days / 1 year)}
47. Eliminates [unwanted] [new] [weed[s]] [grass[es]], [plant[s] [vegetation] [regrowth] [new growth] [growth] for up to [1] [one] [year] [12] [twelve] [months] [365 days] {or - any number of days, weeks, months or years up to 12 months (52 weeks / 365 days / 1 year)}
48. Blocks [unwanted] [new] [weed[s]] [grass[es]], [plant[s] [vegetation] [regrowth] [new growth] [growth] for up to [1] [one] [year] [12] [twelve] [months] [365 days] {or - any number of days, weeks, months or years up to 12 months (52 weeks / 365 days / 1 year)}
49. Pre-emergent and post-emergent [weed] [vegetation] [plant] [and] [plant growth] control
50. Season-long [Year-long] control
51. Kills [all] [vegetation] [-] [weeds,][and] [grasses]
52. Prevents plant growth for up to 1 year {or any number of days, weeks, months or years up to 12 months (52 weeks/365 days/1 year)}
53. Kills existing vegetation
54. No [plant] [vegetation] regrowth for up to [1] [one] [year] [12] [twelve] [months] [365 days] {or - any number of days, weeks, months or years up to 12 months (52 weeks / 365 days / 1 year)}
55. No [plant] [vegetation] growth for up to [1] [one] [year] [12] [twelve] [months] [365 days] {or - any number of days, weeks, months or years up to 12 months (52 weeks / 365 days / 1 year)}
56. Keeps [ground] [area] [all other use sites] weed free [&] [plant free] for up to [1] [one] [year] [12] [twelve] [months] [365 days] {or - any number of days, weeks, months or years up to 12 months (52 weeks / 365 days / 1 year)}
57. Kills [existing] [weeds] [grass[es]], [plant[s] [vegetation] & prevents [unwanted] [new] [weed[s]] [grass[es]], [plant[s] [vegetation] [regrowth] [new growth] [growth] for up to 1 year [12 months] {or – any number of days, weeks months or years up to 12 months (52 weeks/365 days/1 year)}
58. Prevents [unwanted] [new] [weed[s]] [grass[es]], [plant[s] [vegetation] [regrowth] [new growth] [growth] for up to 1 year [12 months] [365 days] {or – any number of days, weeks, months or years up to 12 months (52 weeks/365 days/1 year)}
59. Kills [down to] [the] root[s] [guaranteed*]
60. Kills vegetation [[down to] [the] root[s]] – [including] [unwanted] [weeds], [grasses], [grass], [plants], [scrub], [seedlings], [greenery], [vines], [groundcover]
61. Kills [weeds] [grasses] [grass] [plants] and root[s] & all
62. Kills existing [vegetation] [weeds] [grasses] [grass] [and] [plants]



{Speed}


63. Works fast
64. [Visible] [See] results [in] [as fast as] [6] hours
65. See signs of results [in] [as fast as] [6] hours
66. [See signs of] [Visible] results same day

{Sprayer}

- 67. Flip & Go Continuous Action Power Sprayer
- 68. AccuShot Continuous Power Sprayer
- 69. Just Aim & Spray
- 70. Extendable Wand for Accuracy
- 71. Ready To Use
- 72. Flip & Go
- 73. Continuous Action
- 74. Power Sprayer
- 75. Refill
- 76. For use with reusable AccuShot Sprayer from **Chemsico Herbicide RTU DDI {for any alternate brand name or supplemental distributor registration associated with EPA Reg. No. 9688-349}**
- 77. For use with reusable AccuShot Sprayer from Spectracide One-Shot Weed & Grass Killer2
- 78. For use with reusable AccuShot Sprayer from Spectracide Power Weed & Grass Killer2

{Optional Graphics of AccuShot and Flip & Go Sprayer}





{Optional chart }

Where to Use	Use on driveways, gravel areas, patios, parking areas, sidewalks, brick walks, brick walkways, brick pathways, gravel walks, gravel walkways, gravel paths, along fences, curbs, rock landscapes, mulch areas and cracks in sidewalks. Apply to locations only where no vegetation growth is desired for up to 1 year.
Kills	Kills weeds and prevents plant growth for up to 1 year
When to Use	Apply when weeds are present. [If weeds are taller than 6 inches, mow or cut down weeds and remove debris before treatment.] [Treat area uniformly to maximize results.] [Re-treatment every 6 to 8 months may be necessary in areas of heavy rainfall.]
How Much to Use	1 [quart] [qt.] [32 fl oz] (0.0018 lbs. diquat dibromide, 0.0030 lbs. imazapyr, isopropylamine salt, and 0.0005 lbs. dicamba, dimethylamine salt) [covers] [treats] [up to] 125 [square feet] [sq. ft.] [ft ²] 1 [gallon] [gal.] [128 fl oz] (0.007 lbs. diquat dibromide, 0.012 lbs. imazapyr, isopropylamine salt, and 0.002 lbs. dicamba, dimethylamine salt) [covers] [treats] [up to] 500 [square feet] [sq. ft.] [ft ²] ½ gallon [64 fl oz] (0.004 lbs. diquat dibromide, 0.006 lbs. imazapyr, isopropylamine salt, and 0.001 lbs. dicamba, dimethylamine salt) covers] [treats] [up to] 250 [square feet] [sq. ft.] [ft ²] 1.25 gallon [gal.] [160 fl oz] (0.009 lbs. diquat dibromide, 0.015 lbs. imazapyr, isopropylamine salt, and 0.003 lbs. dicamba, dimethylamine salt) [covers] [treats] [up to] 625 [square feet] [sq. ft.] [ft ²] 1.33 [gallon] [gal.] [170 fl oz] (0.009 lbs. diquat dibromide, 0.016 lbs. imazapyr, isopropylamine salt, and 0.003 lbs. dicamba, dimethylamine salt) [covers] [treats] [up to] 665 [square feet] [sq. ft.] [ft ²] 2 [gallons] [gals.] [256 fl oz] (0.014 lbs. diquat dibromide, 0.024 lbs. imazapyr, isopropylamine salt, and 0.004 lbs. dicamba, dimethylamine salt) [covers] [treats] [up to] 1000 [square feet] [sq. ft.] [ft ²]

{Additional Optional Graphics}

