

LILICO PRODUCTS, INC.

4913 WEST NASSAU ST.

TAMPA, FLORIDA

ACCEPTED

9-26-67

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC ACTION REGISTERED
ED UNDER NO. 9695-3

FOR INSTITUTIONS, BARS, RESTAURANTS, ETC.

CLEANER - SANITIZER:

IODINE is an excellent general purpose cleaner-sanitizer formulated for industrial, institutional and public sanitation.

IODINE cleans efficiently and economically without the need for rinsing. For cleaning and sanitizing in single operation use 75 PPM Iodine For porous and difficult to clean areas use solution containing 150 PPM Iodine.

To sanitize glasses, dishes, cutlery and restaurant equipment, use 25 PPM, allow to stand in solution 30 seconds.

To sanitize hospital rooms and equipment after thorough cleaning with a good detergent, rinse and use 150 PPM Iodine Sanitizer solution.

DILUTION TABLE

Ounces of Iodine Sanitizer for :

	5 gals. water	10 gals. water
150 PPM	6 Ounces	12 Ounces
125 PPM	5 Ounces	10 Ounces
100 PPM	4 Ounces	8 Ounces
75 PPM	3 Ounces	6 Ounces
50 PPM	2 Ounces	4 Ounces
25 PP	1 Ounce	2 Ounces
12½ PPM	½ Ounce	1 Ounce

CAUTION: Avoid contamination of food. Do not use in combination with any other soap, cleaner or sanitizer.

Avoid contact with skin and eyes. In case of contact flush skin or eyes with plenty of water. For eyes get medical attention

HARMFUL IF SWALLOWED—CAUSES SKIN IRRITATION

FOR DAIRIES

CLEANING TREATMENT:

Flush all utensils and milking machines after each milking, with cold or lukewarm water.

Fill wash tank with lukewarm water and add 1 ounce of IODINE SANITIZER for each 5 gallons of water (Titratable Iodine 25 PPM).

GERMICIDAL TREATMENT:

Add in the rinse tank 1 ounce of IODINE SANITIZER per each 10 gallons of lukewarm water. Titratable Iodine 12.5 PPM.)

Dip washed parts in the rinse tank with IODINE SANITIZER solution for 2 to 5 minutes.

Before each milking and after assembling machine, flush with a solution of ½ ounce of IODINE SANITIZER into five gallons of water. Titratable Iodine 12.5 PPM.)

Use freshly made solution for each morning and night milking.

FOR UDDERS: Use a clean paper towel for each cow. Wet with a solution of 1 ounce IODINE SANITIZER to each 5 gallons of lukewarm water. Titratable Iodine 25 PPM.)

MILK STONE REMOVAL: Use 1 Part IODINE SANITIZER to 1 part of water. Cover surfaces to be cleaned. Let it stay 3 to 5 minutes, then brush and rinse.

ACTIVE INGREDIENTS:

Nonylphenoxy poly (ethyleneoxy) ethanol Iodine Complex	16.9%
Phosphoric Acid	6.0%
Hydrogen Chloride	0.7%
INERT INGREDIENTS	76.4%
Total	100.0%

(Titratable Iodine 1.75%)

IODINE SANITIZER contains its own indicator. The germicidal activity is indicated by the presence of amber or yellow color. When the color fades use fresh solution.

U.S.D.A. REG, NO.: 9695-3

ACCEPT

JUL 17 1975

UNDER THE FEDERAL INSECTICIDE AND RODENTICIDE ACT AS AMENDED UNDER NO. **9743**

MICROBIOCIDES NO.

For use in recirculating cooling water systems for the control of algae, bacterial slime, and fungi

Active Ingredient:

Poly [oxyethylene (dimethyliminio) ethylene (dimethyliminio) ethylene dichloride] **6.0%**

Inert Ingredient **94.0%**

CAUTION:

KEEP OUT OF THE REACH OF CHILDREN

Harmful if swallowed. Avoid contact with skin and eyes. Avoid contamination of food. In case of contact with skin or eyes, flush with copious amounts of water for at least 15 minutes. If eye irritation persists, seek medical attention.

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning of equipment or disposal of wastes.

USE ONLY AS DIRECTED ON SIDE PANEL

8.4# /GAL.

NET CONTENTS

GALS.

E P A REG. NO. 09743 000

SKASOL INCORPORATED

40 CLEVELAND STREET

• SAN FRANCISCO, CALIFORNIA 94103

• PHONE: 431-1111