3 - 1

michigan



COMPLETE
MINERAL-SALT SUPPLEMENT
BLOCK

MEDICATED

17/11-2

PREVENTS the breeding_of horn flies and face flies in the manure of

WILD LAILL

PREVENTS the breeding of horn flies and face flies in the manure of treated cattle, when used as directed. Aids in the prevention of stomach worms (Haemonchus), hook worms (Bunostomm) and nodular worms (Oesophagostomum). Aids in the prevention of soft tissue (lumpy jaw) and foot rot in cattle.

PESTICIDALLY ACTIVE DRUG INGREDIENT:

Phenothiazine 2.00%

INERT INGREDIENTS 98.00%

OTHER ACTIVE DRUG INGREDIENT:

Ethylene diamine dihydriodide 0.055%

CAUTION: KEEP OUT OF REACH OF CHILDREN. Occasional sensitivity to phenothiazine has been reported in cattle. Do not feed to actating dairy cows or goats. Feed to ruminants only.

COMPLETE MINERAL-SALT SUPPLEMENT BLOCK

MEDICATED

9711-2

PREVENTS the breeding of horn flies and face flies in the manure of treated cattle, when used as directed. Aids in the prevention of stomach worms (Haemonchus), hook worms Bunostomm and nodular worms (Oesophagostomum). Aids in the prevention of soft tissue (lumpy jaw) and foot rot in cattle.

PESTICIDALLY ACTIVE DRUG INGREDIENT:

Phenothiazine 2.00%

INERT INGREDIENTS 98.00%

OTHER ACTIVE DRUG INGREDIENT:

Ethylene diamine dihydriodide 0.055%


CAUTION: KEEP OUT OF REACH OF CHILDREN. Occasional sensitivity to phenothiazine has been reported in cattle. Do not feed to

lactating dairy cows or goats. Feed to ruminants only.

NET WEIGHT 33% LBS.

MICHIGAN SALT COMPANY ST. LOUIS, MICHIGAN 48880

michigan





ACCEPTED

COMPLETE

MINERAL - SALT SUPPLEMENT BLOCK

" MEDICATED "

CAUTION: FOR RUMINANTS ONLY; FEED O'LY IN ACCOR ANCE WITH DIRECTIONS.

GUARANTEED ANALYSIS

CRUDE PRO EIN	and the second of the second o	14%
This includes not more than 15 6% of	protein equivalent from non protein listragen wied	
CRUDE FAT	not less than	2.0%
CRU E FIBER	not more than	7.0%
PHOSPHORUS	not less than	_2 0%
FALCIUM	MAX.	ر 7 O٩٠
CALCIUM_		5.0%
SALT	MAX.	22.0%
SALT	MIKL	18.0%
		10.0%

VITAMIN A_____40,0 10 U. S. P UNITS PER LE

VITAMI : D _____20,000 U S P UNITS PER LB

INGREDIENTS: Soybean oil meal, soybean mill feed, cane molasses, dicalcium phosphate, low flourine rock phosphate, salt, limestone, steamed bone meal, calcium iodate, magnesium oxide, zinc oxide, man-



ACCEPTED

COMPLETE

MINERAL - SALT SUPPLEMENT BLOCK

" MEDICATED "

CAUTION: FOR RUMINANTS OF LY: FEED OF LY IN ACCORDANCE WITH DIRECTIONS

GUARANTIED ANALYSIS

CRUDE PRO EIN	15 (4 of protein only related to	14%
time incidaes no. more man	13 U. of profess equivalent from non-protein hitrogen surea	
CRUDE FAT	not less than	2.0%
CRUDE FIBER	not more than	7.0%
PHOSPHORUS	not less than	2.0%
CALCIUM	MAX	7.0%
CALCIUM	M:N	5.0%
SALT	MAX	22.0%
SALT	MIN:	18.0%
TOTAL SUCARS (as inver	rts)	10.0%

VITAMIN A_____40,0 00 U. S. P. UNITS PER LB.

VITAMI : D _____20,000 U. S. P. UNITS PER LB.

INGREDIENTS: Soybean o'l meal, soybean mill feed, cane molasses, dicalcium phosphate, low flourine rock phosphate, salt, limestone steamed bone meal, calcium iodate, magnesium oxide, zinc oxide, manganous oxide, iron carbonate, cobalt carbonate, copper carbonate, vitamin A palmitate, irradiated yeast, anise oil, corn gluten feed, wheat middlings.

FEEDING DIRECTIONS: Lelf feed as sole source of salt at the rate of 4 oz. Fly-Swat per head per day. Place blocks at the rate of (1) one block for each 20 head of cattle or (1) one block for each 50 head of sheep or goats. Be sure an ample supply of blocks are located near animals water or loafing area

Since face Fies migrate from farm to farm it is essential that a larvicide program be carried out on an area basis to assist in reduction of the adult face fly population.

Fly control will be effective only if a continuous supply is available.

o not feed any other salt or mineral. Fly-Swat Block contains all the additional salt and mineral required by the cattle when consumed at the proper rate.

US A Registration Number: 9711-2

MICHIGAN SALT COMPANY - ST. LOUIS, MICHIGAN 48880