



ACCEPTED
 FEB 13 1986
 9743-1
 UNDER THE FEDERAL INSECTICIDE
 FUNGICIDE AND ROENTICIDE ACT
 FOR ECONOMIC POISON REGISTRA-
 ED UNDER NO.

MICROBIOCIDE NO. 2

For use in recirculating cooling water systems for the control of algae, bacterial slime, and fungi.

ACTIVE INGREDIENTS:

Sodium Pentachlorophenate	8.1%
Sodium salts of other chlorophenates	1.1%
n-Alkyl (50% C ₁₄ , 40% C ₁₂ , 10% C ₁₆) dimethyl benzyl ammonium chlorides	1.3%
INERT INGREDIENTS	89.5%

This product contains 0.93 lb. of active ingredients per gallon and weighs 8.9 lb. per gallon.

DANGER: KEEP OUT OF REACH OF CHILDREN

PRECAUTIONARY STATEMENTS — HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Do not breathe dust or spray mist. Wear goggles or face shield and rubber gloves when handling this product. Wash after handling. Avoid contamination of food.

FIRST AID: If on skin, wash with soap and water. If in eyes, flush with water for at least 15 minutes. If swallowed, do not induce vomiting, drink large quantities of water and see a physician immediately.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES permit. For guidance contact your Regional Office of the EPA.

8.9#/GAL. NET CONTENTS GALLONS E.P.A. REG. NO. 09743 00001 AA

SKASOL INCORPORATED

40 CLEVELAND STREET

SAN FRANCISCO, CALIFORNIA 94103

PHONE: 431-5000

INDUSTRIAL WATER TREATMENT CHEMICAL CLEANING

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Skasol Microbiocide 2 is used to control algae, bacteria, and fungi in recirculating commercial and industrial water cooling towers. Prior to its use, systems must be cleaned to remove algal growth, microbiological slime, and other deposits. An initial slug addition of 44 to 88 fluid ounces of Skasol Microbiocide 2 per 1000 gallons of water is recommended. Repeat initial dosage until control is evident.

Subsequent slug additions of 22 to 44 fluid ounces of Skasol Microbiocide 2 per 1000 gallons of water should be employed every 1 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Slug additions should be made in the sump of water cooling towers.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinseate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

EPA EST. NO. 9743-CA-1