FRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

lauses eye and skin irritation. Wo not get in eyes, on skin or cicthing. Harmiul it swallowed. Do not preatne vapor or spray mist. Use waterproof gloves and tace shield or googles when handling concentrate, wash thoroughly after handling. STATEMENT OF PRACTICAL TREATMENT: In case of eve contact, immediately flush with pienty of water and get medical attention. In case of skin contact, wash immediately with spap and water. Bet medical attention it eye or skin irritation persists. Igf ingested, so not insuce votiting. Drink allk, egg whites, or quiatin; it not available, drink plenty or water. It inhaled, remove victim to fresh air. MOTE TO PHYSICIAN: There is no specific antidote: if ingested, do not induce emesis, and take care to avoid aspiration of stomach contents during gastric lavage. Give a saliant laxative and supportive therapv.

CAMIRORMENTAL HAZARDS

This product is toxic to fish and wildlife. Birds and wildlife in treated areas may be killed. Do not apply directly to any body of water. Do not apply where runoff is likely to occur. Do not contaminate water used for irrigation or domestic purposes. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water used for irrigation or domestic purposes. Do not contaminate water by cleaning or equipment. ...

PHYSICAL OR CHENICAL HAZARDS

to not use or store near heat or open +lame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

WEED-GO

NON-SELECT WEED AND GRASS KILLER

NON-SELECTIVE FOR USE ON NON-CROP AREAS SUCH AS RIGHTS OF WAY - INDUSTRIAL SITES - FENCE ROWS - STORAGE AREAS - PARKING LOTS.

HCtive Ingredients:	iv Vergi
Prometone (2,4-bis(isopropy)aming)-	•
o-methoxy-5-triazine;*	4.00%
řetroleum Hydrocarbon	30.00%
Inert Ingredients	400ءه
fotal	Itti, üük

*Pramitol

CAUTION KEEP OUT OF REACH OF CHILDREN

(SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONS)

Gro-Lyfe, a division of Sunand Chemicals Inc

FO BOX 21632 ION ANGELES HIS BOZZ and Insechcials

EPA Est No. 11474CAO Under the Food for the Foundation of Common and Sunday Common Comm

Net Contents_____Go

Seller guarancees that this material conforms to the chemical description on the label, and is effective for the purposes claimed when used in accordance with label instructions. The buyer assumes all risk and responsibility for use and/or handling of this product when such use and, or handling is not in accordance with label instructions. No other warranty expressed or implied is authorized by the seller.

BEST AVAILABLE COPY

WEED-GO is a non-selective herbicide with a fast acting double killing action. It hills by contact and by root absorption. It is is commanded for hilling - existing weeds and grasses, and to prevent degravation walks, patios, driveways, black ton and graviton mean, any play rounds, and for creating firebreaks around structures in potential fire areas. The following are a few of the common weeds and other vegetation that can be controlled on killed and regrowth prevented with REED-GO:

oxalis, crabgrass, bermuda grass, rye, oats, barley, foxtail, dog fennel, plantain, spotted spurge, prgweed, puncture vine, mustard, watergrass, green ground mold, malva, wild tutnip, fambsquireters, and such hard to kill perennial weeds as homy cress, dandelion and wild morning glory, also woody plants such as poison oak, honeysuckle and blackberry.

MIXING AND USING AS A SPRAY: Measure the required amount of WEED-GG directly into the sprayer or sprinking can and then add the needed quantity of water and stire thoroughly. The mixed spray tends to separation standing and therefore should be gently agitated from time to time while it is being applied. Use I gallon of WEED-GO to 8 gallons of water and apply to 1000 sc. ft. for the control of heavy brush, deep rooted perennials, woody plants and tall weeds. For the existing annual weeds and grasses, use I gallon of WEED-GO to 12 gallons of water and apply to 1500 sq. ft. The root action on deeprooted perennials and some woody plants requires applied moisture or can to get the active ingredients to the root zone.

Two days after applying WEED-GC, water the treated area deeply to increase plant absorption. One day treatment normally provides control for a full season. Repeat application if necessary. For longer lasting control double the rate of application.

SPOT TREATMENT: For woody plants such as poison oak, honeysuckle, blackberry and bermuda grass on driveways, patios and parking lots apply at the rate of 1 gallon of WEED GO mixed with 8 gallons of water. Spray all exposed . parts and saturate the soil around the base. Follow with deep watering. Use a tank sprayer or sprinkling can.

STORAGE AND DISPOSAL
STORAGE: Store in a cool dry place. Keep container closed.

PESTICIDE DISPOSAL.

Do not contaminate water, fond or feed by Storage or Obposal.

Hastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.