

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

HAZARDOUS IF SWALLOWED: Avoid prolonged breathing of spray mist. Avoid prolonged or repeated contact with skin. Wash thoroughly after handling. Do not contaminate food or feed products. Food utensils such as teaspoons and tablespoons should not be used for food purposes after use with insecticide.

ENVIRONMENTAL HAZARDS

This product is harmful to fish. Keep out of streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Snail and crab may be killed at application rate recommended on this label. Do not apply where there are important resources. Apply this product only as specified on this label. This product is highly toxic to bees exposed to direct treatment of residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

PHYSICAL OR CHEMICAL HAZARDS:
DO NOT USE, POUR, SPILL OR STORE NEAR
OR OPEN FLAME.

Seller makes no warranty, expressed or implied, as to merchantability, fitness for a particular purpose, or otherwise, concerning the use of this product as indicated on this label. Seller shall not be liable for injury, damage or loss resulting from the handling, use or use of this product not in strict accordance with the directions given hereon.

STORAGE AND DISPOSAL

STORAGE: Store in a cool dry place. Keep container closed.

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Waste resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

DIRECTION FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ LABEL BEFORE SPRAYING. Use strictly in accordance with label cautions, warnings, and directions.

FLY CONTROL: Mix 1 gallon Malathion Spray Concentrate to 9 gallons of water (1/4 pint per gallon) and apply as below.

ACTIVE INGREDIENTS

Malathion 10.00%
Retrolene 44.80%
O,O-dimethyl phosphorotriethylthio succinate 45.20%

By Wt.

10.00%

44.80%

45.20%

STATEMENT OF PRECAUTIONARY TREATMENT

WASHED CLOTHES DO NOT INDUCE VOLUNTARY
WASHED CLOTHES DO NOT INDUCE VOLUNTARY

WASHED CLOTHES DO NOT INDUCE VOLUNTARY
WASHED CLOTHES DO NOT INDUCE VOLUNTARY

WASHED CLOTHES DO NOT INDUCE VOLUNTARY
WASHED CLOTHES DO NOT INDUCE VOLUNTARY

WASHED CLOTHES DO NOT INDUCE VOLUNTARY
WASHED CLOTHES DO NOT INDUCE VOLUNTARY

WASHED CLOTHES DO NOT INDUCE VOLUNTARY
WASHED CLOTHES DO NOT INDUCE VOLUNTARY

WASHED CLOTHES DO NOT INDUCE VOLUNTARY
WASHED CLOTHES DO NOT INDUCE VOLUNTARY

WASHED CLOTHES DO NOT INDUCE VOLUNTARY
WASHED CLOTHES DO NOT INDUCE VOLUNTARY

WASHED CLOTHES DO NOT INDUCE VOLUNTARY
WASHED CLOTHES DO NOT INDUCE VOLUNTARY

WASHED CLOTHES DO NOT INDUCE VOLUNTARY
WASHED CLOTHES DO NOT INDUCE VOLUNTARY

WASHED CLOTHES DO NOT INDUCE VOLUNTARY
WASHED CLOTHES DO NOT INDUCE VOLUNTARY

WASHED CLOTHES DO NOT INDUCE VOLUNTARY
WASHED CLOTHES DO NOT INDUCE VOLUNTARY

WASHED CLOTHES DO NOT INDUCE VOLUNTARY
WASHED CLOTHES DO NOT INDUCE VOLUNTARY

WASHED CLOTHES DO NOT INDUCE VOLUNTARY
WASHED CLOTHES DO NOT INDUCE VOLUNTARY

WASHED CLOTHES DO NOT INDUCE VOLUNTARY
WASHED CLOTHES DO NOT INDUCE VOLUNTARY

WASHED CLOTHES DO NOT INDUCE VOLUNTARY
WASHED CLOTHES DO NOT INDUCE VOLUNTARY

WASHED CLOTHES DO NOT INDUCE VOLUNTARY
WASHED CLOTHES DO NOT INDUCE VOLUNTARY

WASHED CLOTHES DO NOT INDUCE VOLUNTARY
WASHED CLOTHES DO NOT INDUCE VOLUNTARY

WASHED CLOTHES DO NOT INDUCE VOLUNTARY
WASHED CLOTHES DO NOT INDUCE VOLUNTARY

BEST
DATE

NET CONTENTS.....Gallons

See Side Panel For Precautionary Statements.

EPA Reg. No. 9754-6
EPA Est. No. 11474CA01

MANUFACTURED BY:
GroLyle, A Division of SUNGRO CHEMICALS, INC.
P.O. BOX 24632 LOS ANGELES, CA 90024

Malathion 10.00% Retrolene 44.80% O,O-dimethyl phosphorotriethylthio succinate 45.20%
Malathion 10.00% Retrolene 44.80% O,O-dimethyl phosphorotriethylthio succinate 45.20%
Malathion 10.00% Retrolene 44.80% O,O-dimethyl phosphorotriethylthio succinate 45.20%
Malathion 10.00% Retrolene 44.80% O,O-dimethyl phosphorotriethylthio succinate 45.20%
Malathion 10.00% Retrolene 44.80% O,O-dimethyl phosphorotriethylthio succinate 45.20%
Malathion 10.00% Retrolene 44.80% O,O-dimethyl phosphorotriethylthio succinate 45.20%
Malathion 10.00% Retrolene 44.80% O,O-dimethyl phosphorotriethylthio succinate 45.20%
Malathion 10.00% Retrolene 44.80% O,O-dimethyl phosphorotriethylthio succinate 45.20%
Malathion 10.00% Retrolene 44.80% O,O-dimethyl phosphorotriethylthio succinate 45.20%
Malathion 10.00% Retrolene 44.80% O,O-dimethyl phosphorotriethylthio succinate 45.20%

MOSQUITO AND SMALL FLYING INSECTS: Out-
door 2-3% fog, indoor no-spray spray. Dilute 1
Malathion Spray Concentrate in 4-6 parts water, fo-
or direct all. Direct fog or aerosol to areas where is
and a problem. For 8% fog, dilute one part Mal-
Spray Concentrate to one part of water. Mos-
Larvae (in standing water): Apply at a rate of 2 quart
acre (1/2 pound actual Malathion per acre). Mi-
sufficient water or oil for good coverage.

SPOT TREATMENTS: Dilute two part to 20
water (1/2 pint per gallon) and apply.

HOUSEHOLD INSECTS: (Roaches, Ants, Cri-
Spiders, Silverfish, Clover Mites, Earwigs, Carpet Be-
Clothes Moths, Bedbugs) Mix 1/2 pint in one gal-
water (1 quart per gallon) or 2% off base spray mix 1
Malathion Spray Concentrate with 2 parts docu-
ment solution. Apply as a coarse spray or with a
brush or low pressure spray to areas where insects
hide in window sills, baseboards, under slats, stoves
and under carpet margins, closets and other
frequented by these pests.

ORNAMENTALS, SHRUBS, SHADE TREES: A)
Spider Mites, White Fly, Mealybugs, Thrips, Tar-
Plant Bugs, Leafhoppers, Oystershell Scale, Scurfy:
Use one gallon to 100 gallons of water (1 1/4 oz. v.
gallon of water). Soft Brown Scale, Monterey Pine:
Black Scale, Juniper Scale: 1 1/2 gallons to 100 g.
water (2 oz. to one gallon water). Pine Needle Scale:
3/4 gallons to 100 gallons water (3 1/2 oz. to one
water). Leaf Miner: 1 1/4 gallons to 100 gallons w
3/4 oz. to one gallon water).

CITRUS: (Grapefruit, Lemon, Lime, Orange, Tanger-
California Red Scale, Yellow Scale, Purple Scale,
Scale, Soft Scale, Citrus Scale, Thrips: 1 1/2 g
to 100 gallons water (3 oz. to one gallon water). Di-
apply to citrus for a period of 7 days prior to harvest.

DOGS AND CATS: Direct application:
spray of 3 oz. water per gallon of water. Wet the
thoroughly using a hand sprayer. Repeat treatments
be used within 2 to 3 weeks.

000000
000000

ACCEPTED
17 FEB 1988
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. *7781-6*

BEST AVAILABLE COPY